



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/15/2023

OVENTEMP IN Celsius(°C): 108
Time IN: 14:35
In Date: 06/14/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:20
Out Date: 06/15/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB125955

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O3182-01	EZBC9	1	1.12	8.84	9.96	9.08	90.0	
O3182-02	EZBD0	2	1.14	8.76	9.9	8.88	88.4	
O3182-03	EZBD1	3	1.12	8.83	9.95	8.88	87.9	
O3182-04	EZBD2	4	1.14	8.84	9.98	8.74	86.0	
O3182-05	EZBD3	5	1.13	8.81	9.94	8.89	88.1	
O3182-06	EZBD4	6	1.14	8.71	9.85	8.7	86.8	
O3182-07	EZBD5	7	1.12	8.86	9.98	8.72	85.8	
O3182-08	EZBD6	8	1.13	8.77	9.9	8.65	85.7	
O3182-09	EZBD7	9	1.13	8.75	9.88	8.56	84.9	
O3182-10	EZBD8	10	1.13	8.78	9.91	8.43	83.1	
O3182-11	EZBD9	11	1.13	8.79	9.92	8.46	83.4	
O3182-12	EZBE0	12	1.14	8.73	9.87	8.41	83.3	
O3182-13	EZBE1	13	1.12	8.85	9.97	8.61	84.6	
O3182-14	EZBE2	14	1.12	8.85	9.97	8.97	88.7	
O3182-15	EZBE3	15	1.11	8.84	9.95	8.92	88.3	
O3182-16	EZBE4	16	1.14	8.83	9.97	8.58	84.3	
O3182-17	EZBE5	17	1.13	8.82	9.95	8.93	88.4	
O3182-18	EZBE6	18	1.14	8.76	9.9	8.83	87.8	
O3182-19	EZBE7	19	1.13	8.68	9.81	8.56	85.6	
O3182-20	EZBF1	20	1.13	8.72	9.85	8.94	89.6	
O3182-21	EZBF1D	21	1.13	8.72	9.85	8.94	89.6	
O3182-22	EZBF1S	22	1.13	8.72	9.85	8.94	89.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$