



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/15/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:15
In Date: 06/14/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:27
Out Date: 06/15/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB125959

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O3184-01	EZBF9	1	1.15	8.49	9.64	8.52	86.8	
O3184-02	EZBG0	2	1.19	8.61	9.8	8.47	84.6	
O3184-03	EZBG1	3	1.19	8.52	9.71	8.53	86.2	
O3184-04	EZBG2	4	1.19	8.52	9.71	8.65	87.6	
O3184-05	EZBG3	5	1.19	8.41	9.6	8.36	85.3	
O3184-06	EZBG4	6	1.14	8.83	9.97	8.75	86.2	
O3184-07	EZBG5	7	1.15	8.83	9.98	8.81	86.7	
O3184-08	EZBG6	8	1.15	8.83	9.98	8.83	87.0	
O3184-09	EZBG7	9	1.17	8.44	9.61	8.44	86.1	
O3184-10	EZBG8	10	1.18	8.56	9.74	8.98	91.1	
O3184-11	EZBG9	11	1.18	8.48	9.66	8.7	88.7	
O3184-12	EZBH0	12	1.15	8.74	9.89	8.58	85.0	
O3184-13	EZBH1	13	1.18	8.50	9.68	8.61	87.4	
O3184-14	EZBH2	14	1.19	8.57	9.76	8.51	85.4	
O3184-15	EZBH3	15	1.17	8.57	9.74	8.48	85.3	
O3184-16	EZBH4	16	1.15	8.83	9.98	8.5	83.2	
O3184-17	EZBH4D	17	1.15	8.83	9.98	8.5	83.2	
O3184-18	EZBH4S	18	1.15	8.83	9.98	8.5	83.2	
O3184-19	EZBH5	19	1.15	8.83	9.98	8.8	86.6	
O3184-20	EZBH6	20	1.17	8.72	9.89	8.9	88.6	
O3184-21	EZBH7	21	1.14	8.80	9.94	8.75	86.5	
O3184-22	EZBH8	22	1.19	8.36	9.55	8.64	89.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$