



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB125998

Reviewed By: Rubina
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O3262-01	WS-SOIL1-0615	1	100.06	0.00	06/16/2023	15:00
2	O3262-01DUP	WS-SOIL1-0615DUP	1	100.05	0.00	06/16/2023	15:08
3	O3262-02	WS-SOIL1-0615	1	100.02	0.00	06/16/2023	15:15
4	O3262-04	WS-SOIL2-0615	1	100.04	0.00	06/16/2023	15:22
5	O3262-05	WS-SOIL2-0615	1	100.05	0.00	06/16/2023	15:30
6	O3262-07	WS-SOIL3-0615	1	100.02	0.00	06/16/2023	15:37
7	O3262-08	WS-SOIL3-0615	1	100.06	0.00	06/16/2023	15:45
8	O3287-01	OK-1-061523	1	100.04	0.00	06/16/2023	15:52
9	O3288-01	PAT-2-061523	1	100.06	0.00	06/16/2023	16:00
10	O3296-01	COMPOSIT-R-02	1	100.02	0.00	06/16/2023	16:07
11	O3296-07	COMPOSIT-R-01	1	100.05	0.00	06/16/2023	16:15
12	O3296-13	COMPOSIT-TWO-01	1	100.04	0.00	06/16/2023	16:22
13	O3296-19	COMPOSIT-TW-07	1	100.03	0.00	06/16/2023	16:30
14	O3297-01	COMPOSIT-TP-6-6-9	1	100.02	0.00	06/16/2023	16:37
15	O3298-01	COMPOSIT-TW-04	1	100.02	0.00	06/16/2023	16:45
16	O3298-07	COMPOSIT-TW-05	1	100.04	0.00	06/16/2023	16:52

WORKLIST(Hardcopy Internal Chain)

6125998

WorkList Name : pf 6-16

WorkList ID : 170937

Department : Wet-Chemistry

Date : 06-16-2023 08:06:35

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O3262-01	WS-SOIL1-0615	Solid	Paint Filter	Cool 4 deg C	PSEG03	G11	06/15/2023	9095B
O3262-02	WS-SOIL1-0615	Solid	Paint Filter	Cool 4 deg C	PSEG03	G11	06/15/2023	9095B
O3262-04	WS-SOIL2-0615	Solid	Paint Filter	Cool 4 deg C	PSEG03	G11	06/15/2023	9095B
O3262-05	WS-SOIL2-0615	Solid	Paint Filter	Cool 4 deg C	PSEG03	G11	06/15/2023	9095B
O3262-07	WS-SOIL3-0615	Solid	Paint Filter	Cool 4 deg C	PSEG03	G11	06/15/2023	9095B
O3262-08	WS-SOIL3-0615	Solid	Paint Filter	Cool 4 deg C	PSEG03	G11	06/15/2023	9095B
O3287-01	OK-1-061523	Solid	Paint Filter	Cool 4 deg C	PSEG03	G11	06/15/2023	9095B
O3288-01	PAT-2-061523	Solid	Paint Filter	Cool 4 deg C	PSEG05	G11	06/15/2023	9095B
O3296-01	COMPOSIT-R-02	Solid	Paint Filter	Cool 4 deg C	PSEG03	G11	06/15/2023	9095B
O3296-07	COMPOSIT-R-01	Solid	Paint Filter	Cool 4 deg C	SOUN03	D21	06/15/2023	9095B
O3296-13	COMPOSIT-TWO-01	Solid	Paint Filter	Cool 4 deg C	SOUN03	D21	06/15/2023	9095B
O3296-19	COMPOSIT-TW-07	Solid	Paint Filter	Cool 4 deg C	SOUN03	D21	06/15/2023	9095B
O3297-01	COMPOSIT-TP-6-6-9	Solid	Paint Filter	Cool 4 deg C	SOUN03	D21	06/15/2023	9095B
O3298-01	COMPOSIT-TW-04	Solid	Paint Filter	Cool 4 deg C	SOUN03	D12	06/15/2023	9095B
O3298-07	COMPOSIT-TW-05	Solid	Paint Filter	Cool 4 deg C	SOUN03	D11	06/15/2023	9095B
					SOUN03	D11	06/15/2023	9095B

Date/Time 06/16/2023 14:55
 Raw Sample Received by: RM1 Cured
 Raw Sample Relinquished by: JACCO201

Date/Time 06/16/2023 16:50
 Raw Sample Received by: JACCO201
 Raw Sample Relinquished by: RM1 Cured