



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/28/2023

OVENTEMP IN Celsius(°C): 108
Time IN: 13:00
In Date: 06/20/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:45
Out Date: 06/21/2023
Weight Check 1.0g: 0.01
Weight Check 10g: 1.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB126063

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O3213-01	EZD99	1	1.15	8.66	9.81	9.04	91.1	
O3213-02	EZDA0	2	1.14	8.73	9.87	9.00	90.0	
O3213-03	EZDA1	3	1.15	8.67	9.82	8.5	84.8	
O3213-04	EZDA2	4	1.13	8.74	9.87	9.03	90.4	
O3213-05	EZDA3	5	1.13	8.78	9.91	9.16	91.5	
O3213-06	EZDA4	6	1.14	8.83	9.97	8.98	88.8	
O3213-07	EZDA5	7	1.14	8.84	9.98	8.99	88.8	
O3213-08	EZDA6	8	1.14	8.72	9.86	8.99	90.0	
O3213-09	EZDA7	9	1.15	8.75	9.9	8.66	85.8	
O3213-10	EZDA8	10	1.11	8.73	9.84	9.14	92.0	
O3213-11	EZDA9	11	1.12	8.79	9.91	9.02	89.9	
O3213-12	EZDB0	12	1.13	8.79	9.92	8.94	88.9	
O3213-13	EZDB1	13	1.14	8.77	9.91	9.06	90.3	
O3213-14	EZDB2	14	1.14	8.84	9.98	9.08	89.8	
O3213-15	EZDB3	15	1.13	8.83	9.96	9.08	90.0	
O3213-16	EZDB4	16	1.12	8.76	9.88	8.82	87.9	
O3213-17	EZDB5	17	1.13	8.78	9.91	9.1	90.8	
O3213-18	EZDB6	18	1.13	8.80	9.93	9.04	89.9	
O3213-19	EZDB7	19	1.14	8.82	9.96	8.9	88.0	
O3213-20	EZDC1	20	1.13	8.68	9.81	8.69	87.1	
O3213-21	EZDC1D	21	1.13	8.68	9.81	8.69	87.1	
O3213-22	EZDC1S	22	1.13	8.68	9.81	8.69	87.1	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$