



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 6/26/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 13:50
In Date: 06/24/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 07:45
Out Date: 06/25/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB126169

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O3243-01	DCGA5	1	1.15	8.80	9.95	8.43	82.7	
O3243-04	DCGC4	2	1.12	8.44	9.56	8.45	86.8	
O3243-05	DCGC5	3	1.16	8.39	9.55	8.37	85.9	
O3243-06	DCGC6	4	1.11	8.47	9.58	8.89	91.9	
O3243-07	DCGC7	5	1.18	8.36	9.54	8.7	90.0	
O3243-08	DCGC8	6	1.19	8.47	9.66	8.73	89.0	
O3243-09	DCGC9	7	1.12	8.71	9.83	8.53	85.1	
O3243-10	DCGD0	8	1.00	1.00	2.00	2.00	100.0	
O3243-11	DCGD1	9	1.12	8.57	9.69	9.04	92.4	
O3243-12	DCGD2	10	1.00	1.00	2.00	2.00	100.0	
O3243-13	DCGD3	11	1.15	8.56	9.71	9.04	92.2	
O3243-14	DCGD4	12	1.13	8.73	9.86	8.96	89.7	
O3243-15	DCGD5	13	1.18	8.80	9.98	8.73	85.8	
O3243-16	DCGD6	14	1.15	8.79	9.94	8.79	86.9	
O3243-17	DCGD7	15	1.12	8.00	9.12	8.32	90.0	
O3243-18	DCGD8	16	1.19	8.69	9.88	8.64	85.7	
O3243-19	DCGD9	17	1.13	8.50	9.63	9.04	93.1	
O3243-20	DCGE0	18	1.19	8.40	9.59	8.74	89.9	
O3243-21	DCGE1	19	1.17	8.52	9.69	8.95	91.3	
O3243-22	DCGE2	20	1.16	8.80	9.96	8.58	84.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$