



Analytical Summary Report

Analysis Method: 7196A

ANALYST: Rubina

Parameter: Hexavalent Chromium

SUPERVISOR REVIEW BY: Iwona

Run Number: LB126178

pH Meter ID: WC pH Meter-1

Reagent/Standard	Lot/Log #
hexavalent chromium color reagent	WP103034
5N sulfuric acid	WP102263
HNO3 Hex-Chrome, 5M	WP102262
Hexchrome Cleaning Solution	WP100882

Intercept: 0.0007

Slope: 0.7668

Regression: 0.999997

Seq	Lab ID	True Value (mg/l)	DF	Initial Vol (ml)	Final Vol (ml)	pH HNO3	pH H2SO4	Absorb.at 540nm		Absorbance Difference	Result (mg/L)	%D	Anal Date	Anal Time
								Backgrnd	Color					
1	CAL1	0	1	100	100	7.28	1.78	0.000	0.000	0.000	-0.00		06/26/2023	12:00
2	CAL2	0.01	1	100	100	7.42	1.90	0.000	0.009	0.009	0.010	0	06/26/2023	12:01
3	CAL3	0.025	1	100	100	7.39	1.87	0.000	0.020	0.020	0.025	0	06/26/2023	12:02
4	CAL4	0.05	1	100	100	7.38	1.88	0.000	0.039	0.039	0.049	-2	06/26/2023	12:03
5	CAL5	0.1	1	100	100	7.38	1.88	0.000	0.078	0.078	0.100	0	06/26/2023	12:04
6	CAL6	0.5	1	100	100	7.41	1.93	0.000	0.383	0.383	0.498	-0.4	06/26/2023	12:05
7	CAL7	1	1	100	100	7.37	1.89	0.000	0.768	0.768	1.000	0	06/26/2023	12:06



Analytical Summary Report

Analysis Method: 7196A

ANALYST: Rubina

Parameter: Hexavalent Chromium

SUPERVISOR REVIEW BY: Iwona

Run Number: LB126178

pH Meter ID: WC pH Meter-1

Seq	Lab ID	True Value	DF	Initial Vol (ml/gm)	Final Vol (ml)	pH HN03	pH H2SO4	Absorb.at540nm		Absorbance Difference	Intermediate Result (mg/L)	Anal Date	Anal Time
								Backgrnd	Color				
1	ICV	0.5	1	100	100	7.40	1.92	0.000	0.384	0.384	0.500	06/26/2023	12:07
2	ICB		1	100	100	7.30	1.80	0.000	0.001	0.001	0.000	06/26/2023	12:08
3	CCV1	0.5	1	100	100	7.41	1.93	0.000	0.383	0.383	0.499	06/26/2023	12:09
4	CCB1		1	100	100	7.28	1.80	0.000	0.001	0.001	0.000	06/26/2023	12:10
5	RL Check	0.01	1	100	100	7.43	1.91	0.000	0.009	0.009	0.011	06/26/2023	12:11
6	PB153734BL		1	2.50	100	7.30	1.78	0.000	0.001	0.001	0.000	06/26/2023	12:12
7	PB153734BS	20	1	2.50	100	7.38	1.88	0.000	0.385	0.385	0.501	06/26/2023	12:13
8	O2978-01		1	2.56	100	7.58	2.06	0.003	0.045	0.042	0.054	06/26/2023	12:14
9	O3362-01		1	2.52	100	7.62	2.10	0.008	0.010	0.002	0.002	06/26/2023	12:15
10	O3362-08		1	2.53	100	7.64	2.18	0.016	0.018	0.002	0.002	06/26/2023	12:16
11	O3362-14		1	2.54	100	7.60	2.10	0.014	0.014	0.000	-0.001	06/26/2023	12:17
12	O3362-20		1	2.53	100	7.52	2.14	0.010	0.010	0.000	-0.001	06/26/2023	12:18
13	O3367-01		1	2.56	100	7.52	2.10	0.005	0.006	0.001	0.000	06/26/2023	12:19
14	O3367-01DU		1	2.55	100	7.54	2.08	0.004	0.005	0.001	0.000	06/26/2023	12:20
15	O3367-01MS	40	2	2.55	100	7.54	2.12	0.006	0.242	0.236	0.307	06/26/2023	12:21
16	CCV2	0.5	1	100	100	7.40	1.93	0.000	0.384	0.384	0.500	06/26/2023	12:22
17	CCB2		1	100	100	7.28	1.80	0.000	0.001	0.001	0.000	06/26/2023	12:23
18	O3367-01MS	1284	40	2.56	100	7.55	2.10	0.000	0.540	0.540	0.703	06/26/2023	12:24
19	O3367-01MS	40	2	2.55	100	7.52	2.12	0.005	0.339	0.334	0.435	06/26/2023	12:25
20	O3388-01		1	2.53	100	7.65	2.08	0.010	0.012	0.002	0.002	06/26/2023	12:26
21	O3392-01		1	2.55	100	7.60	2.06	0.034	0.036	0.002	0.002	06/26/2023	12:27
22	O3392-03		1	2.54	100	7.66	2.16	0.020	0.021	0.001	0.000	06/26/2023	12:28
23	O3392-05		1	2.54	100	7.64	2.20	0.024	0.026	0.002	0.002	06/26/2023	12:29
24	O3392-07		1	2.55	100	7.56	2.22	0.024	0.026	0.002	0.002	06/26/2023	12:30
25	O3393-01		1	2.52	100	7.54	2.24	0.024	0.024	0.000	-0.001	06/26/2023	12:31
26	O3393-03		1	2.55	100	7.58	2.10	0.020	0.021	0.001	0.000	06/26/2023	12:32
27	O3409-01		1	2.51	100	7.54	2.08	0.012	0.014	0.002	0.002	06/26/2023	12:33
28	CCV3	0.5	1	100	100	7.41	1.92	0.000	0.385	0.385	0.501	06/26/2023	12:34
29	CCB3		1	100	100	7.30	1.78	0.000	0.001	0.001	0.000	06/26/2023	12:35