



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB126294

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O3492-01	TB-TP1	1	100.06	0.00	07/03/2023	08:45
2	O3492-01DUP	TB-TP1DUP	1	100.06	0.00	07/03/2023	08:52
3	O3492-02	TB-TP1	1	100.02	0.00	07/03/2023	09:00
4	O3492-04	TB-TP2	1	100.04	0.00	07/03/2023	09:08
5	O3492-05	TB-TP2	1	100.04	0.00	07/03/2023	09:15
6	O3497-01	OK-2-063023	1	100.05	0.00	07/03/2023	09:22
7	O3498-01	NB-07-063023	1	100.03	0.00	07/03/2023	09:30

WORKLIST(Hardcopy Internal Chain)

LB126294

WorkList Name : pf 6-30

WorkList ID : 171527

Department : Wet-Chemistry

Date : 06-30-2023 14:24:57

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O3492-01	TB-TP1	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	06/30/2023	9095B
O3492-02	TB-TP1	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	06/30/2023	9095B
O3492-04	TB-TP2	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	06/30/2023	9095B
O3492-05	TB-TP2	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	06/30/2023	9095B
O3497-01	OK-2-063023	Solid	Paint Filter	Cool 4 deg C	PSEG05	I11	06/30/2023	9095B
O3498-01	NB-07-063023	Solid	Paint Filter	Cool 4 deg C	PSEG05	I11	06/30/2023	9095B

Date/Time 07/03/2023 0840
 Raw Sample Received by: RM
 Raw Sample Relinquished by: RS CEA-Lab

Date/Time 07/03/2023 0945
 Raw Sample Received by: RS CEA-Lab
 Raw Sample Relinquished by: RM CEA