

Analysis Method: 9034

ANALYST: Rubina

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: Iwona

Run Number: LB126386

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2976
IODINE SOLUTION .025N 1L	W2924
Starch Solution, 4L	W2977

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB154079BL		1	5.00	50	2.00	0.00	1.92	1.92	0.08	0.00	0.00	07/11/2023	16:10
2	O3555-02		1	5.02	50	2.00	0.00	1.88	1.88	0.12	0.04	3.19	07/11/2023	16:13
3	O3555-02DUP		1	5.02	50	2.00	0.00	1.88	1.88	0.12	0.04	3.19	07/11/2023	16:15
4	O3555-04		1	5.05	50	2.00	0.00	1.84	1.84	0.16	0.08	6.34	07/11/2023	16:18
5	O3555-06		1	5.03	50	2.00	0.00	1.82	1.82	0.18	0.10	7.95	07/11/2023	16:20
6	O3555-08		1	5.02	50	2.00	0.00	1.88	1.88	0.12	0.04	3.19	07/11/2023	16:23
7	O3555-10		1	5.03	50	2.00	0.00	1.82	1.82	0.18	0.10	7.95	07/11/2023	16:25
8	O3555-12		1	5.04	50	2.00	0.00	1.86	1.86	0.14	0.06	4.76	07/11/2023	16:28

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume