



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB126396

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O3564-02	VNJ-225	1	100.04	0.00	07/12/2023	09:20
2	O3564-02DUP	VNJ-225DUP	1	100.04	0.00	07/12/2023	09:27
3	O3565-01	PAT-DIS-01-7-10-2023	1	100.02	0.00	07/12/2023	09:35
4	O3570-01	EO-03-071023	1	100.06	0.00	07/12/2023	09:42
5	O3570-03	EO-01-071023	1	100.05	0.00	07/12/2023	09:50
6	O3581-01	WC-1	1	100.02	0.00	07/12/2023	09:58

WORKLIST(Hardcopy Internal Chain)

66126396

WorkList Name : pf 7-10

WorkList ID : 171768

Department : Wet-Chemistry

Date : 07-11-2023 08:08:02

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O3564-02	VNJ-225	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	07/10/2023	9095B
O3565-01	PAT-DIS-01-7-10-2023	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	07/10/2023	9095B
O3581-01	WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	07/10/2023	9095B
O3570-01	EO-03-071023	Solid	Paint Filter	Cool 4 deg C	PSEG05	I11	07/10/2023	9095B
O3570-03	EO-01-071023	Solid	Paint Filter	Cool 4 deg C	PSEG05	I11	07/10/2023	9095B

Date/Time 07/12/2023 09:10
 Raw Sample Received by: RM1 CWS
 Raw Sample Relinquished by: JH CWS

Date/Time 07/12/2023 10:15
 Raw Sample Received by: JH CWS
 Raw Sample Relinquished by: RM1 CWS