



PERCENT SOLID

Supervisor: Iwona

Analyst: JIGNESH

Date: 7/20/2023

OVENTEMP IN Celsius(°C): 107

Time IN: 17:15

In Date: 07/19/2023

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:15

Out Date: 07/20/2023

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB126510

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| O3566-02 | 61R-1B          | 1      | 1.12           | 8.60         | 9.72                    | 8.99                      | 91.5    |          |
| O3566-03 | 61R-1C          | 2      | 1.15           | 8.40         | 9.55                    | 8.91                      | 92.4    |          |
| O3566-05 | 61R-2B          | 3      | 1.16           | 8.50         | 9.66                    | 8.63                      | 87.9    |          |
| O3566-06 | 61R-2C          | 4      | 1.12           | 8.71         | 9.83                    | 8.56                      | 85.4    |          |
| O3566-08 | 61R-3B          | 5      | 1.15           | 8.60         | 9.75                    | 9.3                       | 94.8    |          |
| O3566-09 | 61R-3C          | 6      | 1.12           | 8.40         | 9.52                    | 8.24                      | 84.8    |          |
| O3566-11 | 61R-4B          | 7      | 1.19           | 8.51         | 9.7                     | 9.04                      | 92.2    |          |
| O3566-12 | 61R-4C          | 8      | 1.16           | 8.65         | 9.81                    | 9.06                      | 91.3    |          |
| O3566-14 | 61R-5B          | 9      | 1.18           | 8.60         | 9.78                    | 9.05                      | 91.5    |          |
| O3566-15 | 61R-5C          | 10     | 1.16           | 8.61         | 9.77                    | 8.73                      | 87.9    |          |
| O3566-17 | 61R-6B          | 11     | 1.15           | 8.39         | 9.54                    | 8.37                      | 86.1    |          |
| O3566-18 | 61R-6C          | 12     | 1.11           | 8.75         | 9.86                    | 8.07                      | 79.5    |          |
| O3566-20 | 61R-7B          | 13     | 1.17           | 8.50         | 9.67                    | 8.92                      | 91.2    |          |
| O3566-21 | 61R-7C          | 14     | 1.19           | 8.43         | 9.62                    | 8.26                      | 83.9    |          |
| O3566-23 | 61R-8B          | 15     | 1.17           | 8.60         | 9.77                    | 9.14                      | 92.7    |          |
| O3566-24 | 61R-8C          | 16     | 1.1            | 8.48         | 9.58                    | 8.98                      | 92.9    |          |
| O3566-26 | 61R-9B          | 17     | 1.15           | 8.75         | 9.9                     | 9.32                      | 93.4    |          |
| O3566-27 | 61R-9C          | 18     | 1.18           | 8.71         | 9.89                    | 8.98                      | 89.6    |          |
| O3566-29 | 61R-10B         | 19     | 1.15           | 8.76         | 9.91                    | 8.42                      | 83.0    |          |
| O3567-01 | 61R-10C         | 20     | 1.16           | 8.54         | 9.7                     | 8.27                      | 83.3    |          |
| O3567-03 | 61R-11B         | 21     | 1.15           | 8.81         | 9.96                    | 8.4                       | 82.3    |          |
| O3567-04 | 61R-11C         | 22     | 1.13           | 8.67         | 9.8                     | 8.17                      | 81.2    |          |
| O3567-06 | 61R-12B         | 23     | 1.19           | 8.55         | 9.74                    | 8.84                      | 89.5    |          |
| O3567-07 | 61R-12C         | 24     | 1.11           | 8.80         | 9.91                    | 8.62                      | 85.3    |          |
| O3567-09 | 61R-13B         | 25     | 1.19           | 8.47         | 9.66                    | 8.22                      | 83.0    |          |
| O3567-10 | 61R-13C         | 26     | 1.17           | 8.43         | 9.6                     | 8.7                       | 89.3    |          |
| O3567-12 | 61R-14B         | 27     | 1.18           | 8.62         | 9.8                     | 8.26                      | 82.1    |          |
| O3567-13 | 61R-14C         | 28     | 1.11           | 8.78         | 9.89                    | 8.45                      | 83.6    |          |



PERCENT SOLID

Supervisor: Iwona

Analyst: JIGNESH

Date: 7/20/2023

OVENTEMP IN Celsius(°C): 107

Time IN: 17:15

In Date: 07/19/2023

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:15

Out Date: 07/20/2023

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB126510

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments    |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|-------------|
| O3567-15 | 61R-15B         | 29     | 1.19           | 8.61         | 9.8                     | 8.27                      | 82.2    |             |
| O3567-16 | 61R-15C         | 30     | 1.16           | 8.50         | 9.66                    | 8.41                      | 85.3    |             |
| O3567-18 | 61R-16B         | 31     | 1.13           | 8.74         | 9.87                    | 8.5                       | 84.3    |             |
| O3567-19 | 61R-16C         | 32     | 1.19           | 8.62         | 9.81                    | 8.37                      | 83.3    |             |
| O3567-21 | 61R-17B         | 33     | 1.15           | 8.82         | 9.97                    | 9.27                      | 92.1    |             |
| O3567-22 | 61R-17C         | 34     | 1.17           | 8.64         | 9.81                    | 8.68                      | 86.9    |             |
| O3568-21 | 61R-DUP4        | 35     | 1.13           | 8.48         | 9.61                    | 8.94                      | 92.1    |             |
| O3568-22 | 61R-DUP5        | 36     | 1.19           | 8.53         | 9.72                    | 9.22                      | 94.1    |             |
| O3568-24 | 61R-DUP7        | 37     | 1.16           | 8.70         | 9.86                    | 8.63                      | 85.9    |             |
| O3607-05 | BG-1            | 80     | 1.13           | 8.49         | 9.62                    | 8.02                      | 81.2    |             |
| O3662-01 | BUR-1276        | 38     | 1.15           | 8.84         | 9.99                    | 9.24                      | 91.5    |             |
| O3663-01 | 1               | 39     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| O3663-02 | 2               | 40     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| O3663-03 | 3               | 41     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| O3663-04 | 4               | 42     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| O3663-05 | 5               | 43     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| O3663-06 | 6               | 44     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| O3663-07 | 7               | 45     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| O3663-08 | 8               | 46     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| O3663-09 | 9               | 47     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| O3663-10 | 10              | 48     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| O3663-11 | 11              | 49     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| O3663-12 | 12              | 50     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| O3663-13 | 13              | 51     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| O3663-14 | 14              | 52     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| O3663-15 | 15              | 53     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| O3663-16 | 16              | 54     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |
| O3663-17 | 17              | 55     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE |



PERCENT SOLID

Supervisor: Iwona

Analyst: JIGNESH

Date: 7/20/2023

OVENTEMP IN Celsius(°C): 107

Time IN: 17:15

In Date: 07/19/2023

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:15

Out Date: 07/20/2023

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB126510

| Lab ID   | Client SampleID    | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments        |
|----------|--------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|-----------------|
| O3663-18 | 18                 | 56     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| O3663-19 | 19                 | 57     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| O3663-20 | 20                 | 58     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | WIPE SAMPLE     |
| O3664-01 | AUD-1021-1020-COMP | 59     | 1.14           | 8.44         | 9.58                    | 8.98                      | 92.9    |                 |
| O3664-02 | AUD-1023           | 60     | 1.19           | 8.55         | 9.74                    | 7.55                      | 74.4    |                 |
| O3665-01 | 40265              | 61     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL       |
| O3665-02 | 40266              | 62     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL       |
| O3665-03 | 40267              | 63     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL       |
| O3666-01 | P001-04A           | 64     | 1.13           | 8.12         | 9.25                    | 8.93                      | 96.1    |                 |
| O3666-02 | P001-04B           | 65     | 1.15           | 5.85         | 7.00                    | 4.64                      | 59.7    |                 |
| O3666-03 | P001-04C           | 66     | 1.12           | 8.28         | 9.4                     | 9.28                      | 98.6    |                 |
| O3666-04 | P001-04D           | 67     | 1.19           | 8.42         | 9.61                    | 9.05                      | 93.3    |                 |
| O3666-05 | P001-04E           | 68     | 1.12           | 8.75         | 9.87                    | 8.67                      | 86.3    |                 |
| O3666-06 | P001-04F           | 69     | 1.16           | 4.88         | 6.04                    | 5.28                      | 84.4    |                 |
| O3666-07 | P001-04G           | 70     | 1.12           | 5.75         | 6.87                    | 5.6                       | 77.9    |                 |
| O3666-08 | P001-04H           | 71     | 1.15           | 8.40         | 9.55                    | 5.63                      | 53.3    |                 |
| O3666-09 | P001-04I           | 72     | 1.12           | 8.39         | 9.51                    | 8.12                      | 83.4    |                 |
| O3666-10 | P001-04J           | 73     | 1.15           | 8.62         | 9.77                    | 8.14                      | 81.1    |                 |
| O3666-11 | P001-04K           | 74     | 1.19           | 8.71         | 9.9                     | 9.00                      | 89.7    |                 |
| O3666-12 | P001-04L           | 75     | 1.18           | 7.04         | 8.22                    | 4.86                      | 52.3    |                 |
| O3666-13 | P001-WD04-COMP1-01 | 76     | 1.18           | 8.58         | 9.76                    | 6.52                      | 62.2    |                 |
| O3666-14 | P001-WD04-COMP2-01 | 77     | 1.12           | 8.81         | 9.93                    | 6.84                      | 64.9    |                 |
| O3666-15 | P001-WD04-COMP3-01 | 78     | 1.16           | 8.64         | 9.8                     | 5.92                      | 55.1    |                 |
| O3666-16 | P001-WD04-COMP4-01 | 79     | 1.15           | 7.35         | 8.5                     | 6.27                      | 69.7    |                 |
| O3668-01 | SLUDGE-DRUM        | 94     | 1.14           | 8.71         | 9.85                    | 6.24                      | 58.6    |                 |
| O3668-03 | 332                | 89     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | CONCRETE SAMPLE |
| O3668-04 | 332-EPH-2          | 90     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | CONCRETE SAMPLE |
| O3669-01 | DEL-AVE-1          | 83     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | CONCRETE SAMPLE |



PERCENT SOLID

Supervisor: Iwona  
Analyst: JIGNESH  
Date: 7/20/2023

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:15  
In Date: 07/19/2023  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:15  
Out Date: 07/20/2023  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB126510

| Lab ID   | Client SampleID          | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments        |
|----------|--------------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|-----------------|
| O3669-02 | DEL-AVE-2                | 84     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | CONCRETE SAMPLE |
| O3680-01 | TP-3                     | 81     | 1.14           | 8.85         | 9.99                    | 8.84                      | 87.0    |                 |
| O3680-03 | TP-3-EPH-2               | 82     | 1.12           | 8.84         | 9.96                    | 8.94                      | 88.5    |                 |
| O3682-01 | ELZ-23-00066-00070       | 85     | 1.15           | 8.38         | 9.53                    | 7.55                      | 76.4    |                 |
| O3682-02 | ELZ-23-00061-00062-00069 | 86     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | debris          |
| O3682-03 | ELZ-23-00056-00057-00058 | 87     | 1.11           | 8.58         | 9.69                    | 9.48                      | 97.6    |                 |
| O3684-01 | SF6-WASTE                | 91     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | plastic sample  |
| O3685-01 | CHRT-24152               | 92     | 1.17           | 8.45         | 9.62                    | 9.49                      | 98.5    |                 |
| O3685-02 | CHRT-24152-EPH-2         | 93     | 1.19           | 8.55         | 9.74                    | 9.51                      | 97.3    |                 |
| O3687-01 | CO-38882                 | 88     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | OIL SAMPLE      |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

W 126510  
W 126510

WorkList Name : %1-071923

WorkList ID : 171986

Department : Wet-Chemistry

Date : 07-19-2023 08:12:41

| Sample   | Customer Sample    | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|--------------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| O3607-05 | BG-1               | Solid  | Percent Solids | Cool 4 deg C | MATRO2   | I11                         | 07/12/2023   | Chemtech -SO |
| O3687-01 | CO-38882           | Solid  | Percent Solids | Cool 4 deg C | MATRO2   | I11                         | 07/19/2023   | Chemtech -SO |
| O3666-01 | P001-04A           | Solid  | Percent Solids | Cool 4 deg C | ROYF02   | I11                         | 07/12/2023   | Chemtech -SO |
| O3666-02 | P001-04B           | Solid  | Percent Solids | Cool 4 deg C | ROYF02   | I11                         | 07/12/2023   | Chemtech -SO |
| O3666-03 | P001-04C           | Solid  | Percent Solids | Cool 4 deg C | ROYF02   | I11                         | 07/12/2023   | Chemtech -SO |
| O3666-04 | P001-04D           | Solid  | Percent Solids | Cool 4 deg C | ROYF02   | I11                         | 07/12/2023   | Chemtech -SO |
| O3666-05 | P001-04E           | Solid  | Percent Solids | Cool 4 deg C | ROYF02   | I11                         | 07/12/2023   | Chemtech -SO |
| O3666-06 | P001-04F           | Solid  | Percent Solids | Cool 4 deg C | ROYF02   | I11                         | 07/12/2023   | Chemtech -SO |
| O3666-13 | P001-WD04-COMP1-01 | Solid  | Percent Solids | Cool 4 deg C | ROYF02   | I11                         | 07/12/2023   | Chemtech -SO |
| O3666-14 | P001-WD04-COMP2-01 | Solid  | Percent Solids | Cool 4 deg C | ROYF02   | I11                         | 07/12/2023   | Chemtech -SO |
| O3666-15 | P001-WD04-COMP3-01 | Solid  | Percent Solids | Cool 4 deg C | ROYF02   | I11                         | 07/12/2023   | Chemtech -SO |
| O3666-16 | P001-WD04-COMP4-01 | Solid  | Percent Solids | Cool 4 deg C | ROYF02   | I11                         | 07/12/2023   | Chemtech -SO |
| O3666-07 | P001-04G           | Solid  | Percent Solids | Cool 4 deg C | ROYF02   | I11                         | 07/12/2023   | Chemtech -SO |
| O3666-08 | P001-04H           | Solid  | Percent Solids | Cool 4 deg C | ROYF02   | I11                         | 07/12/2023   | Chemtech -SO |
| O3666-09 | P001-04I           | Solid  | Percent Solids | Cool 4 deg C | ROYF02   | I11                         | 07/12/2023   | Chemtech -SO |
| O3666-10 | P001-04J           | Solid  | Percent Solids | Cool 4 deg C | ROYF02   | I11                         | 07/12/2023   | Chemtech -SO |
| O3666-11 | P001-04K           | Solid  | Percent Solids | Cool 4 deg C | ROYF02   | I11                         | 07/12/2023   | Chemtech -SO |
| O3666-12 | P001-04L           | Solid  | Percent Solids | Cool 4 deg C | ROYF02   | I11                         | 07/12/2023   | Chemtech -SO |
| O3566-02 | 61R-1B             | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3566-03 | 61R-1C             | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3566-05 | 61R-2B             | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |

Date/Time 07-19-23 15:15 Date/Time 07-19-23 17:20  
Raw Sample Received by: JOC (WOC) Raw Sample Received by: RA CWC  
Raw Sample Relinquished by: RA CWC Raw Sample Relinquished by: 70 (WOC)

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-071923      WorkList ID : 171986      Department : Wet-Chemistry      Date : 07-19-2023 08:12:41

| Sample   | Customer Sample | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-----------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| O3566-06 | 61R-2C          | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3566-08 | 61R-3B          | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3566-09 | 61R-3C          | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3568-24 | 61R-DUP7        | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3567-18 | 61R-16B         | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3567-19 | 61R-16C         | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3567-21 | 61R-17B         | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3567-22 | 61R-17C         | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3568-21 | 61R-DUP4        | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3568-22 | 61R-DUP5        | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3567-09 | 61R-13B         | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3567-10 | 61R-13C         | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3567-12 | 61R-14B         | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3567-13 | 61R-14C         | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3567-15 | 61R-15B         | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3567-16 | 61R-15C         | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3566-29 | 61R-10B         | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3567-01 | 61R-10C         | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3567-03 | 61R-11B         | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3567-04 | 61R-11C         | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3567-06 | 61R-12B         | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |

Date/Time 07-19-23 15:15  
 Raw Sample Received by: RM (WC)  
 Raw Sample Relinquished by: RM (WC)

W26510

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-071923      WorkList ID : 171986      Department : Wet-Chemistry      Date : 07-19-2023 08:12:41

| Sample   | Customer Sample | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-----------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| O3567-07 | 61R-12C         | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3566-20 | 61R-7B          | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3566-21 | 61R-7C          | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3566-23 | 61R-8B          | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3566-24 | 61R-8C          | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3566-26 | 61R-9B          | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3566-27 | 61R-9C          | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3566-11 | 61R-4B          | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3566-12 | 61R-4C          | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3566-14 | 61R-5B          | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3566-15 | 61R-5C          | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3566-17 | 61R-6B          | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3566-18 | 61R-6C          | Solid  | Percent Solids | Cool 4 deg C | ATCE02   | I11                         | 07/07/2023   | Chemtech -SO |
| O3662-01 | BUR-1276        | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3663-01 | 1               | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3663-02 | 2               | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3663-03 | 3               | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3663-04 | 4               | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3663-05 | 5               | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3684-01 | SF6-WASTE       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/19/2023   | Chemtech -SO |
| O3685-01 | CHRT-24152      | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/19/2023   | Chemtech -SO |

Date/Time 07-19-23 15:15      Date/Time 07-19-23      Date/Time 17:20  
 Raw Sample Received by: JP/WC      Raw Sample Received by: RM      Raw Sample Received by: JP/WC  
 Raw Sample Relinquished by: RM      Raw Sample Relinquished by: JP/WC

W 126510

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-071923      WorkList ID : 171986      Department : Wet-Chemistry      Date : 07-19-2023 08:12:41

| Sample   | Customer Sample          | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|--------------------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| O3685-02 | CHRT-24152-EPH-2         | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/19/2023   | Chemtech -SO |
| O3689-02 | DEL-AVE-2                | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/19/2023   | Chemtech -SO |
| O3680-01 | TP-3                     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/19/2023   | Chemtech -SO |
| O3680-03 | TP-3-EPH-2               | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/19/2023   | Chemtech -SO |
| O3682-01 | ELZ-23-00066-00070       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/19/2023   | Chemtech -SO |
| O3682-02 | ELZ-23-00061-00062-00069 | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/19/2023   | Chemtech -SO |
| O3682-03 | ELZ-23-00056-00057-00058 | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/19/2023   | Chemtech -SO |
| O3665-02 | 40266                    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/19/2023   | Chemtech -SO |
| O3665-03 | 40267                    | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3668-01 | SLUDGE-DRUM              | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3668-03 | 332                      | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/19/2023   | Chemtech -SO |
| O3668-04 | 332-EPH-2                | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/19/2023   | Chemtech -SO |
| O3669-01 | DEL-AVE-1                | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/19/2023   | Chemtech -SO |
| O3663-18 | 18                       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/19/2023   | Chemtech -SO |
| O3663-19 | 19                       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3663-20 | 20                       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3663-06 | 6                        | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3663-07 | 7                        | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3663-08 | 8                        | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3663-09 | 9                        | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3663-10 | 10                       | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |

Date/Time 07-19-23 15:15  
 Raw Sample Received by: SO (WC)  
 Raw Sample Relinquished by: Rm CWC  
 Date/Time 07-19-23  
 Raw Sample Received by: Rm CWC  
 Raw Sample Relinquished by: SO (WC)

UB 126510

# WORKLIST(Hardcopy Internal Chain)

WorkList Name : %1-071923

WorkList ID : 171986

Department : Wet-Chemistry

Date : 07-19-2023 08:12:41

| Sample   | Customer Sample    | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|--------------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| O3663-11 | 11                 | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3663-12 | 12                 | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3663-13 | 13                 | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3663-14 | 14                 | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3663-15 | 15                 | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3663-16 | 16                 | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3663-17 | 17                 | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3664-01 | AUD-1021-1020-COMP | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3664-02 | AUD-1023           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |
| O3665-01 | 40265              | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | I11                         | 07/18/2023   | Chemtech -SO |

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

07-19-23 15:15

30 (WC)

RMA (WC)

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

07-19-23

RMA (WC)

30 (WC)

17:20

RMA (WC)

30 (WC)