



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB126556

Reviewed By: Rubina
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O3668-01	SLUDGE-DRUM	1	100.05	0.00	07/21/2023	14:00
2	O3668-01DUP	SLUDGE-DRUMDUP	1	100.05	0.00	07/21/2023	14:07
3	O3668-02	SLUDGE-DRUM	1	100.02	0.00	07/21/2023	14:15
4	O3668-03	332	1	100.04	0.00	07/21/2023	14:22
5	O3677-01	SWC-1	1	100.06	0.00	07/21/2023	14:30
6	O3680-01	TP-3	1	100.02	0.00	07/21/2023	14:37
7	O3680-02	TP-3	1	100.04	0.00	07/21/2023	14:45
8	O3681-01	RPTP-1-CS-1	1	100.05	0.00	07/21/2023	14:52
9	O3681-04	RPTP-2-CS-2	1	100.05	0.00	07/21/2023	15:00
10	O3681-07	RPTP-3-CS-3	1	100.02	0.00	07/21/2023	15:08
11	O3681-10	RPTP-4-CS-4	1	100.04	0.00	07/21/2023	15:15
12	O3681-13	RPTP-5-CS-5	1	100.03	0.00	07/21/2023	15:22
13	O3681-16	RPTP-6-CS-6	1	100.04	0.00	07/21/2023	15:30
14	O3681-19	RPTP-7-CS-7	1	100.05	0.00	07/21/2023	15:37
15	O3681-22	RPTP-8-CS-8	1	100.06	0.00	07/21/2023	15:45
16	O3685-01	CHRT-24152	1	100.04	0.00	07/21/2023	15:52
17	O3694-01	WC-1	1	100.04	0.00	07/21/2023	16:00
18	O3707-01	EO-01-072023	1	100.02	0.00	07/21/2023	16:07
19	O3708-01	PL-02-072023	1	100.05	0.00	07/21/2023	16:15
20	O3717-01	TP-1	1	100.06	0.00	07/21/2023	16:22
21	O3717-02	TP-1	1	100.02	0.00	07/21/2023	16:30
22	O3717-04	TP-2	1	100.04	0.00	07/21/2023	16:37
23	O3717-05	TP-2	1	100.02	0.00	07/21/2023	16:45
24	O3717-05DUP	TP-2DUP	1	100.03	0.00	07/21/2023	16:52

WORKLIST(Hardcopy Internal Chain)

6126556

WorkList Name : pf 7-20

WorkList ID : 172030

Department : Wet-Chemistry

Date : 07-20-2023 08:29:11

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O3668-01	SLUDGE-DRUM	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	07/19/2023	9095B
O3668-02	SLUDGE-DRUM	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	07/19/2023	9095B
O3668-03	332	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	07/19/2023	9095B
O3677-01	SWC-1	Solid	Paint Filter	Cool 4 deg C	REMI02	I11	07/18/2023	9095B
O3680-01	TP-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	07/19/2023	9095B
O3680-02	TP-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	07/19/2023	9095B
O3681-01	RPTP-1-CS-1	Solid	Paint Filter	Cool 4 deg C	PREF02	I11	07/17/2023	9095B
O3681-04	RPTP-2-CS-2	Solid	Paint Filter	Cool 4 deg C	PREF02	I11	07/17/2023	9095B
O3681-07	RPTP-3-CS-3	Solid	Paint Filter	Cool 4 deg C	PREF02	I11	07/17/2023	9095B
O3681-10	RPTP-4-CS-4	Solid	Paint Filter	Cool 4 deg C	PREF02	I11	07/17/2023	9095B
O3681-13	RPTP-5-CS-5	Solid	Paint Filter	Cool 4 deg C	PREF02	I11	07/17/2023	9095B
O3681-16	RPTP-6-CS-6	Solid	Paint Filter	Cool 4 deg C	PREF02	I11	07/17/2023	9095B
O3681-19	RPTP-7-CS-7	Solid	Paint Filter	Cool 4 deg C	PREF02	I11	07/17/2023	9095B
O3681-22	RPTP-8-CS-8	Solid	Paint Filter	Cool 4 deg C	PREF02	I11	07/17/2023	9095B
O3685-01	CHRT-24152	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	07/19/2023	9095B
O3694-01	WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	H11	07/19/2023	9095B
O3707-01	EO-01-072023	Solid	Paint Filter	Cool 4 deg C	PSEG05	I11	07/20/2023	9095B
O3708-01	PL-02-072023	Solid	Paint Filter	Cool 4 deg C	PSEG05	I11	07/20/2023	9095B
O3717-01	TP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	07/21/2023	9095B
O3717-02	TP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	07/21/2023	9095B
O3717-04	TP-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	07/21/2023	9095B

Date/Time 07/21/2023 13:50
 Raw Sample Received by: RM GWC
 Raw Sample Relinquished by: JH GWC

Date/Time 07/21/2023
 Raw Sample Received by: JH GWC
 Raw Sample Relinquished by: RM GWC

66126556

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf 7-20

WorkList ID : 172030

Department : Wet-Chemistry

Date : 07-20-2023 08:29:11

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O3717-05	TP-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	I11	07/21/2023	9095B

Date/Time 07/21/2023 13:50
Raw Sample Received by: RMA
Raw Sample Relinquished by: JDP

Date/Time 07/21/2023 17:10
Raw Sample Received by: JDP
Raw Sample Relinquished by: RMA