



Extraction and Analytical Summary Report

Analysis Method: 1664A
Test: Non-Polar Material
Run Number: LB126884
Analysis Date: 08/16/2023
BalanceID: WC SC-6
OvenID: EXT OVEN-3

ANALYST: jignesh
REVIEWED BY: Iwona
Extraction Date: 08/16/2023
Extraction IN Time: 07:50
Extraction OUT Time: 08:30
Thermometer ID: EXT OVEN#3

Dish #	Lab ID	Client ID	Matrix	pH	Sample Vol (ml)	Final Volume (ml)	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Silica Gel Weight (g)	Weight After Drying (g)	Final Weight After Drying (g)	Change Weight (g)	Result in ppm
1	LB126884BL	LB126884BL	WATER	1.3	1000	100	3.2594	3.2594	0	3.2595	3.2595	0.0001	0.1
2	LB126884BS	LB126884BS	WATER	1.3	1000	100	2.9741	2.9741	3.02	2.9911	2.9911	0.0170	17
3	LB126884BSD	LB126884BSD	WATER	1.3	1000	100	3.0158	3.0158	3.01	3.0325	3.0325	0.0167	16.7
4	O4010-01	NON-POLAR-MATERIAL	WATER	1.6	1000	100	3.0112	3.0112	3.03	3.0116	3.0116	0.0004	0.4
5	O4010-02	NON-POLAR-MATERIAL	WATER	1.6	1000	100	2.9957	2.9957	3.04	2.9961	2.9961	0.0004	0.4
6	O4010-03	NON-POLAR-MATERIAL	WATER	1.6	1000	100	2.9957	2.9957	3.03	2.9960	2.9960	0.0003	0.3
7	O4010-04	NON-POLAR-MATERIAL	WATER	1.6	1000	100	3.1974	3.1974	3.04	3.1977	3.1977	0.0003	0.3
8	O4021-01	NON-POLAR-MATERIAL	WATER	1.6	1000	100	3.0522	3.0522	3.03	3.0528	3.0528	0.0006	0.6
9	O4021-02	NON-POLAR-MATERIAL	WATER	1.6	1000	100	3.0086	3.0086	3.02	3.0094	3.0094	0.0008	0.8
10	O4021-03	NON-POLAR-MATERIAL	WATER	1.6	1000	100	3.1699	3.1699	3.03	3.1705	3.1705	0.0006	0.6
11	O4021-04	NON-POLAR-MATERIAL	WATER	1.6	1000	100	2.9968	2.9968	3.04	2.9978	2.9978	0.0010	1



QC Batch# LB126884 Test: Non-Polar Material Analysis Date: 08/16/2023

Chemicals Used:

Chemical Name	Chemical Lot #
HEXANE	W3042
pH Paper 0-14	M4909
Sodium Sulfate	EP2376
1:1 HCL	WP103209
Silica Gel	W2839
Sand	NA

Standards Used:

Standard Name	Amount Used	Standard Lot #
LCSW	5.00 ML	WP103210
LCSWD	5.00 ML	WP103211
MS/MSD	NA	NA

BALANCE CALIBRATION / OVEN Dessicator Data

Analytical Balance ID # : WC SC-6

Before Analysis

0.0020 gram Balance: 0.0018 (0.0018-0.0022) In OVEN TEMP1 : 70 °C Dessicator Time In1 : 09:51

1.0000 gram Balance: 1.0004 (0.9950-1.0050) In Time1: 09:00

Bal Check Time: 08:10 Out OVEN TEMP1: 70 °C Dessicator Time Out1: 10:30

Out Time1: 09:50

After Analysis

0.0020 gram Balance: 0.0021 (0.0018-0.0022) In OVEN TEMP2 : 71 °C Dessicator Time In2 : 11:41

1.0000 gram Balance: 1.0003 (0.9950-1.0050) In Time2: 11:00

Bal Check Time: 12:33 Out OVEN TEMP2: 71 °C Dessicator Time Out2: 12:30

Out Time2: 11:40

WORKLIST(Hardcopy Internal Chain)

126884

WorkList Name : non poplar o4020

WorkList ID : 172738

Department : Wet-Chemistry

Date : 08-16-2023 07:38:41

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O4010-01	NON-POLAR-MATERIAL	Water	Non-Polar Material	Conc H2SO4 to pH < 2	AMER08	L22	08/14/2023	1664A
O4010-02	NON-POLAR-MATERIAL	Water	Non-Polar Material	Conc H2SO4 to pH < 2	AMER08	L22	08/14/2023	1664A
O4010-03	NON-POLAR-MATERIAL	Water	Non-Polar Material	Conc H2SO4 to pH < 2	AMER08	L22	08/14/2023	1664A
O4010-04	NON-POLAR-MATERIAL	Water	Non-Polar Material	Conc H2SO4 to pH < 2	AMER08	L22	08/14/2023	1664A
O4021-01	NON-POLAR-MATERIAL	Water	Non-Polar Material	Conc H2SO4 to pH < 2	AMER08	J22	08/15/2023	1664A
O4021-02	NON-POLAR-MATERIAL	Water	Non-Polar Material	Conc H2SO4 to pH < 2	AMER08	J22	08/15/2023	1664A
O4021-03	NON-POLAR-MATERIAL	Water	Non-Polar Material	Conc H2SO4 to pH < 2	AMER08	J22	08/15/2023	1664A
O4021-04	NON-POLAR-MATERIAL	Water	Non-Polar Material	Conc H2SO4 to pH < 2	AMER08	J22	08/15/2023	1664A

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

08.16.23 08:14:5
 10/09
 CP SM

Date/Time

Raw Sample Received by:

Raw Sample Relinquished by:

08.16.23 11:00
 CP SM
 10 (CP)