



Extraction and Analytical Summary Report

Analysis Method: 1664A
Test: TPH
Run Number: LB126894
Analysis Date: 08/17/2023
BalanceID: WC SC-6
OvenID: EXT OVEN-3

ANALYST: jignesh
REVIEWED BY: Iwona
Extraction Date: 08/17/2023
Extraction IN Time: 08:00
Extraction OUT Time: 08:40
Thermometer ID: EXT OVEN#3

Dish #	Lab ID	Client ID	Matrix	pH	Sample Vol (ml)	Final Volume (ml)	Empty Dish Weight (g)	Final Empty Dish Weight (g)	Silica Gel Weight (g)	Weight After Drying (g)	Final Weight After Drying (g)	Change Weight (g)	Result in ppm
1	LB126894BL	LB126894BL	WATER	1.3	1000	100	3.0041	3.0041	3.02	3.0042	3.0042	0.0001	0.1
2	LB126894BS	LB126894BS	WATER	1.3	1000	100	3.0697	3.0697	3.01	3.0866	3.0866	0.0169	16.9
3	LB126894BSD	LB126894BSD	WATER	1.3	1000	100	3.1781	3.1781	3.03	3.1948	3.1948	0.0167	16.7
4	O3928-01	MANHOLE	WATER	1.3	1000	100	3.0056	3.0056	3.04	3.0057	3.0057	0.0001	0.1
5	O4026-01	GRAB	WATER	1.6	1000	100	3.0483	3.0483	3.05	3.1233	3.1233	0.0750	75
6	O4038-01	402	WATER	1.3	1000	100	2.9957	2.9957	3.02	2.9960	2.9960	0.0003	0.3



QC Batch# LB126894

Test: TPH

Analysis Date: 08/17/2023

Chemicals Used:

Chemical Name	Chemical Lot #
HEXANE	W3042
pH Paper 0-14	M4909
Sodium Sulfate	EP2376
1:1 HCL	WP103209
Silica Gel	W2839
Sand	NA

Standards Used:

Standard Name	Amount Used	Standard Lot #
LCSW	5.00 ML	WP103210
LCSWD	5.00 ML	WP103211
MS/MSD	NA	NA

BALANCE CALIBRATION / OVEN Dessicator Data

Analytical Balance ID # : WC SC-6

Before Analysis

0.0020 gram Balance: 0.0019 (0.0018-0.0022) In OVEN TEMP1 : 70 °C Dessicator Time In1 : 10:01

1.0000 gram Balance: 1.0005 (0.9950-1.0050) In Time1: 09:20

Bal Check Time: 08:15 Out OVEN TEMP1: 70 °C Dessicator Time Out1: 10:35

Out Time1: 10:00

After Analysis

0.0020 gram Balance: 0.0021 (0.0018-0.0022) In OVEN TEMP2 : 71 °C Dessicator Time In2 : 11:31

1.0000 gram Balance: 1.0003 (0.9950-1.0050) In Time2: 11:00

Bal Check Time: 12:25 Out OVEN TEMP2: 71 °C Dessicator Time Out2: 12:15

Out Time2: 11:30

VB 126894

WORKLIST(Hardcopy Internal Chain)

WorkList Name : tph 04026 WorkList ID : 172775 Department : Wet-Chemistry Date : 08-17-2023 07:42:41

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O3928-01	D MANHOLE	Water	TPH	Conc H2SO4 to pH < 2	WAYNE03	N11	08/15/2023	1664A
O4026-01	GRAB	Water	TPH	Conc H2SO4 to pH < 2	ARAM01	N11	08/16/2023	1664A
O4038-01	B 402	Water	TPH	Conc H2SO4 to pH < 2	PSEG04	N11	08/16/2023	1664A

Date/Time 08-17-23 07:50

Raw Sample Received by: JB (WOC)

Raw Sample Relinquished by: CB SN

Date/Time 08-17-23 11:00

Raw Sample Received by: CB SN

Raw Sample Relinquished by: JB (WOC)