

Analysis Method: 9034

ANALYST: Rubina

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: Iwona

Run Number: LB126899

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2976
IODINE SOLUTION .025N 1L	W2924
Starch Solution, 4L	W2977

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB154839BL		1	5.00	50	2.00	0.00	1.92	1.92	0.08	0.00	0.00	08/17/2023	10:30
2	O4000-01		1	5.04	50	2.00	0.00	1.84	1.84	0.16	0.08	6.35	08/17/2023	10:33
3	O4000-01DUP		1	5.04	50	2.00	0.00	1.84	1.84	0.16	0.08	6.35	08/17/2023	10:35
4	O4000-02		1	5.03	50	2.00	0.00	1.88	1.88	0.12	0.04	3.18	08/17/2023	10:38
5	O4002-01		1	5.01	50	2.00	0.00	1.84	1.84	0.16	0.08	6.39	08/17/2023	10:40
6	O4006-03		1	5.04	50	2.00	0.00	1.82	1.82	0.18	0.10	7.94	08/17/2023	10:43
7	O4009-02		1	5.03	50	2.00	0.00	1.88	1.88	0.12	0.04	3.18	08/17/2023	10:45
8	O4020-03		1	5.04	50	2.00	0.00	1.88	1.88	0.12	0.04	3.17	08/17/2023	10:48
9	O4022-02		1	5.03	50	2.00	0.00	1.86	1.86	0.14	0.06	4.77	08/17/2023	10:50
10	O4022-05		1	5.04	50	2.00	0.00	1.82	1.82	0.18	0.10	7.94	08/17/2023	10:53
11	O4022-08		1	5.06	50	2.00	0.00	1.88	1.88	0.12	0.04	3.16	08/17/2023	10:55
12	O4030-01		1	5.03	50	2.00	0.00	1.86	1.86	0.14	0.06	4.77	08/17/2023	10:58

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume

Analysis Method: 9034

Parameter: Reactive Sulfide

Run Number: LB126899

ANALYST: Rubina

SUPERVISOR REVIEW BY: Iwona

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2976
IODINE SOLUTION .025N 1L	W2924
Starch Solution, 4L	W2977

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
13	O4042-02		1	5.07	50	2.00	0.00	1.88	1.88	0.12	0.04	3.16	08/17/2023	11:00
14	O4043-02		1	5.04	50	2.00	0.00	1.86	1.86	0.14	0.06	4.76	08/17/2023	11:03

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume