



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Sohil

Run Number: LB126943

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O4042-01	TP-376	1	100.02	0.00	08/21/2023	08:30
2	O4042-01DUP	TP-376DUP	1	100.02	0.00	08/21/2023	08:37
3	O4042-02	TP-376	1	100.06	0.00	08/21/2023	08:45
4	O4043-01	E-4	1	100.04	0.00	08/21/2023	08:52
5	O4043-02	E-4	1	100.05	0.00	08/21/2023	09:00
6	O4045-02	RB21200	1	100.02	0.00	08/21/2023	09:08
7	O4045-04	350	1	100.04	0.00	08/21/2023	09:15

WORKLIST(Hardcopy Internal Chain)

6126943

WorkList Name : pf-8-16

WorkList ID : 172766

Department : Wet-Chemistry

Date : 08-16-2023 16:24:51

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O4042-01	TP-376	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	08/16/2023	9095B
O4042-02	TP-376	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	08/16/2023	9095B
O4043-01	E-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	08/16/2023	9095B
O4043-02	E-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	08/16/2023	9095B
O4045-02	RB21200	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	08/16/2023	9095B
O4045-04	350	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	08/16/2023	9095B

Date/Time

08/21/2023 08:15

Raw Sample Received by:

RA CWC

Raw Sample Relinquished by:

RA CWC

Date/Time

08/21/2023 09:30

Raw Sample Received by:

RA CWC

Raw Sample Relinquished by:

RA CWC