



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: jignesh

Run Number: LB127027

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O4133-01	OK-2-082323	1	100.05	0.00	08/25/2023	20:02
2	O4133-01DUP	OK-2-082323DUP	1	100.05	0.00	08/25/2023	20:10
3	O4135-02	328	1	100.02	0.00	08/25/2023	20:17
4	O4145-01	WC-1	1	100.02	0.00	08/25/2023	20:25
5	O4146-01	72-12013	1	100.05	0.00	08/25/2023	20:32
6	O4160-01	CHRT-24449	1	100.04	0.00	08/25/2023	20:40
7	O4160-03	CHRT-26706	1	100.06	0.00	08/25/2023	20:48
8	O4161-01	CHRT-25659	1	100.04	0.00	08/25/2023	20:55
9	O4165-01	VNJ-208	1	100.02	0.00	08/25/2023	21:02
10	O4165-03	VNJ-210	1	100.04	0.00	08/25/2023	21:10
11	O4169-01	PL-01-082423	1	100.06	0.00	08/25/2023	21:18

WORKLIST(Hardcopy Internal Chain)

6127027

WorkList Name : PF8-23

WorkList ID : 172995

Department : Wet-Chemistry

Date : 08-24-2023 13:22:57

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O4133-01	OK-2-082323	Solid	Paint Filter	Cool 4 deg C	PSEG05	N11	08/23/2023	9095B
O4135-02	328	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	08/23/2023	9095B
O4145-01	WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	08/22/2023	9095B
O4146-01	72-12013	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	08/23/2023	9095B
O4160-01	CHRT-24449	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	08/24/2023	9095B
O4160-03	CHRT-26706	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	08/24/2023	9095B
O4161-01	CHRT-25659	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	08/24/2023	9095B
O4165-01	VNJ-208	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	08/24/2023	9095B
O4165-03	VNJ-210	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	08/24/2023	9095B
O4169-01	PL-01-082423	Solid	Paint Filter	Cool 4 deg C	PSEG05	N11	08/24/2023	9095B

Date/Time 6/25/2023 19:50
 Raw Sample Received by: PM CWC
 Raw Sample Relinquished by: JQ (CJC)

Date/Time 08/25/2023 21:20
 Raw Sample Received by: JQ (CJC)
 Raw Sample Relinquished by: PM CWC