



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB127226

Reviewed By: Rubina
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O4363-01	72-11940	1	100.06	0.00	09/11/2023	15:10
2	O4363-01DUP	72-11940DUP	1	100.06	0.00	09/11/2023	15:17
3	O4363-03	VNJ-227	1	100.02	0.00	09/11/2023	15:25
4	O4363-05	VNJ-222	1	100.04	0.00	09/11/2023	15:32
5	O4363-07	VNJ-204	1	100.02	0.00	09/11/2023	15:40
6	O4370-01	EO-02-09082023	1	100.02	0.00	09/11/2023	15:47
7	O4371-01	289	1	100.04	0.00	09/11/2023	15:55

WORKLIST(Hardcopy Internal Chain)

16127226

WorkList Name : PF-9-11

WorkList ID : 173457

Department : Wet-Chemistry

Date : 09-11-2023 08:29:17

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O4363-01	72-11940	Solid	Paint Filter	Cool 4 deg C	PSEG03	N21	09/08/2023	9095B
O4363-03	VNJ-227	Solid	Paint Filter	Cool 4 deg C	PSEG03	N21	09/08/2023	9095B
O4363-05	VNJ-222	Solid	Paint Filter	Cool 4 deg C	PSEG03	N21	09/08/2023	9095B
O4363-07	VNJ-204	Solid	Paint Filter	Cool 4 deg C	PSEG03	N21	09/08/2023	9095B
O4370-01	EO-02-09082023	Solid	Paint Filter	Cool 4 deg C	PSEG05	N11	09/08/2023	9095B
O4371-01	289	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	09/08/2023	9095B

Date/Time 09/11/2023 13:15
 Raw Sample Received by: Rm
 Raw Sample Relinquished by: Rm

Date/Time 09/11/2023 16:00
 Raw Sample Received by: Rm
 Raw Sample Relinquished by: Rm