



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB127297

Reviewed By: Rubina
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O4423-01	HD-01-09132023	1	100.05	0.00	09/14/2023	14:30
2	O4423-01DUP	HD-01-09132023DUP	1	100.05	0.00	09/14/2023	14:38
3	O4424-01	SU-03-09132023	1	100.02	0.00	09/14/2023	14:45
4	O4435-04	WC-1	1	100.06	0.00	09/14/2023	14:52
5	O4441-02	72-11976	1	100.04	0.00	09/14/2023	15:00
6	O4445-01	TR-05-09142023	1	100.02	0.00	09/14/2023	15:07
7	O4446-01	EO-01-091423	1	100.06	0.00	09/14/2023	15:15

WORKLIST(Hardcopy Internal Chain)

06127297

WorkList Name : pf 9-14

WorkList ID : 173573

Department : Wet-Chemistry

Date : 09-14-2023 08:12:55

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O4423-01	HD-01-09132023	Solid	Paint Filter	Cool 4 deg C	PSEG05	N11	09/13/2023	9095B
O4424-01	SU-03-09132023	Solid	Paint Filter	Cool 4 deg C	PSEG05	N11	09/13/2023	9095B
O4435-04	WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03		09/13/2023	9095B
O4441-02	72-11976	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	09/14/2023	9095B
O4445-01	TR-05-09142023	Solid	Paint Filter	Cool 4 deg C	PSEG05	N11	09/14/2023	9095B
O4446-01	EO-01-091423	Solid	Paint Filter	Cool 4 deg C	PSEG05	D21	09/14/2023	9095B

Date/Time 09/14/2023 14:20
 Raw Sample Received by: RAY CWC
 Raw Sample Relinquished by: JH/LOI

Date/Time 09/14/2023 15:30
 Raw Sample Received by: JH/LOI
 Raw Sample Relinquished by: RAY CWC