



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB127312

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O4451-01	WC-1	1	100.04	0.00	09/15/2023	12:15
2	O4451-01DUP	WC-1DUP	1	100.04	0.00	09/15/2023	12:22
3	O4460-01	DEL-2-RIGHT-SIDE	1	100.02	0.00	09/15/2023	12:30
4	O4460-02	DEL-2-RIGHT-SIDE	1	100.06	0.00	09/15/2023	12:37
5	O4460-04	DEL-1-LEFT-SIDE	1	100.02	0.00	09/15/2023	12:45
6	O4460-05	DEL-1-LEFT-SIDE	1	100.04	0.00	09/15/2023	12:52

WORKLIST(Hardcopy Internal Chain)

6b127312

WorkList Name : pf 9-15

WorkList ID : 173615

Department : Wet-Chemistry

Date : 09-15-2023 08:10:59

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O4451-01	WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	D21	09/14/2023	9095B
O4460-01	DEL-2-RIGHT-SIDE	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	09/15/2023	9095B
O4460-02	DEL-2-RIGHT-SIDE	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	09/15/2023	9095B
O4460-04	DEL-1-LEFT-SIDE	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	09/15/2023	9095B
O4460-05	DEL-1-LEFT-SIDE	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	09/15/2023	9095B

Date/Time 09/15/2023 12:00
 Raw Sample Received by: RM
 Raw Sample Relinquished by: JN CWC

Date/Time 09/15/2023 13:10
 Raw Sample Received by: JN CWC
 Raw Sample Relinquished by: RM CWC