

Analysis Method: 9034

ANALYST: Rubina

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: Iwona

Run Number: LB127379

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2976
IODINE SOLUTION .025N 1L	W3050
Starch Solution, 4L	W2977

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB155627BL		1	5.00	50	2.00	0.00	1.92	1.92	0.08	0.00	0.00	09/20/2023	10:45
2	O4460-02		1	5.02	50	2.00	0.00	1.84	1.84	0.16	0.08	6.37	09/20/2023	10:48
3	O4460-02DUP		1	5.02	50	2.00	0.00	1.84	1.84	0.16	0.08	6.37	09/20/2023	10:50
4	O4460-05		1	5.04	50	2.00	0.00	1.88	1.88	0.12	0.04	3.17	09/20/2023	10:52
5	O4474-03		1	5.03	50	2.00	0.00	1.82	1.82	0.18	0.10	7.95	09/20/2023	10:55
6	O4490-01		1	5.03	50	2.00	0.00	1.82	1.82	0.18	0.10	7.95	09/20/2023	10:58
7	O4490-02		1	5.04	50	2.00	0.00	1.88	1.88	0.12	0.04	3.17	09/20/2023	11:00
8	O4490-03		1	5.06	50	2.00	0.00	1.84	1.84	0.16	0.08	6.32	09/20/2023	11:03
9	O4490-04		1	5.04	50	2.00	0.00	1.86	1.86	0.14	0.06	4.76	09/20/2023	11:05
10	O4490-05		1	5.05	50	2.00	0.00	1.84	1.84	0.16	0.08	6.34	09/20/2023	11:08
11	O4490-06		1	5.02	50	2.00	0.00	1.86	1.86	0.14	0.06	4.78	09/20/2023	11:10
12	O4501-02		1	5.03	50	2.00	0.00	1.86	1.86	0.14	0.06	4.77	09/20/2023	11:13

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume

Analysis Method: 9034

Parameter: Reactive Sulfide

Run Number: LB127379

ANALYST: Rubina

SUPERVISOR REVIEW BY: Iwona

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2976
IODINE SOLUTION .025N 1L	W3050
Starch Solution, 4L	W2977

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
13	O4501-05		1	5.07	50	2.00	0.00	1.86	1.86	0.14	0.06	4.73	09/20/2023	11:15
14	O4501-08		1	5.04	50	2.00	0.00	1.88	1.88	0.12	0.04	3.17	09/20/2023	11:18
15	O4506-02		1	5.05	50	2.00	0.00	1.82	1.82	0.18	0.10	7.92	09/20/2023	11:20
16	O4512-01		1	5.03	50	2.00	0.00	1.86	1.86	0.14	0.06	4.77	09/20/2023	11:23

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume