



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB127423

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O4531-01	TP-BCD	1	100.05	0.00	09/22/2023	09:20
2	O4531-02	TP-BCD	1	100.02	0.00	09/22/2023	09:28
3	O4531-04	TP-A	1	100.04	0.00	09/22/2023	09:35
4	O4531-05	TP-A	1	100.06	0.00	09/22/2023	09:42
5	O4569-01	ETGI-367	1	100.02	0.00	09/22/2023	09:50
6	O4569-01DUP	ETGI-367DUP	1	100.04	0.00	09/22/2023	09:58

WORKLIST(Hardcopy Internal Chain)

66127423

WorkList Name : pf-9-20

WorkList ID : 173756

Department : Wet-Chemistry

Date : 09-20-2023 08:06:25

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O4531-01	TP-BCD	Solid	Paint Filter	Cool 4 deg C	PSEG03	D21	09/20/2023	9095B
O4531-02	TP-BCD	Solid	Paint Filter	Cool 4 deg C	PSEG03	D21	09/20/2023	9095B
O4531-04	TP-A	Solid	Paint Filter	Cool 4 deg C	PSEG03	D21	09/20/2023	9095B
O4531-05	TP-A	Solid	Paint Filter	Cool 4 deg C	PSEG03	D21	09/20/2023	9095B
O4569-01	ETGI-367	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	09/21/2023	9095B

Date/Time 09/22/2023 09:10
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: JH CWC

Date/Time 09/22/2023 10:10
 Raw Sample Received by: JH CWC
 Raw Sample Relinquished by: JH CWC