



PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 9/25/2023

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:15  
In Date: 09/22/2023  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:25  
Out Date: 09/23/2023  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: % SOLIDS OVEN

QC:LB127440

| Lab ID   | Client SampleID      | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments        |
|----------|----------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|-----------------|
| O4563-06 | BEL-23-0005          | 1      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | OIL SAMPLE      |
| O4566-01 | CPT102-09(9.5-10)    | 2      | 1.15           | 8.40         | 9.55                    | 5.74                      | 54.6    |                 |
| O4566-02 | CPT102-09            | 3      | 1.16           | 8.81         | 9.97                    | 8.34                      | 81.5    |                 |
| O4566-03 | CPT102-06(8.5-9)     | 4      | 1.16           | 8.60         | 9.76                    | 5.16                      | 46.5    |                 |
| O4566-04 | CPT102-06            | 5      | 1.12           | 8.75         | 9.87                    | 7.42                      | 72.0    |                 |
| O4566-05 | B102-08-1(8-8.5)     | 6      | 1.19           | 8.63         | 9.82                    | 4.19                      | 34.8    |                 |
| O4566-06 | B102-08-1            | 7      | 1.19           | 8.57         | 9.76                    | 8.31                      | 83.1    |                 |
| O4566-07 | B102-08-1(5-5.5)     | 8      | 1.18           | 8.81         | 9.99                    | 7.77                      | 74.8    |                 |
| O4566-08 | B102-08-1            | 9      | 1.12           | 8.84         | 9.96                    | 7.34                      | 70.4    |                 |
| O4566-09 | B102-08-2(5-5.5)     | 10     | 1.19           | 8.71         | 9.9                     | 8.05                      | 78.8    |                 |
| O4566-10 | B102-08-2            | 11     | 1.13           | 8.73         | 9.86                    | 7.24                      | 70.0    |                 |
| O4568-01 | ASP-FRONT-LEFT-WING  | 12     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | ASPHALT-FLOOR   |
| O4568-02 | CONC-FRONT-LEFT-WING | 13     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | CONCRETE SAMPLE |
| O4568-03 | CONC-REAR-LEFT-WING  | 14     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | CONCRETE SAMPLE |
| O4568-04 | ASP-CENTER-AREA-TOP  | 15     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | ASPHALT-FLOOR   |
| O4577-01 | S1-1A                | 16     | 1.15           | 8.65         | 9.8                     | 8.02                      | 79.4    |                 |
| O4577-02 | S1-2A                | 17     | 1.15           | 8.81         | 9.96                    | 8.41                      | 82.4    |                 |
| O4577-03 | S1-3A                | 18     | 1.15           | 8.78         | 9.93                    | 8.65                      | 85.4    |                 |
| O4577-04 | S1-4A                | 19     | 1.15           | 8.82         | 9.97                    | 8.52                      | 83.6    |                 |
| O4577-05 | S2-5A                | 20     | 1.18           | 8.51         | 9.69                    | 7.21                      | 70.9    |                 |
| O4577-06 | S2-6A                | 21     | 1.19           | 8.41         | 9.6                     | 7.07                      | 69.9    |                 |
| O4577-07 | S2-7A                | 22     | 1.15           | 8.84         | 9.99                    | 7.46                      | 71.4    |                 |
| O4577-08 | S2-8A                | 23     | 1.19           | 8.49         | 9.68                    | 7.42                      | 73.4    |                 |
| O4577-09 | S2-9A                | 24     | 1.14           | 8.85         | 9.99                    | 8.16                      | 79.3    |                 |
| O4577-10 | S2-10A               | 25     | 1.15           | 8.43         | 9.58                    | 8.16                      | 83.2    |                 |
| O4577-11 | S2-11A               | 26     | 1.12           | 8.47         | 9.59                    | 7.56                      | 76.0    |                 |
| O4577-12 | S3-12A               | 27     | 1.19           | 8.71         | 9.9                     | 8.17                      | 80.1    |                 |
| O4577-13 | S3-13A               | 28     | 1.11           | 8.75         | 9.86                    | 8.27                      | 81.8    |                 |



PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 9/25/2023

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:15  
In Date: 09/22/2023  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:25  
Out Date: 09/23/2023  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: % SOLIDS OVEN

QC:LB127440

| Lab ID   | Client SampleID       | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-----------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| O4577-14 | S3-14A                | 29     | 1.16           | 8.74         | 9.9                     | 8.28                      | 81.5    |          |
| O4577-15 | S3-15A                | 30     | 1.12           | 8.78         | 9.9                     | 6.91                      | 65.9    |          |
| O4577-16 | S4-16B                | 31     | 1.14           | 8.72         | 9.86                    | 8.66                      | 86.2    |          |
| O4577-17 | S5-17B                | 32     | 1.19           | 8.62         | 9.81                    | 7.28                      | 70.6    |          |
| O4577-18 | S5-18B                | 33     | 1.15           | 8.81         | 9.96                    | 7.22                      | 68.9    |          |
| O4577-19 | S5-19B                | 34     | 1.16           | 8.61         | 9.77                    | 6.57                      | 62.8    |          |
| O4577-20 | S5-20B                | 35     | 1.1            | 8.70         | 9.8                     | 5.92                      | 55.4    |          |
| O4577-21 | S5-21B                | 36     | 1.16           | 8.67         | 9.83                    | 6.86                      | 65.7    |          |
| O4577-22 | S5-22B                | 37     | 1.15           | 8.75         | 9.9                     | 7.48                      | 72.3    |          |
| O4577-23 | S5-23B                | 38     | 1.16           | 8.53         | 9.69                    | 7.02                      | 68.7    |          |
| O4577-24 | DUP-1                 | 39     | 1.11           | 8.75         | 9.86                    | 8.04                      | 79.2    |          |
| O4577-25 | DUP-2                 | 40     | 1.18           | 8.79         | 9.97                    | 7.52                      | 72.1    |          |
| O4577-26 | DUP-3                 | 41     | 1.15           | 8.39         | 9.54                    | 6.36                      | 62.1    |          |
| O4578-05 | SVOC-GPC-BLANK        | 42     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O4578-06 | PEST-GPC-BLANK        | 43     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O4578-07 | PEST-GPC-BLANK-SPIKE  | 44     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O4578-08 | PCB-GPC-BLANK         | 45     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O4578-09 | PCB-GPC-BLANK-SPIKE   | 46     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O4578-10 | SVOC-GPC2-BLANK       | 47     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O4578-11 | PEST-GPC2-BLANK       | 48     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O4578-12 | PEST-GPC2-BLANK-SPIKE | 49     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O4578-13 | PCB-GPC2-BLANK        | 50     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O4578-14 | PCB-GPC2-BLANK-SPIKE  | 51     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |          |
| O4580-01 | ORANGE-SOIL-1         | 52     | 1.12           | 8.77         | 9.89                    | 8.44                      | 83.5    |          |
| O4580-03 | ORANGE-SOIL-2         | 53     | 1.19           | 8.57         | 9.76                    | 8.68                      | 87.4    |          |
| O4582-01 | EO-02-092223          | 54     | 1.16           | 8.58         | 9.74                    | 8.97                      | 91.0    |          |
| O4582-02 | EO-02-092223-E2       | 55     | 1.19           | 8.54         | 9.73                    | 8.95                      | 90.9    |          |



PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 9/25/2023

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:15  
In Date: 09/22/2023  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:25  
Out Date: 09/23/2023  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: % SOLIDS OVEN

QC:LB127440

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|----------|
| O4583-01 | T-1             | 56     | 1.15           | 8.37         | 9.52                    | 8.55                      | 88.4    |          |
| O4583-02 | T-2             | 57     | 1.14           | 8.83         | 9.97                    | 8.94                      | 88.3    |          |
| O4583-03 | T-3             | 58     | 1.14           | 8.81         | 9.95                    | 9.11                      | 90.5    |          |
| O4583-04 | T-4             | 59     | 1.19           | 8.78         | 9.97                    | 8.99                      | 88.8    |          |
| O4583-05 | T-5             | 60     | 1.16           | 8.50         | 9.66                    | 8.56                      | 87.1    |          |
| O4587-01 | SU-04-09222023  | 61     | 1.11           | 8.48         | 9.59                    | 8.96                      | 92.6    |          |
| O4587-02 | SU-04-09222023  | 62     | 1.19           | 8.69         | 9.88                    | 8.96                      | 89.4    |          |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

127440

WorkList Name : %1-092223

WorkList ID : 173844

Department : Wet-Chemistry

Date : 09-22-2023 06:55:55

| Sample   | Customer Sample      | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|----------------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| O4563-06 | BEL-23-0005          | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | N11                         | 09/21/2023   | Chemtech -SO |
| O4566-01 | CPT102-09(9.5-10)    | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | N13                         | 09/20/2023   | Chemtech -SO |
| O4566-02 | CPT102-09            | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | N13                         | 09/20/2023   | Chemtech -SO |
| O4566-03 | CPT102-06(8.5-9)     | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | N13                         | 09/20/2023   | Chemtech -SO |
| O4566-04 | CPT102-06            | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | N13                         | 09/20/2023   | Chemtech -SO |
| O4566-05 | B102-08-1(8-8.5)     | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | N13                         | 09/20/2023   | Chemtech -SO |
| O4566-06 | B102-08-1            | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | N13                         | 09/20/2023   | Chemtech -SO |
| O4566-07 | B102-08-1(5-5.5)     | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | N13                         | 09/20/2023   | Chemtech -SO |
| O4566-08 | B102-08-1            | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | N13                         | 09/20/2023   | Chemtech -SO |
| O4566-09 | B102-08-2(5-5.5)     | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | N13                         | 09/20/2023   | Chemtech -SO |
| O4566-10 | B102-08-2            | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | N13                         | 09/20/2023   | Chemtech -SO |
| O4568-01 | ASP-FRONT-LEFT-WING  | Solid  | Percent Solids | Cool 4 deg C | FIRS02   | N13                         | 09/20/2023   | Chemtech -SO |
| O4568-02 | CONC-FRONT-LEFT-WING | Solid  | Percent Solids | Cool 4 deg C | APEX05   | N13                         | 09/21/2023   | Chemtech -SO |
| O4568-03 | CONC-REAR-LEFT-WING  | Solid  | Percent Solids | Cool 4 deg C | APEX05   | N13                         | 09/21/2023   | Chemtech -SO |
| O4568-04 | ASP-CENTER-AREA-TOP  | Solid  | Percent Solids | Cool 4 deg C | APEX05   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-01 | S1-1A                | Solid  | Percent Solids | Cool 4 deg C | APEX05   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-02 | S1-2A                | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-03 | S1-3A                | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-04 | S1-4A                | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-05 | S2-5A                | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-06 | S2-6A                | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |

Date/Time 09/22/23 15:30

Raw Sample Received by: 70 (WC)

Raw Sample Relinquished by: [Signature]

Date/Time 09/22/23

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: 70 (WC)

# WORKLIST(Hardcopy Internal Chain)

127440

WorkList Name : %1-092223

WorkList ID : 173844

Department : Wet-Chemistry

Date : 09-22-2023 06:55:55

| Sample   | Customer Sample | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-----------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| O4577-07 | S2-7A           | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-08 | S2-8A           | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-09 | S2-9A           | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-10 | S2-10A          | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-11 | S2-11A          | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-12 | S3-12A          | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-13 | S3-13A          | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-14 | S3-14A          | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-15 | S3-15A          | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-16 | S4-16B          | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-17 | S5-17B          | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-18 | S5-18B          | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-19 | S5-19B          | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-20 | S5-20B          | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-21 | S5-21B          | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-22 | S5-22B          | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-23 | S5-23B          | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-24 | DUP-1           | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-25 | DUP-2           | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4577-26 | DUP-3           | Solid  | Percent Solids | Cool 4 deg C | BSIG01   | N13                         | 09/21/2023   | Chemtech -SO |
| O4578-05 | SVOC-GPC-BLANK  | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | N13                         | 09/15/2023   | Chemtech -SO |

Date/Time 09/22/23 15:30

Raw Sample Received by: 10 CWC

Raw Sample Relinquished by: [Signature]

Date/Time 09/22/23 17:20

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: 10 CWC

# WORKLIST(Hardcopy Internal Chain)

127440

WorkList Name : %1-092223

WorkList ID : 173844

Department : Wet-Chemistry

Date : 09-22-2023 06:55:55

| Sample   | Customer Sample       | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-----------------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| O4578-06 | PEST-GPC-BLANK        | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | N13                         | 09/15/2023   | Chemtech -SO |
| O4578-07 | PEST-GPC-BLANK-SPIKE  | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | N13                         | 09/15/2023   | Chemtech -SO |
| O4578-08 | PCB-GPC-BLANK         | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | N13                         | 09/15/2023   | Chemtech -SO |
| O4578-09 | PCB-GPC-BLANK-SPIKE   | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | N13                         | 09/15/2023   | Chemtech -SO |
| O4578-10 | SVOC-GPC2-BLANK       | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | N13                         | 09/15/2023   | Chemtech -SO |
| O4578-11 | PEST-GPC2-BLANK       | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | N13                         | 09/15/2023   | Chemtech -SO |
| O4578-12 | PEST-GPC2-BLANK-SPIKE | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | N13                         | 09/15/2023   | Chemtech -SO |
| O4578-13 | PCB-GCP2-BLANK        | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | N13                         | 09/15/2023   | Chemtech -SO |
| O4578-14 | PCB-GCP2-BLANK-SPIKE  | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | N13                         | 09/15/2023   | Chemtech -SO |
| O4580-01 | ORANGE-SOIL-1         | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | N13                         | 09/22/2023   | Chemtech -SO |
| O4580-03 | ORANGE-SOIL-2         | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | N13                         | 09/22/2023   | Chemtech -SO |
| O4582-01 | EO-02-092223          | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | N21                         | 09/22/2023   | Chemtech -SO |
| O4582-02 | EO-02-092223-E2       | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | N21                         | 09/22/2023   | Chemtech -SO |
| O4583-01 | T-1                   | Solid  | Percent Solids | Cool 4 deg C | RMJE02   | N13                         | 09/21/2023   | Chemtech -SO |
| O4583-02 | T-2                   | Solid  | Percent Solids | Cool 4 deg C | RMJE02   | N13                         | 09/21/2023   | Chemtech -SO |
| O4583-03 | T-3                   | Solid  | Percent Solids | Cool 4 deg C | RMJE02   | N13                         | 09/21/2023   | Chemtech -SO |
| O4583-04 | T-4                   | Solid  | Percent Solids | Cool 4 deg C | RMJE02   | N13                         | 09/21/2023   | Chemtech -SO |
| O4583-05 | T-5                   | Solid  | Percent Solids | Cool 4 deg C | RMJE02   | N13                         | 09/21/2023   | Chemtech -SO |
| O4587-01 | SU-04-09222023        | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | N21                         | 09/22/2023   | Chemtech -SO |
| O4587-02 | SU-04-09222023        | Solid  | Percent Solids | Cool 4 deg C | PSEG05   | N21                         | 09/22/2023   | Chemtech -SO |

Date/Time 09/22/23 15:30

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]

Date/Time 09/22/23

Raw Sample Received by: [Signature]

Raw Sample Relinquished by: [Signature]