



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB127487

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O4620-09	STONE-IN	1	100.06	0.00	09/27/2023	08:40
2	O4620-10	STONE-IN	1	100.02	0.00	09/27/2023	08:48
3	O4620-12	STONE-OUT	1	100.07	0.00	09/27/2023	08:55
4	O4620-13	STONE-OUT	1	100.06	0.00	09/27/2023	09:02
5	O4621-02	ETGI-287	1	100.03	0.00	09/27/2023	09:10
6	O4621-02DUP	ETGI-287DUP	1	100.04	0.00	09/27/2023	09:17

WORKLIST(Hardcopy Internal Chain)

6127487

WorkList Name : PF-9/26

WorkList ID : 173983

Department : Wet-Chemistry

Date : 09-26-2023 17:07:15

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O4620-09	STONE-IN	Solid	Paint Filter	Cool 4 deg C	PSEG03	E32	09/26/2023	9095B
O4620-10	STONE-IN	Solid	Paint Filter	Cool 4 deg C	PSEG03	E32	09/26/2023	9095B
O4620-12	STONE-OUT	Solid	Paint Filter	Cool 4 deg C	PSEG03	E32	09/26/2023	9095B
O4620-13	STONE-OUT	Solid	Paint Filter	Cool 4 deg C	PSEG03	E32	09/26/2023	9095B
O4621-02	ETGI-287	Solid	Paint Filter	Cool 4 deg C	PSEG03	E22	09/26/2023	9095B

Date/Time 09/27/2023 08:30
 Raw Sample Received by: RA CWC
 Raw Sample Relinquished by: RA CWC

Date/Time 09/27/2023 09:30
 Raw Sample Received by: RA CWC
 Raw Sample Relinquished by: RA CWC