

Analysis Method: 9034

ANALYST: Rubina

Parameter: Reactive Sulfide

SUPERVISOR REVIEW BY: Iwona

Run Number: LB127556

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2976
IODINE SOLUTION .025N 1L	W3050
Starch Solution, 4L	W2977

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
1	PB155962BL		1	5.00	50	2.00	0.00	1.92	1.92	0.08	0.00	0.00	09/29/2023	16:45
2	O4651-01		1	5.06	50	2.00	0.00	1.88	1.88	0.12	0.04	3.16	09/29/2023	16:48
3	O4651-01DUP		1	5.06	50	2.00	0.00	1.88	1.88	0.12	0.04	3.16	09/29/2023	16:50
4	O4652-01		1	5.02	50	2.00	0.00	1.82	1.82	0.18	0.10	7.97	09/29/2023	16:52
5	O4652-04		1	5.03	50	2.00	0.00	1.86	1.86	0.14	0.06	4.77	09/29/2023	16:55
6	O4652-07		1	5.05	50	2.00	0.00	1.82	1.82	0.18	0.10	7.92	09/29/2023	16:58
7	O4652-10		1	5.03	50	2.00	0.00	1.86	1.86	0.14	0.06	4.77	09/29/2023	17:00
8	O4652-13		1	5.04	50	2.00	0.00	1.84	1.84	0.16	0.08	6.35	09/29/2023	17:03
9	O4652-16		1	5.05	50	2.00	0.00	1.88	1.88	0.12	0.04	3.17	09/29/2023	17:05
10	O4666-03		1	5.04	50	2.00	0.00	1.82	1.82	0.18	0.10	7.94	09/29/2023	17:08
11	O4671-01		1	5.02	50	2.00	0.00	1.86	1.86	0.14	0.06	4.78	09/29/2023	17:10
12	O4671-02		1	5.06	50	2.00	0.00	1.88	1.88	0.12	0.04	3.16	09/29/2023	17:13

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume

Analysis Method: 9034

Parameter: Reactive Sulfide

Run Number: LB127556

ANALYST: Rubina

SUPERVISOR REVIEW BY: Iwona

Constant: 16000

Normality1: 0.025

Normality2: 0.025

Reagent/Standard	Lot/Log #
SODIUM THIOSULFATE, 0.025N, 4LITRE	W2976
IODINE SOLUTION .025N 1L	W3050
Starch Solution, 4L	W2977

Seq	Lab ID	True Value (mg/l)	DF	Initial Weight (g)	Final Volume (ml)	T1 (ml)	T2 Initial	T2 Final	T2 Diff. (ml)	T1 - T2 Diff (mL)	Value Corrected With Blank	Result (ppm)	Anal Date	Anal Time
13	04671-06		1	5.02	50	2.00	0.00	1.82	1.82	0.18	0.10	7.97	09/29/2023	17:15

T1 = Titrant1

T2 = Titrant2

T2 Diff = T2 Final - T2 Initial

Value Corrected With Blank = ((T1 - T2 Diff) - Blank Correction(BL))

Result = ((T1 * Normality1) - ((T1 - Value Corrected With Blank) * Normality2)) * Constant / Initial Volume