



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB127622

Reviewed By: Rubina
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O4731-01	DTP-1	1	100.05	0.00	10/04/2023	16:20
2	O4731-01DUP	DTP-1DUP	1	100.05	0.00	10/04/2023	16:27
3	O4731-03	DTP-1	1	100.03	0.00	10/04/2023	16:35
4	O4731-04	DTP-2	1	100.04	0.00	10/04/2023	16:42
5	O4731-06	DTP-2	1	100.07	0.00	10/04/2023	16:50
6	O4731-07	DTP-3	1	100.05	0.00	10/04/2023	16:57
7	O4731-09	DTP-3	1	100.02	0.00	10/04/2023	17:05
8	O4735-02	RT2662	1	100.04	0.00	10/04/2023	17:12
9	O4736-02	72-11991	1	100.06	0.00	10/04/2023	17:20
10	O4736-04	72-11939	1	100.02	0.00	10/04/2023	17:27
11	O4753-01	TP-4	1	100.07	0.00	10/04/2023	17:35
12	O4763-01	PAT-1-100423	1	100.05	0.00	10/04/2023	17:42

WORKLIST(Hardcopy Internal Chain)

LB 127622

WorkList Name : pf-10-04

WorkList ID : 174249

Department : Wet-Chemistry

Date : 10-04-2023 15:38:05

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O4731-01	DTP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	E41	10/04/2023	9095B
O4731-03	DTP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	E41	10/04/2023	9095B
O4731-04	DTP-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	E41	10/04/2023	9095B
O4731-06	DTP-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	E41	10/04/2023	9095B
O4731-07	DTP-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	E41	10/04/2023	9095B
O4731-09	DTP-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	E41	10/04/2023	9095B
O4735-02	RT2662	Solid	Paint Filter	Cool 4 deg C	PSEG03	E41	10/04/2023	9095B
O4736-02	72-11991	Solid	Paint Filter	Cool 4 deg C	PSEG03	E22	10/04/2023	9095B
O4736-04	72-11939	Solid	Paint Filter	Cool 4 deg C	PSEG03	E22	10/04/2023	9095B
O4753-01	TP-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	E22	10/04/2023	9095B
O4763-01	PAT-1-100423	Solid	Paint Filter	Cool 4 deg C	PSEG03	E22	10/04/2023	9095B

Date/Time 10/04/2023 16:10

Raw Sample Received by: RM CWC

Raw Sample Relinquished by: JAG

Date/Time

10/04/2023 18:00

Raw Sample Received by:

JP CWC

Raw Sample Relinquished by:

RM CWC