

Sample ID	Result	Std. Dev.	RSD	Mode	ALT
CCV1	1.2753	0.0531	4.16	TOC	
CCB1	0.9115	0.0330	3.62	TOC	
LB127845BLW	0.8404	0.0494	5.87	TOC	
LB127845BSW.....	9.1393...	0.6554..	7.17...	TOC	..
04734-01	3.9155	0.1378	3.52	TOC	
04734-02MS	15.2057	1.7402	11.44	TOC	
04734-03MDS.....	15.3781...	1.6899..	10.99...	TOC	..
04734-04	3.2962	0.1984	6.02	TOC	
04734-05	2.4752	0.3191	12.89	TOC	
04734-06.....	2.1718...	0.1138..	5.24...	TOC	..
04734-07	3.2485	0.4323	13.31	TOC	
CCV2	10.7455	0.9639	8.97	TOC	
CCB2.....	0.6444...	0.0927..	14.39...	TOC	..
04734-09	4.0790	0.2598	6.37	TOC	
04789-01X10	17.5002	1.3874	7.93	TOC	
04789-05X10.....	10.8884...	1.0908..	10.02...	TOC	..
04734-08	9.4539	2.3777	25.15	TOC	
CCV3	1.2702	0.1595	12.56	TOC	
CCB3.....	0.3097...	0.0868..	28.03...	TOC	..

Method ID		Sample Type	Vial Timestamp			Message
TOC 0 - 20 ppmC		Sample	11	2023/10/18	11:09	
TOC 0 - 20 ppmC		Sample	12	2023/10/18	11:32	
TOC 0 - 20 ppmC		Sample	12	2023/10/18	11:56	
TOC 0 - 20 ppmC	...	Sample	.. 14..	2023/10/18	12:23	..
TOC 0 - 20 ppmC		Sample	16	2023/10/18	12:51	
TOC 0 - 20 ppmC		Sample	17	2023/10/18	13:21	
TOC 0 - 20 ppmC	...	Sample	.. 17..	2023/10/18	13:51	..
TOC 0 - 20 ppmC		Sample	18	2023/10/18	14:49	
TOC 0 - 20 ppmC		Sample	19	2023/10/18	15:16	
TOC 0 - 20 ppmC	...	Sample	.. 20..	2023/10/18	15:43	..
TOC 0 - 20 ppmC		Sample	21	2023/10/18	16:11	
TOC 0 - 20 ppmC		Sample	22	2023/10/18	16:42	
TOC 0 - 20 ppmC	...	Sample	.. 10..	2023/10/18	19:10	..
TOC 0 - 20 ppmC		Sample	25	2023/10/18	19:39	
TOC 0 - 20 ppmC		Sample	26	2023/10/18	20:12	
TOC 0 - 20 ppmC	...	Sample	.. 29..	2023/10/18	22:01	..
TOC 0 - 20 ppmC		Sample	22	2023/10/19	02:33	
TOC 0 - 20 ppmC		Sample	36	2023/10/19	03:00	
TOC 0 - 20 ppmC	...	Sample	.. 37..	2023/10/19	03:50	..

```
=====
Sample ID:   CCV1                      Mode:      TOC
Method:      TOC 0 - 20 ppmC           Filename:   10181046
Cal. Curve:  TOC WATER 0-20PPM        Timestamp: 2023/10/18 11:09
Operator ID: IZ MA                     Sample Type: Sample
=====
```

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	1.3423	0.6711	58867	-2.396	-2.198	127
2	1.2890	0.6445	56533	-2.376	-2.178	128
3	1.2511	0.6256	54870	-2.374	-2.175	126
4	1.2189	0.6095	53457	-2.356	-2.160	128

```
-----
<<<Statistics>>>   Mean:   1.2753   Std Dev:   0.0531   RSD: 4.16
=====
```

```
=====
Sample ID:   CCB1                      Mode:      TOC
Method:      TOC 0 - 20 ppmC           Filename:   10181046
Cal. Curve:  TOC WATER 0-20PPM        Timestamp: 2023/10/18 11:32
Operator ID: IZ MA                     Sample Type: Sample
=====
```

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	0.9575	0.4788	41993	-2.352	-2.155	120
2	0.8889	0.4445	38984	-2.361	-2.162	120
3	0.8862	0.4431	38866	-2.329	-2.129	122
4	0.9135	0.4567	40061	-2.350	-2.150	122

```
-----
<<<Statistics>>>   Mean:   0.9115   Std Dev:   0.0330   RSD: 3.62
=====
```

```
=====
Sample ID:   LB127845BLW              Mode:      TOC
Method:      TOC 0 - 20 ppmC           Filename:   10181046
Cal. Curve:  TOC WATER 0-20PPM        Timestamp: 2023/10/18 11:56
Operator ID: IZ MA                     Sample Type: Sample
=====
```

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	0.9090	0.4545	39867	-2.352	-2.154	120
2	0.8346	0.4173	36602	-2.346	-2.151	119
3	0.8263	0.4132	36240	-2.354	-2.154	123
4	0.7917	0.3958	34720	-2.342	-2.145	120

```
-----
<<<Statistics>>>   Mean:   0.8404   Std Dev:   0.0494   RSD: 5.87
=====
```

```
=====
Sample ID:   LB127845BSW              Mode:      TOC
Method:      TOC 0 - 20 ppmC           Filename:   10181046
Cal. Curve:  TOC WATER 0-20PPM        Timestamp: 2023/10/18 12:23
Operator ID: IZ MA                     Sample Type: Sample
=====
```

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	9.6066	4.8033	421307	-2.306	-2.107	182
2	8.4577	4.2289	370924	-2.223	-2.024	176
3	8.7068	4.3534	381848	-2.217	-2.017	172
4	9.7862	4.8931	429183	-2.196	-1.998	172

```
-----
<<<Statistics>>>   Mean:   9.1393   Std Dev:   0.6554   RSD: 7.17
=====
```

```
=====
Sample ID:   04734-01                  Mode:      TOC
=====
```

Method: TOC 0 - 20 ppmC
Cal. Curve: TOC WATER 0-20PPM
Operator ID: IZ MA

Filename: 10181046
Timestamp: 2023/10/18 12:51
Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	3.9056	1.9528	171286	-2.298	-2.100	162
2	4.0397	2.0199	177167	-2.213	-2.015	172
3	3.9905	1.9952	175007	-2.217	-2.017	184
4	3.7262	1.8631	163418	-2.193	-1.995	188

<<<Statistics>>> Mean: 3.9155 Std Dev: 0.1378 RSD: 3.52

Sample ID: 04734-02MS
Method: TOC 0 - 20 ppmC
Cal. Curve: TOC WATER 0-20PPM
Operator ID: IZ MA

Mode: TOC
Filename: 10181046
Timestamp: 2023/10/18 13:21
Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	17.5211	8.7606	768407	-2.080	-1.881	227
2	15.5288	7.7644	681030	-2.098	-1.898	221
3	13.6236	6.8118	597479	-2.098	-1.900	210
4	14.1493	7.0746	620531	-2.080	-1.880	232

<<<Statistics>>> Mean: 15.2057 Std Dev: 1.7402 RSD: 11.44

Sample ID: 04734-03MSD
Method: TOC 0 - 20 ppmC
Cal. Curve: TOC WATER 0-20PPM
Operator ID: IZ MA

Mode: TOC
Filename: 10181046
Timestamp: 2023/10/18 13:51
Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	17.4778	8.7389	766507	-2.083	-1.884	216
2	16.0076	8.0038	702032	-2.067	-1.868	216
3	14.1511	7.0756	620613	-2.087	-1.888	215
4	13.8760	6.9380	608546	-2.056	-1.859	215

<<<Statistics>>> Mean: 15.3781 Std Dev: 1.6899 RSD: 10.99

Sample ID: 04734-04
Method: TOC 0 - 20 ppmC
Cal. Curve: TOC WATER 0-20PPM
Operator ID: IZ MA

Mode: TOC
Filename: 10181046
Timestamp: 2023/10/18 14:49
Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	3.4723	1.7362	152282	-2.147	-1.948	178
2	3.0489	1.5244	133712	-2.109	-1.910	179
3	3.2236	1.6118	141375	-2.130	-1.930	183
4	3.4401	1.7201	150871	-2.109	-1.910	183

<<<Statistics>>> Mean: 3.2962 Std Dev: 0.1984 RSD: 6.02

Sample ID: 04734-05
Method: TOC 0 - 20 ppmC
Cal. Curve: TOC WATER 0-20PPM
Operator ID: IZ MA

Mode: TOC
Filename: 10181046
Timestamp: 2023/10/18 15:16
Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	2.6710	1.3355	117141	-2.112	-1.912	177
2	2.0403	1.0201	89479	-2.105	-1.906	156
3	2.7519	1.3759	120687	-2.148	-1.949	172
4	2.4377	1.2189	106910	-2.132	-1.932	172

<<<Statistics>>> Mean: 2.4752 Std Dev: 0.3191 RSD: 12.89

Sample ID: 04734-06 Mode: TOC
Method: TOC 0 - 20 ppmC Filename: 10181046
Cal. Curve: TOC WATER 0-20PPM Timestamp: 2023/10/18 15:43
Operator ID: IZ MA Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	2.1957	1.0978	96294	-2.103	-1.904	170
2	2.0304	1.0152	89044	-2.108	-1.910	175
3	2.1553	1.0776	94522	-2.092	-1.896	174
4	2.3059	1.1529	101127	-2.075	-1.879	175

<<<Statistics>>> Mean: 2.1718 Std Dev: 0.1138 RSD: 5.24

Sample ID: 04734-07 Mode: TOC
Method: TOC 0 - 20 ppmC Filename: 10181046
Cal. Curve: TOC WATER 0-20PPM Timestamp: 2023/10/18 16:11
Operator ID: IZ MA Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	3.8678	1.9339	169628	-2.121	-1.922	180
2	2.8746	1.4373	126068	-2.101	-1.901	180
3	3.1859	1.5930	139722	-2.114	-1.917	185
4	3.0658	1.5329	134456	-2.124	-1.924	186

<<<Statistics>>> Mean: 3.2485 Std Dev: 0.4323 RSD: 13.31

Sample ID: CCV2 Mode: TOC
Method: TOC 0 - 20 ppmC Filename: 10181046
Cal. Curve: TOC WATER 0-20PPM Timestamp: 2023/10/18 16:42
Operator ID: IZ MA Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	11.9307	5.9654	523235	-1.995	-1.796	225
2	11.0942	5.5471	486546	-2.026	-1.828	231
3	9.7730	4.8865	428606	-1.990	-1.793	225
4	10.1842	5.0921	446638	-2.041	-1.842	235

<<<Statistics>>> Mean: 10.7455 Std Dev: 0.9639 RSD: 8.97

Sample ID: CCB2 Mode: TOC
Method: TOC 0 - 20 ppmC Filename: 10181046
Cal. Curve: TOC WATER 0-20PPM Timestamp: 2023/10/18 19:10
Operator ID: IZ MA Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	0.7672	0.3836	33648	-2.087	-1.889	168

2	0.6564	0.3282	28789	-2.064	-1.866	164
3	0.6043	0.3021	26502	-2.074	-1.876	156
4	0.5497	0.2748	24106	-2.087	-1.888	150
<<<Statistics>>> Mean: 0.6444 Std Dev: 0.0927 RSD: 14.39						
Sample ID: 04734-09				Mode: TOC		
Method: TOC 0 - 20 ppmC				Filename: 10181046		
Cal. Curve: TOC WATER 0-20PPM				Timestamp: 2023/10/18 19:39		
Operator ID: IZ MA				Sample Type: Sample		
Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	4.4508	2.2254	195193	-2.114	-1.915	186
2	3.9147	1.9574	171684	-2.043	-1.844	193
3	4.0638	2.0319	178224	-2.011	-1.812	208
4	3.8866	1.9433	170451	-2.020	-1.821	213
<<<Statistics>>> Mean: 4.0790 Std Dev: 0.2598 RSD: 6.37						
Sample ID: 04789-01X10				Mode: TOC		
Method: TOC 0 - 20 ppmC				Filename: 10181046		
Cal. Curve: TOC WATER 0-20PPM				Timestamp: 2023/10/18 20:12		
Operator ID: IZ MA				Sample Type: Sample		
Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	19.3287	9.6644	847683	-1.698	-1.499	252
2	17.5660	8.7830	770374	-1.862	-1.664	266
3	15.9905	7.9952	701280	-1.904	-1.705	259
4	17.1155	8.5577	750617	-1.930	-1.730	271
<<<Statistics>>> Mean: 17.5002 Std Dev: 1.3874 RSD: 7.93						
Sample ID: 04789-05X10				Mode: TOC		
Method: TOC 0 - 20 ppmC				Filename: 10181046		
Cal. Curve: TOC WATER 0-20PPM				Timestamp: 2023/10/18 22:01		
Operator ID: IZ MA				Sample Type: Sample		
Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	11.8630	5.9315	520265	-2.004	-1.806	227
2	11.4477	5.7238	502050	-2.047	-1.849	221
3	10.8732	5.4366	476854	-2.047	-1.848	230
4	9.3696	4.6848	410915	-2.022	-1.823	224
<<<Statistics>>> Mean: 10.8884 Std Dev: 1.0908 RSD: 10.02						
Sample ID: 04734-08				Mode: TOC		
Method: TOC 0 - 20 ppmC				Filename: 10181046		
Cal. Curve: TOC WATER 0-20PPM				Timestamp: 2023/10/19 02:33		
Operator ID: IZ MA				Sample Type: Sample		
Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	6.9242	3.4621	303668	-2.217	-2.018	208
2	7.9422	3.9711	348315	-2.145	-1.946	204
3	11.7075	5.8537	513444	-2.138	-1.939	253
4	11.2419	5.6209	493025	-2.130	-1.931	247

```
<<<Statistics>>>      Mean:      9.4539      Std Dev:      2.3777      RSD: 25.15
```

Sample ID:	CCV3	Mode:	TOC
Method:	TOC 0 - 20 ppmC	Filename:	10181046
Anal. Curve:	TOC WATER 0-20PPM	Timestamp:	2023/10/19 03:00
Operator ID:	IZ MA	Sample Type:	Sample

```
<<<Statistics>>>      Mean:      1.2702      Std Dev:      0.1595      RSD: 12.56
```

Sample ID:	CCB3	Mode:	TOC
Method:	TOC 0 - 20 ppmC	Filename:	10181046
Anal. Curve:	TOC WATER 0-20PPM	Timestamp:	2023/10/19 03:50
Operator ID:	IZ MA	Sample Type:	Sample

```
<<<Statistics>>>      Mean:      0.3097      Std Dev:      0.0868      RSD: 28.03
```

Sample ID	Result	Std. Dev.	RSD	Mode	ALT
0.0PPM	18992	1774	9.34	TOC	
0.5PPM	35626	280	0.79	TOC	
1.0PPM	54215	2353	4.34	TOC	
2.0PPM.....	96855...	1479..	1.53...	TOC	..
5.0PPM	238603	8685	3.64	TOC	
10.0PPM	464148	7495	1.61	TOC	
20.0PPM.....	887196...	8607..	0.97...	TOC	..
ICV1	10.8505	0.1776	1.64	TOC	
ICB1	0.3357	0.0506	15.08	TOC	
IC-20.....	0.2612...	0.0549..	21.01...	TOC	..
IC-R	0.2995	0.0616	20.56	TOC	

Method ID	Sample Type	Vial	Timestamp	Message
TOC 0 - 20 ppmC	TOC Standard	1	2023/08/10 12:04	
TOC 0 - 20 ppmC	TOC Standard	2	2023/08/10 12:28	
TOC 0 - 20 ppmC	TOC Standard	3	2023/08/10 12:52	
TOC 0 - 20 ppmC	...TOC Standard	.. 4..	2023/08/10 13:17	..
TOC 0 - 20 ppmC	TOC Standard	5	2023/08/10 13:45	
TOC 0 - 20 ppmC	TOC Standard	6	2023/08/10 14:13	
TOC 0 - 20 ppmC	...TOC Standard	.. 7..	2023/08/10 14:44	..
TOC 0 - 20 ppmC	Sample	14	2023/08/10 15:13	
TOC 0 - 20 ppmC	Sample	9	2023/08/10 15:59	
TOC 0 - 20 ppmC	...Sample	.. 10..	2023/08/10 16:44	..
TOC 0 - 20 ppmC	Sample	10	2023/08/10 17:06	

```
=====
Sample ID:   0.0PPM                      Mode:      TOC
Method:      TOC 0 - 20 ppmC             Filename:   08101120
Cal. Curve:  TOC WATER 0-20PPM          Timestamp: 2023/08/10 12:04
Operator ID: IZ MA                      Sample Type: TOC Standard
=====
```

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1			17310	-0.764	-0.564	111
2			18777	-0.740	-0.541	114
3			18397	-0.759	-0.560	114
4			21485	-0.778	-0.579	116

```
-----
<<<Statistics>>>   Mean:    18992   Std Dev:    1774   RSD: 9.34
=====
```

```
=====
Sample ID:   0.5PPM                      Mode:      TOC
Method:      TOC 0 - 20 ppmC             Filename:   08101120
Cal. Curve:  TOC WATER 0-20PPM          Timestamp: 2023/08/10 12:28
Operator ID: IZ MA                      Sample Type: TOC Standard
=====
```

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1			35597	-0.824	-0.624	121
2			35875	-0.801	-0.602	123
3			35244	-0.771	-0.571	122
4			35787	-0.796	-0.597	121

```
-----
<<<Statistics>>>   Mean:    35626   Std Dev:     280   RSD: 0.79
=====
```

```
=====
Sample ID:   1.0PPM                      Mode:      TOC
Method:      TOC 0 - 20 ppmC             Filename:   08101120
Cal. Curve:  TOC WATER 0-20PPM          Timestamp: 2023/08/10 12:52
Operator ID: IZ MA                      Sample Type: TOC Standard
=====
```

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1			54598	-0.858	-0.661	123
2			52571	-0.872	-0.673	128
3			52300	-0.825	-0.627	125
4			57391	-0.853	-0.654	131

```
-----
<<<Statistics>>>   Mean:    54215   Std Dev:    2353   RSD: 4.34
=====
```

```
=====
Sample ID:   2.0PPM                      Mode:      TOC
Method:      TOC 0 - 20 ppmC             Filename:   08101120
Cal. Curve:  TOC WATER 0-20PPM          Timestamp: 2023/08/10 13:17
Operator ID: IZ MA                      Sample Type: TOC Standard
=====
```

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1			95957	-0.880	-0.681	136
2			96043	-0.843	-0.643	132
3			96361	-0.822	-0.623	133
4			99058	-0.826	-0.627	137

```
-----
<<<Statistics>>>   Mean:    96855   Std Dev:    1479   RSD: 1.53
=====
```

```
=====
Sample ID:   5.0PPM                      Mode:      TOC
=====
```

Sample ID:	ICB1	Mode:	TOC
Method:	TOC 0 - 20 ppmC	Filename:	08101120
Cal. Curve:	TOC WATER 0-20PPM	Timestamp:	2023/08/10 15:59
Operator ID:	IZ MA	Sample Type:	Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	0.2835	0.1418	12434	-0.880	-0.683	107
2	0.3215	0.1608	14100	-0.862	-0.662	108
3	0.3332	0.1666	14611	-0.824	-0.625	109
4	0.4047	0.2024	17750	-0.827	-0.629	110

<<<Statistics>>> Mean: 0.3357 Std Dev: 0.0506 RSD: 15.08

Sample ID: IC-20 Mode: TOC
Method: TOC 0 - 20 ppmC Filename: 08101120
Cal. Curve: TOC WATER 0-20PPM Timestamp: 2023/08/10 16:44
Operator ID: IZ MA Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	0.1858	0.0929	8149	-0.867	-0.668	98
2	0.2560	0.1280	11227	-0.885	-0.686	101
3	0.3079	0.1540	13504	-0.891	-0.692	101
4	0.2949	0.1475	12935	-0.904	-0.707	104

<<<Statistics>>> Mean: 0.2612 Std Dev: 0.0549 RSD: 21.01

Sample ID: IC-R Mode: TOC
Method: TOC 0 - 20 ppmC Filename: 08101120
Cal. Curve: TOC WATER 0-20PPM
Timestamp: 2023/08/10 17:06
Operator ID: IZ MA Sample Type: Sample

Rep #	ppm C	ug C	Raw Data	Beginning Baseline	Ending Baseline	Integration Time
1	0.2284	0.1142	10015	-0.891	-0.693	98
2	0.3257	0.1628	14282	-0.917	-0.719	102
3	0.2740	0.1370	12015	-0.901	-0.702	100
4	0.3701	0.1851	16232	-0.936	-0.737	103

<<<Statistics>>> Mean: 0.2995 Std Dev: 0.0616 RSD: 20.56

Cal. Curve ID: TOC WATER 0-20PPM
 Created: 2023/08/10 14:44
 Calibration Factor (m): 8.771e+04
 Y Intercept (b): 15311
 r-squared: 0.99963

Standard ID	Y Raw Data	X Expected ug C	Measured ug C	Message	Date & Time
0.0PPM	18992	0.000	0.042	—	2023/08/10 12:04
0.5PPM	35626	0.250	0.232	-7.2	2023/08/10 12:28
1.0PPM	54215	0.500	0.444	-11.2	2023/08/10 12:52
2.0PPM	96855	1.000	0.930	-7.0	2023/08/10 13:17
5.0PPM	238603	2.500	2.546	1.8	2023/08/10 13:45
10.0PPM	464148	5.000	5.117	2.3	2023/08/10 14:13
20.0PPM	887196	10.000	9.940	-0.6	2023/08/10 14:44

WORKLIST(Hardcopy Internal Chain)

LB127845

WorkList Name : TOC-101723 WorkList ID : 174652 Department : Wet-Chemistry Date : 10-17-2023 15:46:25

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O4734-01	MW-6SR	Water	TOC	Conc H2SO4 to pH < 2	LOCK01	E32	10/03/2023	SM5310B
O4734-02	O4734-01MS	Water	TOC	Conc H2SO4 to pH < 2	LOCK01	E32	10/03/2023	SM5310B
O4734-03	O4734-01MSD	Water	TOC	Conc H2SO4 to pH < 2	LOCK01	E32	10/03/2023	SM5310B
O4734-04	MW-14S	Water	TOC	Conc H2SO4 to pH < 2	LOCK01	E32	10/03/2023	SM5310B
O4734-05	MW-5SR	Water	TOC	Conc H2SO4 to pH < 2	LOCK01	E32	10/03/2023	SM5310B
O4734-06	MW-7	Water	TOC	Conc H2SO4 to pH < 2	LOCK01	E32	10/03/2023	SM5310B
O4734-07	MW-12	Water	TOC	Conc H2SO4 to pH < 2	LOCK01	E32	10/03/2023	SM5310B
O4734-08	MW-13S	Water	TOC	Conc H2SO4 to pH < 2	LOCK01	E32	10/03/2023	SM5310B
O4734-09	MW-6I	Water	TOC	Conc H2SO4 to pH < 2	LOCK01	E32	10/03/2023	SM5310B
O4789-01	LDET-5	Water	TOC	Conc H2SO4 to pH < 2	LOCK01	E22	10/05/2023	SM5310B
O4789-05	LDET-7-9	Water	TOC	Conc H2SO4 to pH < 2	LOCK01	E22	10/05/2023	SM5310B

Date/Time 10/18/23 09:10
 Raw Sample Received by: 12(scr)
 Raw Sample Relinquished by: 78(001)

Date/Time 10/18/23 14:20
 Raw Sample Received by: 78(001)
 Raw Sample Relinquished by: 17(scr)