



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB127984

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight (g)	Inst. Conc (ml/100g)	Anal Date	Anal Time
1	O5027-01	214	1	100.05	0.00	10/25/2023	16:10
2	O5027-04	H-DRUMS-SOLID	1	100.02	0.00	10/25/2023	16:17
3	O5051-01	DUCT-BANK-1A	1	100.06	0.00	10/25/2023	16:25
4	O5051-03	DUCT-BANK-2A	1	100.04	0.00	10/25/2023	16:32
5	O5073-01	OR-02-102523	1	100.07	0.00	10/25/2023	16:40
6	O5073-01DUP	OR-02-102523DUP	1	100.07	0.00	10/25/2023	16:48

WORKLIST(Hardcopy Internal Chain)

66127984

WorkList Name : PF-10-25

WorkList ID : 174936

Department : Wet-Chemistry

Date : 10-25-2023 11:59:12

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O5027-01	214	Solid	Paint Filter	Cool 4 deg C	PSEG03	I31	10/24/2023	9095B
O5027-04	H-DRUMS-SOLID	Solid	Paint Filter	Cool 4 deg C	PSEG03	I31	10/24/2023	9095B
O5051-01	DUCT-BANK-1A	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	10/25/2023	9095B
O5051-03	DUCT-BANK-2A	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	10/25/2023	9095B
O5073-01	OR-02-102523	Solid	Paint Filter	Cool 4 deg C	PSEG05	I41	10/24/2023	9095B

Date/Time 6/25/2023 16:00
 Raw Sample Received by: PRM
 Raw Sample Relinquished by: MLODC

Date/Time 6/25/2023 17:00
 Raw Sample Received by: PRM
 Raw Sample Relinquished by: PRM