



PERCENT SOLID

Supervisor: Iwona
Analyst: JIGNESH
Date: 10/30/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 10/27/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:25
Out Date: 10/28/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB128007

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O5092-01	CHRT-20058	1	1.15	8.48	9.63	1.66	6.0	GEL MATRIX
O5092-02	CHRT-20058	2	1.15	8.80	9.95	1.95	9.1	GEL MATRIX
O5092-03	CHRT-25651	3	1.16	8.44	9.6	1.69	6.3	GEL MATRIX
O5092-04	CHRT-25651	4	1.17	8.57	9.74	1.92	8.8	GEL MATRIX
O5093-01	FC693N-1-1	5	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5093-02	FC693N-1-2	6	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5093-03	IRV-18A-2023	7	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5093-04	IRV-18B-2023	8	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5093-05	IRV-19A-2023	9	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5093-06	IRV-19B-2023	10	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5093-07	IRV-20A-2023	11	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5093-08	IRV-20B-2023	12	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5093-09	IRV-21A-2023	13	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5093-10	IRV-21B-2023	14	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5098-01	COMP-1	15	1.00	1.00	2.00	2.00	100.0	debris
O5098-02	000126	16	1.00	1.00	2.00	2.00	100.0	debris
O5098-03	00094	17	1.18	8.57	9.75	9.00	91.2	
O5098-04	00092	18	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
O5099-01	KMH415X-1-1	19	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5099-02	KMH415X-1-2	20	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5100-01	KMH534F-1-1	21	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5100-02	KMH534F-1-2	22	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5100-03	HZA7557-1-1	23	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5100-04	HZA7557-1-2	24	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5100-05	KZZ373N-1-1	25	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5100-06	KZZ373N-1-2	26	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5100-07	BC260544-1-1	27	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5100-08	BC260544-1-2	28	1.00	1.00	2.00	2.00	100.0	PILC REEL



PERCENT SOLID

Supervisor: Iwona
Analyst: JIGNESH
Date: 10/30/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 10/27/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:25
Out Date: 10/28/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB128007

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O5106-01	D3291	29	1.00	1.00	2.00	2.00	100.0	debris
O5107-01	1048	30	1.14	8.43	9.57	9.17	95.3	
O5107-02	1049	31	1.18	8.58	9.76	9.31	94.8	
O5107-03	1073	32	1.15	8.40	9.55	9.47	99.0	
O5107-04	1074	33	1.15	8.83	9.98	8.62	84.6	
O5107-05	1075	34	1.1	8.57	9.67	9.51	98.1	
O5107-06	1076	35	1.19	8.63	9.82	9.5	96.3	
O5107-07	1077	36	1.19	8.47	9.66	9.54	98.6	
O5107-08	1078	37	1.18	8.50	9.68	9.51	98.0	
O5107-09	1079	38	1.15	8.38	9.53	9.41	98.6	
O5107-10	1080	39	1.19	8.50	9.69	9.58	98.7	
O5107-11	1081	40	1.1	8.76	9.86	9.66	97.7	
O5107-23	1047	41	1.15	8.72	9.87	9.12	91.4	
O5108-01	1023-A	42	1.15	8.81	9.96	6.00	55.1	
O5108-02	1023-B	43	1.15	8.40	9.55	6.96	69.2	
O5108-03	1023-C	44	1.19	8.74	9.93	8.12	79.3	
O5110-01	2943	55	1.13	8.59	9.72	7.18	70.4	
O5111-01	BC-259215-1-1	45	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5111-02	BC-259215-1-2	46	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5111-03	BC-204970-1-1	47	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5111-04	BC-204970-1-2	48	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5111-05	BC-204970-2-1	49	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5111-06	BC-259215-2-2	50	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5111-07	A359R-1-1	51	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5111-08	A359R-1-2	52	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5111-09	A359R-2-1	53	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5111-10	A359R-2-2	54	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5124-01	LP-1	60	1.00	1.00	2.00	2.00	100.0	PAINT CHIPS



PERCENT SOLID

Supervisor: Iwona
Analyst: JIGNESH
Date: 10/30/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 10/27/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:25
Out Date: 10/28/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB128007

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O5124-02	LP-2	61	1.00	1.00	2.00	2.00	100.0	PAINT CHIPS
O5124-03	LP-3	62	1.00	1.00	2.00	2.00	100.0	PAINT CHIPS
O5124-04	LP-4	63	1.00	1.00	2.00	2.00	100.0	PAINT CHIPS
O5125-01	WC-1	64	1.00	1.00	2.00	2.00	100.0	CAULKING SAMPLE
O5125-02	WC-2	65	1.00	1.00	2.00	2.00	100.0	CAULKING SAMPLE
O5125-03	DUC-1	66	1.00	1.00	2.00	2.00	100.0	CAULKING SAMPLE
O5125-04	DC-1	67	1.00	1.00	2.00	2.00	100.0	CAULKING SAMPLE
O5125-05	LC-1	68	1.00	1.00	2.00	2.00	100.0	CAULKING SAMPLE
O5125-06	WC-3	69	1.00	1.00	2.00	2.00	100.0	CAULKING SAMPLE
O5125-07	WG-1	70	1.00	1.00	2.00	2.00	100.0	CAULKING SAMPLE
O5125-08	FSC-1	71	1.00	1.00	2.00	2.00	100.0	CAULKING SAMPLE
O5126-01	LQ-1	72	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
O5126-02	LQ-2	73	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
O5126-03	LQ-3	74	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
O5126-04	LQ-4	75	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
O5126-05	LQ-5	76	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
O5126-06	LQ-6	77	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
O5126-07	LQ-7	78	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
O5126-08	LQ-8	79	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
O5127-01	HEX-1	80	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
O5127-02	HEX-2	81	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O5127-03	HEX-3	82	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O5127-04	HEX-4	83	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O5127-05	HEX-5	84	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O5128-01	SOL-1	85	1.14	8.85	9.99	9.9	99.0	
O5128-02	SOL-2	86	1.15	8.53	9.68	8.66	88.0	
O5128-03	SOL-3	87	1.18	8.72	9.9	9.72	97.9	
O5128-04	SOL-4	88	1.16	8.41	9.57	9.54	99.6	

**PERCENT SOLID**

Supervisor: Iwona

Analyst: JIGNESH

Date: 10/30/2023

OVENTEMP IN Celsius(°C): 107

Time IN: 17:25

In Date: 10/27/2023

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104

Time OUT: 08:25

Out Date: 10/28/2023

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: M SC-4

Thermometer ID: %SOLIDS-OVEN

QC:LB128007

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O5128-05	SOL-5	89	1.15	8.80	9.95	9.72	97.4	
O5131-01	W-1	56	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O5131-02	W-2	57	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O5131-03	W-3	58	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O5131-04	B-1	59	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
O5134-01	60194	90	1.00	1.00	2.00	2.00	100.0	OIL SAMPLE
O5134-03	60195	91	1.00	1.00	2.00	2.00	100.0	debris
O5135-01	34661	92	1.00	1.00	2.00	2.00	100.0	WIPE SAMPLE
O5135-02	CHRT-20413	93	1.14	8.80	9.94	9.1	90.5	
O5135-03	CHRT-20413-E2	94	1.12	8.60	9.72	8.98	91.4	
O5136-01	SLUDGE-COMP	95	1.13	8.83	9.96	6.15	56.9	
O5136-02	SAND-BLAST-COMP	96	1.13	8.83	9.96	9.59	95.8	
O5137-01	FAIR-LAWN-CONC	97	1.14	8.80	9.94	9.63	96.5	
O5138-01	348	98	1.1	8.77	9.87	8.91	89.1	
O5138-02	348-E2	99	1.13	8.76	9.89	9.24	92.6	
O5139-05	SVOC-GPC-BLANK	100	1.00	1.00	2.00	2.00	100.0	
O5139-06	PEST-GPC-BLANK	101	1.00	1.00	2.00	2.00	100.0	
O5139-07	PEST-GPC-BLANK-SPIKE	102	1.00	1.00	2.00	2.00	100.0	
O5139-08	PCB-GPC-BLANK	103	1.00	1.00	2.00	2.00	100.0	
O5139-09	PCB-GPC-BLANK-SPIKE	104	1.00	1.00	2.00	2.00	100.0	
O5139-10	SVOC-GPC2-BLANK	105	1.00	1.00	2.00	2.00	100.0	
O5139-11	PEST-GPC2-BLANK	106	1.00	1.00	2.00	2.00	100.0	
O5139-12	PEST-GPC2-BLANK-SPIKE	107	1.00	1.00	2.00	2.00	100.0	
O5139-13	PCB-GPC-BLANK-SPIKE	108	1.00	1.00	2.00	2.00	100.0	
O5139-14	PCB-GCP2-BLANK-SPIKE	109	1.00	1.00	2.00	2.00	100.0	
O5142-01	PSC-124037	110	1.14	8.63	9.77	8.64	86.9	
O5144-01	BC247919-LOK-END-1-1	111	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5144-02	BC247919-LOK-END-1-2	112	1.00	1.00	2.00	2.00	100.0	PILC REEL



PERCENT SOLID

Supervisor: Iwona
Analyst: JIGNESH
Date: 10/30/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:25
In Date: 10/27/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 104
Time OUT: 08:25
Out Date: 10/28/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB128007

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O5144-03	KMH4000-END-1-1	113	1.1	0.90	2.00	2.00	100.0	PILC REEL
O5144-04	KMH4000-END-1-2	114	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5144-05	BV254744LOZ-END-1-1	115	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5144-06	BV254744LOZ-END-1-2	116	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5144-07	BC771283L02-END-1-1	117	1.1	0.90	2.00	2.00	100.0	PILC REEL
O5144-08	BC771283L02-END-1-2	118	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5144-09	C-12-1276-END-1-1	119	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5144-10	C-12-1276-END-1-2	120	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5144-11	GHAS574Q-END-1-1	121	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5144-12	GHAS574Q-END-1-2	122	1.00	1.00	2.00	2.00	100.0	PILC REEL
O5145-01	TR-06-10272023	123	1.18	8.41	9.59	9.24	95.8	
O5145-02	TR-06-10272023	124	1.14	8.70	9.84	9.46	95.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$