



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB128010

Reviewed By: Rubina
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O5048-01	OILY-STONE	1	100.04	0.00	10/27/2023	10:00
2	O5062-01	NB-07-102523	1	100.02	0.00	10/27/2023	10:07
3	O5078-01	EO-03-102323	1	100.05	0.00	10/27/2023	10:15
4	O5083-01	SU-04-10252023	1	100.07	0.00	10/27/2023	10:22
5	O5090-01	WC-1	1	100.04	0.00	10/27/2023	10:30
6	O5092-01	CHRT-20058	1	100.05	0.00	10/27/2023	10:37
7	O5092-03	CHRT-25651	1	100.05	0.00	10/27/2023	10:45
8	O5092-03DUP	CHRT-25651DUP	1	100.05	0.00	10/27/2023	10:52

WORKLIST(Hardcopy Internal Chain)

6/28/10

WorkList Name : pf-10-26

WorkList ID : 174955

Department : Wet-Chemistry

Date : 10-26-2023 08:16:27

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O5048-01	OILY-STONE	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	10/25/2023	9095B
O5090-01	WC-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	10/25/2023	9095B
O5092-01	CHRT-20058	Solid	Paint Filter	Cool 4 deg C	PSEG03	I31	10/26/2023	9095B
O5092-03	CHRT-25651	Solid	Paint Filter	Cool 4 deg C	PSEG03	I31	10/26/2023	9095B
O5062-01	NB-07-102523	Solid	Paint Filter	Cool 4 deg C	PSEG05	I51	10/25/2023	9095B
O5078-01	EO-03-102323	Solid	Paint Filter	Cool 4 deg C	PSEG05	I41	10/25/2023	9095B
O5083-01	SU-04-10252023	Solid	Paint Filter	Cool 4 deg C	PSEG05	I41	10/25/2023	9095B

Date/Time 10/27/2023 09:50
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: JH CWC

Date/Time 10/27/2023 11:10
 Raw Sample Received by: JH CWC
 Raw Sample Relinquished by: RM CWC