



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB128130

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O5170-01	OK-02-103123	1	100.07	0.00	11/02/2023	09:10
2	O5170-01DUP	OK-02-103123DUP	1	100.07	0.00	11/02/2023	09:18
3	O5171-01	TR-05-103123	1	100.05	0.00	11/02/2023	09:25
4	O5213-02	ETGI-293	1	100.04	0.00	11/02/2023	09:32
5	O5214-02	VNJ-211	1	100.06	0.00	11/02/2023	09:40
6	O5214-04	VNJ-221	1	100.07	0.00	11/02/2023	09:47
7	O5215-01	600566096	1	100.06	0.00	11/02/2023	09:55

WORKLIST(Hardcopy Internal Chain)

6128130

WorkList Name : pf-11-1

WorkList ID : 175156

Department : Wet-Chemistry

Date : 11-01-2023 08:27:05

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O5170-01	OK-02-103123	Solid	Paint Filter	Cool 4 deg C	PSEG05	I41	10/31/2023	9095B
O5171-01	TR-05-103123	Solid	Paint Filter	Cool 4 deg C	PSEG05	I41	10/31/2023	9095B
O5213-02	ETGI-293	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	11/01/2023	9095B
O5214-02	VNU-211	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	11/01/2023	9095B
O5214-04	VNU-221	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	11/01/2023	9095B
O5215-01	600566096	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	11/01/2023	9095B

Date/Time 11/02/2023 08:15
 Raw Sample Received by: RM
 Raw Sample Relinquished by: JH6007

Date/Time 11/02/2023 10:10
 Raw Sample Received by: JH6007
 Raw Sample Relinquished by: JH6007