



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB128166

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O5228-01	CHRT-26882	1	100.05	0.00	11/03/2023	12:30
2	O5229-01	HR-1-110223	1	100.07	0.00	11/03/2023	12:38
3	O5234-01	SP-A	1	100.02	0.00	11/03/2023	12:45
4	O5234-03	SP-B	1	100.06	0.00	11/03/2023	12:52
5	O5234-03DUP	SP-BDUP	1	100.06	0.00	11/03/2023	13:00

WORKLIST(Hardcopy Internal Chain)

LB128166

WorkList Name : pf-11-03 WorkList ID : 175232 Department : Wet-Chemistry Date : 11-03-2023 08:15:54

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O5228-01	CHRT-26882	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	11/02/2023	9095B
O5229-01	HR-1-110223	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	11/02/2023	9095B
O5234-01	SP-A	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	11/02/2023	9095B
O5234-03	SP-B	Solid	Paint Filter	Cool 4 deg C	PSEG03	I41	11/02/2023	9095B

Date/Time 11/03/2023 12:20
 Raw Sample Received by: RMA
 Raw Sample Relinquished by: J.D. LDC

Date/Time 11/03/2023 13:15
 Raw Sample Received by: J.D. LDC
 Raw Sample Relinquished by: RMA