



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB128295

Reviewed By: Rubina
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O5361-01	OK-01-111023	1	100.06	0.00	11/13/2023	11:35
2	O5361-01DUP	OK-01-111023DUP	1	100.06	0.00	11/13/2023	11:42
3	O5374-02	RB21197	1	100.02	0.00	11/13/2023	11:50
4	O5376-01	204	1	100.07	0.00	11/13/2023	11:57
5	O5376-02	204	1	100.06	0.00	11/13/2023	12:05
6	O5376-03	210	1	100.04	0.00	11/13/2023	12:12
7	O5376-04	210	1	100.02	0.00	11/13/2023	12:20
8	O5376-05	223	1	100.06	0.00	11/13/2023	12:28
9	O5376-06	223	1	100.02	0.00	11/13/2023	12:35
10	O5377-02	360	1	100.04	0.00	11/13/2023	12:42
11	O5377-04	289	1	100.06	0.00	11/13/2023	12:50
12	O5378-01	MH-3	1	100.07	0.00	11/13/2023	12:57
13	O5378-04	MH-3	1	100.02	0.00	11/13/2023	13:05
14	O5379-01	WC-9	1	100.07	0.00	11/13/2023	13:12
15	O5379-04	WC-9	1	100.05	0.00	11/13/2023	13:20
16	O5379-05	WC-4	1	100.04	0.00	11/13/2023	13:28
17	O5379-08	WC-4	1	100.02	0.00	11/13/2023	13:35
18	O5379-09	WC-5	1	100.04	0.00	11/13/2023	13:42
19	O5379-12	WC-5	1	100.07	0.00	11/13/2023	13:50
20	O5380-01	WC-7	1	100.04	0.00	11/13/2023	13:58
21	O5380-04	WC-7	1	100.02	0.00	11/13/2023	14:05
22	O5380-05	WC-8	1	100.07	0.00	11/13/2023	14:12
23	O5380-08	WC-8	1	100.02	0.00	11/13/2023	14:20
24	O5384-01	EO-01-11102023	1	100.06	0.00	11/13/2023	14:28
25	O5384-03	EO-02-11102023	1	100.05	0.00	11/13/2023	14:35
26	O5384-05	EO-03-11102023	1	100.07	0.00	11/13/2023	14:42
27	O5385-01	HR-02-11102023	1	100.02	0.00	11/13/2023	14:50
28	O5385-03	HR-03-11102023	1	100.06	0.00	11/13/2023	14:57
29	O5388-01	TP-3	1	100.04	0.00	11/13/2023	15:05
30	O5388-04	TP-3	1	100.05	0.00	11/13/2023	15:12
31	O5388-05	TP-4	1	100.05	0.00	11/13/2023	15:20
32	O5388-08	TP-4	1	100.04	0.00	11/13/2023	15:28
33	O5388-08DUP	TP-4DUP	1	100.04	0.00	11/13/2023	15:35

WORKLIST(Hardcopy Internal Chain)

66128295

WorkList Name : pf-11-13

WorkList ID : 175498

Department : Wet-Chemistry

Date : 11-13-2023 08:07:42

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O5361-01	OK-01-111023	Solid	Paint Filter	Cool 4 deg C	PSEG05	L41	11/10/2023	9095B
O5374-02	RB21197	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/10/2023	9095B
O5376-01	204	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/10/2023	9095B
O5376-02	204	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/10/2023	9095B
O5376-03	210	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/10/2023	9095B
O5376-04	210	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/10/2023	9095B
O5376-05	223	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/10/2023	9095B
O5376-06	223	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/10/2023	9095B
O5377-02	360	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/10/2023	9095B
O5377-04	289	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/10/2023	9095B
O5378-01	MH-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/10/2023	9095B
O5378-04	MH-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/10/2023	9095B
O5379-01	WC-9	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/10/2023	9095B
O5379-04	WC-9	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/10/2023	9095B
O5379-05	WC-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/10/2023	9095B
O5379-08	WC-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/10/2023	9095B
O5379-09	WC-5	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/10/2023	9095B
O5379-12	WC-5	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/10/2023	9095B
O5380-01	WC-7	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/10/2023	9095B
O5380-04	WC-7	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/10/2023	9095B
O5380-05	WC-8	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/10/2023	9095B

Date/Time 11/13/2023 11:00
 Raw Sample Received by: RM auct
 Raw Sample Relinquished by: JAC (JCI)

Date/Time 11/13/2023 15:45
 Raw Sample Received by: JAC (JCI)
 Raw Sample Relinquished by: RM auct

6128295

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf-11-13

WorkList ID : 175498

Department : Wet-Chemistry

Date : 11-13-2023 08:07:42

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O5380-08	WC-8	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/10/2023	9095B
O5384-01	EO-01-11102023	Solid	Paint Filter	Cool 4 deg C	PSEG05	L41	11/10/2023	9095B
O5384-03	EO-02-11102023	Solid	Paint Filter	Cool 4 deg C	PSEG05	L41	11/10/2023	9095B
O5384-05	EO-03-11102023	Solid	Paint Filter	Cool 4 deg C	PSEG05	L41	11/10/2023	9095B
O5385-01	HR-02-11102023	Solid	Paint Filter	Cool 4 deg C	PSEG05	L41	11/10/2023	9095B
O5385-03	HR-03-11102023	Solid	Paint Filter	Cool 4 deg C	PSEG05	L41	11/10/2023	9095B
O5388-01	TP-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/09/2023	9095B
O5388-04	TP-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/09/2023	9095B
O5388-05	TP-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/10/2023	9095B
O5388-08	TP-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/10/2023	9095B

Date/Time 11/13/2023 11:00
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: JAC WCL

Date/Time 11/13/2023 15:45
 Raw Sample Received by: JAC WCL
 Raw Sample Relinquished by: RM CWC