



PERCENT SOLID

Supervisor: Iwona
Analyst: JIGNESH
Date: 11/14/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 11/13/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 11/14/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB128300

Table with 9 columns: Lab ID, Client SampleID, Dish #, Dish Wt (g) (A), Sample Wt (g), Dish + Sample Wt (g) (B), Dish+Dry Sample Wt (g) (C), % Solid, Comments. It contains 28 rows of data for various samples.



PERCENT SOLID

Supervisor: Iwona
Analyst: JIGNESH
Date: 11/14/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 11/13/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 11/14/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB128300

Table with 9 columns: Lab ID, Client SampleID, Dish #, Dish Wt (g) (A), Sample Wt (g), Dish + Sample Wt (g) (B), Dish+Dry Sample Wt (g) (C), % Solid, Comments. Rows include samples S-13 to S-20, 50190, 50191, EO-01-11102023, EO-02-11102023, EO-03-11102023, HR-02-11102023, HR-03-11102023, CONTAMINATED-PLASTIC, and S1-1A to S2-1A.



PERCENT SOLID

Supervisor: Iwona  
Analyst: JIGNESH  
Date: 11/14/2023

OVENTEMP IN Celsius(°C): 107  
Time IN: 17:00  
In Date: 11/13/2023  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:15  
Out Date: 11/14/2023  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB128300

Lab ID	Client SampleID	Dish #	Dish Wt (g) (A)	Sample Wt (g)	Dish + Sample Wt (g) (B)	Dish+Dry Sample Wt (g) (C)	% Solid	Comments
O5387-22	S2-2A	57	1.18	8.64	9.82	7.75	76.0	
O5387-24	S3-1C	58	1.15	8.82	9.97	8.51	83.4	
O5387-26	S3-2C	59	1.17	8.60	9.77	7.74	76.4	
O5387-27	S4-1A	60	1.18	8.48	9.66	8.64	88.0	
O5387-30	S4-2A	61	1.18	8.52	9.7	8.21	82.5	
O5387-33	S4-3C	62	1.12	8.76	9.88	8.64	85.8	
O5387-35	S4-4C	63	1.18	8.81	9.99	8.54	83.5	
O5387-37	DUP-1	64	1.13	8.73	9.86	8.49	84.3	
O5387-38	DUP-2	65	1.17	8.49	9.66	8.23	83.2	
O5388-01	TP-3	66	1.14	8.44	9.58	8.49	87.1	
O5388-02	TP-3-EPH	67	1.19	8.79	9.98	8.65	84.9	
O5388-03	TP-3-VOC	68	1.19	8.69	9.88	8.65	85.8	
O5388-05	TP-4	69	1.12	8.76	9.88	8.95	89.4	
O5388-06	TP-4-EPH	70	1.16	8.50	9.66	8.77	89.5	
O5388-07	TP-4-VOC	71	1.16	8.50	9.66	8.77	89.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$