



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB128346

Reviewed By: Rubina
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O5434-01	COMP-1	1	100.06	0.00	11/16/2023	12:30
2	O5434-01DUP	COMP-1DUP	1	100.06	0.00	11/16/2023	12:38
3	O5434-03	COMP-2	1	100.04	0.00	11/16/2023	12:45
4	O5434-05	COMP-3	1	100.07	0.00	11/16/2023	12:52
5	O5434-07	COMP-4	1	100.02	0.00	11/16/2023	13:00
6	O5434-09	COMP-5	1	100.05	0.00	11/16/2023	13:07
7	O5434-11	COMP-6	1	100.02	0.00	11/16/2023	13:15
8	O5434-13	COMP-7	1	100.07	0.00	11/16/2023	13:22
9	O5434-15	COMP-8	1	100.04	0.00	11/16/2023	13:30
10	O5445-01	SOIL-1-1115	1	100.05	0.00	11/16/2023	13:37
11	O5445-03	SOIL-1-1115	1	100.04	0.00	11/16/2023	13:45
12	O5445-04	SOIL-2-1115	1	100.06	0.00	11/16/2023	13:52
13	O5445-06	SOIL-2-1115	1	100.06	0.00	11/16/2023	14:00
14	O5445-07	SOIL-3-1115	1	100.07	0.00	11/16/2023	14:07
15	O5445-09	SOIL-3-1115	1	100.04	0.00	11/16/2023	14:15
16	O5446-01	JC-03-111523A	1	100.02	0.00	11/16/2023	14:22
17	O5446-03	JC-03-111523B	1	100.06	0.00	11/16/2023	14:30
18	O5447-01	SP1	1	100.04	0.00	11/16/2023	14:38
19	O5447-03	SP1	1	100.04	0.00	11/16/2023	14:45
20	O5447-04	SP2	1	100.02	0.00	11/16/2023	14:52
21	O5447-06	SP2	1	100.06	0.00	11/16/2023	15:00
22	O5448-01	OR-02-111523	1	100.04	0.00	11/16/2023	15:07
23	O5448-01DUP	OR-02-111523DUP	1	100.04	0.00	11/16/2023	15:15

WORKLIST(Hardcopy Internal Chain)

6128346

WorkList Name : pf-11-16

WorkList ID : 175622

Department : Wet-Chemistry

Date : 11-16-2023 09:31:35

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O5434-01	COMP-1	Solid	Paint Filter	Cool 4 deg C	NEWP02	L11	11/15/2023	9095B
O5434-03	COMP-2	Solid	Paint Filter	Cool 4 deg C	NEWP02	L11	11/15/2023	9095B
O5434-05	COMP-3	Solid	Paint Filter	Cool 4 deg C	NEWP02	L11	11/15/2023	9095B
O5434-07	COMP-4	Solid	Paint Filter	Cool 4 deg C	NEWP02	L11	11/15/2023	9095B
O5434-09	COMP-5	Solid	Paint Filter	Cool 4 deg C	NEWP02	L11	11/15/2023	9095B
O5434-11	COMP-6	Solid	Paint Filter	Cool 4 deg C	NEWP02	L11	11/15/2023	9095B
O5434-13	COMP-7	Solid	Paint Filter	Cool 4 deg C	NEWP02	L11	11/15/2023	9095B
O5434-15	COMP-8	Solid	Paint Filter	Cool 4 deg C	NEWP02	L11	11/15/2023	9095B
O5445-01	SOIL-1-1115	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/15/2023	9095B
O5445-03	SOIL-1-1115	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/15/2023	9095B
O5445-04	SOIL-2-1115	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/15/2023	9095B
O5445-06	SOIL-2-1115	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/15/2023	9095B
O5445-07	SOIL-3-1115	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/15/2023	9095B
O5445-09	SOIL-3-1115	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/15/2023	9095B
O5446-01	JC-03-111523A	Solid	Paint Filter	Cool 4 deg C	PSEG05	L31	11/15/2023	9095B
O5446-03	JC-03-111523B	Solid	Paint Filter	Cool 4 deg C	PSEG05	L31	11/15/2023	9095B
O5447-01	SP1	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/15/2023	9095B
O5447-03	SP1	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/15/2023	9095B
O5447-04	SP2	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/15/2023	9095B
O5447-06	SP2	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/15/2023	9095B
O5448-01	OR-02-111523	Solid	Paint Filter	Cool 4 deg C	PSEG05	L31	11/15/2023	9095B

Date/Time 11/16/2023 12:20
 Raw Sample Received by: RMA
 Raw Sample Relinquished by: 706009

Date/Time 11/16/2023 15:30
 Raw Sample Received by: 706009
 Raw Sample Relinquished by: RMA