



## Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB128367

BalanceID: WC SC-4

| Seq | LabID       | ClientID       | Dilution | Weight(g) | Inst.Conc<br>(ml/100g) | Anal Date  | Anal Time |
|-----|-------------|----------------|----------|-----------|------------------------|------------|-----------|
| 1   | O5463-01    | NB-08-11162023 | 1        | 100.04    | 0.00                   | 11/17/2023 | 15:20     |
| 2   | O5464-01    | TR-05-11162023 | 1        | 100.02    | 0.00                   | 11/17/2023 | 15:28     |
| 3   | O5466-01    | RB21144        | 1        | 100.06    | 0.00                   | 11/17/2023 | 15:35     |
| 4   | O5466-03    | RB21144        | 1        | 100.07    | 0.00                   | 11/17/2023 | 15:42     |
| 5   | O5466-04    | RB200018       | 1        | 100.04    | 0.00                   | 11/17/2023 | 15:50     |
| 6   | O5466-06    | RB200018       | 1        | 100.05    | 0.00                   | 11/17/2023 | 15:58     |
| 7   | O5468-01    | TP-9           | 1        | 100.04    | 0.00                   | 11/17/2023 | 16:05     |
| 8   | O5468-04    | TP-9           | 1        | 100.07    | 0.00                   | 11/17/2023 | 16:12     |
| 9   | O5468-05    | TP-10          | 1        | 100.02    | 0.00                   | 11/17/2023 | 16:20     |
| 10  | O5468-08    | TP-10          | 1        | 100.04    | 0.00                   | 11/17/2023 | 16:28     |
| 11  | O5468-09    | TP-11          | 1        | 100.07    | 0.00                   | 11/17/2023 | 16:35     |
| 12  | O5468-12    | TP-11          | 1        | 100.06    | 0.00                   | 11/17/2023 | 16:42     |
| 13  | O5469-01    | TP-12          | 1        | 100.07    | 0.00                   | 11/17/2023 | 16:50     |
| 14  | O5469-04    | TP-12          | 1        | 100.02    | 0.00                   | 11/17/2023 | 16:57     |
| 15  | O5469-04DUP | TP-12DUP       | 1        | 100.02    | 0.00                   | 11/17/2023 | 17:05     |

# WORKLIST(Hardcopy Internal Chain)

16128367

WorkList Name : pf-11-17

WorkList ID : 175647

Department : Wet-Chemistry

Date : 11-17-2023 08:05:49

| Sample   | Customer Sample | Matrix | Test         | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method |
|----------|-----------------|--------|--------------|--------------|----------|-----------------------------|--------------|--------|
| O5463-01 | NB-08-11162023  | Solid  | Paint Filter | Cool 4 deg C | PSEG05   | L31                         | 11/16/2023   | 9095B  |
| O5464-01 | TR-05-11162023  | Solid  | Paint Filter | Cool 4 deg C | PSEG05   | L31                         | 11/16/2023   | 9095B  |
| O5466-01 | RB21144         | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L31                         | 11/16/2023   | 9095B  |
| O5466-03 | RB21144         | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L31                         | 11/16/2023   | 9095B  |
| O5466-04 | RB200018        | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L31                         | 11/16/2023   | 9095B  |
| O5466-06 | RB200018        | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L31                         | 11/16/2023   | 9095B  |
| O5468-01 | TP-9            | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L31                         | 11/16/2023   | 9095B  |
| O5468-04 | TP-9            | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L31                         | 11/15/2023   | 9095B  |
| O5468-05 | TP-10           | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L31                         | 11/15/2023   | 9095B  |
| O5468-08 | TP-10           | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L31                         | 11/15/2023   | 9095B  |
| O5468-09 | TP-11           | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L31                         | 11/15/2023   | 9095B  |
| O5468-12 | TP-11           | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L31                         | 11/16/2023   | 9095B  |
| O5469-01 | TP-12           | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L31                         | 11/16/2023   | 9095B  |
| O5469-04 | TP-12           | Solid  | Paint Filter | Cool 4 deg C | PSEG03   | L31                         | 11/16/2023   | 9095B  |

Date/Time 11/17/2023 15:15

Raw Sample Received by: RM cwc

Raw Sample Relinquished by: 70 (cwc)

Date/Time 11/17/2023

Raw Sample Received by: 70 (cwc)

Raw Sample Relinquished by: 70 (cwc)