



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB128408

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O5485-01	AU-14-STOCKPILE-BIN	1	100.05	0.00	11/21/2023	10:15
2	O5492-01	TP-13	1	100.02	0.00	11/21/2023	10:22
3	O5492-04	TP-13	1	100.07	0.00	11/21/2023	10:30
4	O5503-02	358	1	100.05	0.00	11/21/2023	10:37
5	O5503-04	72-11998	1	100.04	0.00	11/21/2023	10:45
6	O5504-02	281	1	100.06	0.00	11/21/2023	10:52
7	O5505-01	TP-A	1	100.07	0.00	11/21/2023	11:00
8	O5505-04	TP-D	1	100.06	0.00	11/21/2023	11:07
9	O5507-01	SU-04-11202023	1	100.05	0.00	11/21/2023	11:15
10	O5507-01DUP	SU-04-11202023DUP	1	100.05	0.00	11/21/2023	11:22

WORKLIST(Hardcopy Internal Chain)

LB128408

WorkList Name : pf11-20

WorkList ID : 175703

Department : Wet-Chemistry

Date : 11-20-2023 08:35:27

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O5485-01	AU-14-STOCKPILE-BIN-5	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/17/2023	9095B
O5492-01	TP-13	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/17/2023	9095B
O5492-04	TP-13	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/17/2023	9095B
O5503-02	358	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/17/2023	9095B
O5503-04	72-11998	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/20/2023	9095B
O5504-02	281	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	11/20/2023	9095B
O5505-01	TP-A	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/20/2023	9095B
O5505-04	TP-D	Solid	Paint Filter	Cool 4 deg C	PSEG03	L41	11/20/2023	9095B
O5507-01	SU-04-11202023	Solid	Paint Filter	Cool 4 deg C	PSEG05	L31	11/20/2023	9095B

Date/Time 11/21/2023 10:10
 Raw Sample Received by: PM [signature]
 Raw Sample Relinquished by: [signature]

Date/Time 11/21/2023 11:40
 Raw Sample Received by: [signature]
 Raw Sample Relinquished by: [signature]