



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB128481

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O5547-03	BCC-8002	1	100.05	0.00	11/28/2023	16:30
2	O5547-03DUP	BCC-8002DUP	1	100.05	0.00	11/28/2023	16:38
3	O5553-01	HD-01-112723	1	100.07	0.00	11/28/2023	16:45
4	O5556-01	SP-1-COMP	1	100.05	0.00	11/28/2023	16:52
5	O5560-01	RT4746	1	100.06	0.00	11/28/2023	17:00
6	O5562-01	SU-03-112823	1	100.04	0.00	11/28/2023	17:07

WORKLIST(Hardcopy Internal Chain)

6128481

WorkList Name : PF 11-27

WorkList ID : 175850

Department : Wet-Chemistry

Date : 11-27-2023 14:18:36

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O5547-03	BCC-8002	Solid	Paint Filter	Cool 4 deg C	PSEG03	K31	11/27/2023	9095B
O5553-01	HD-01-112723	Solid	Paint Filter	Cool 4 deg C	PSEG05	L31	11/27/2023	9095B
O5556-01	SP-1-COMP	Solid	Paint Filter	Cool 4 deg C	EART12	L11	11/28/2023	9095B
O5560-01	RT4746	Solid	Paint Filter	Cool 4 deg C	PSEG03	L32	11/28/2023	9095B
O5562-01	SU-03-112823	Solid	Paint Filter	Cool 4 deg C	PSEG05	L32	11/28/2023	9095B

Date/Time 11/28/2023 16.20
 Raw Sample Received by: RM
 Raw Sample Relinquished by: JH (COC)

Date/Time 11/28/2023 17.20
 Raw Sample Received by: JH (COC)
 Raw Sample Relinquished by: RM (COC)