



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB128522

Reviewed By: Rubina
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O5538-01	HR-02-112223	1	100.07	0.00	12/01/2023	08:30
2	O5538-03	HR-03-112223	1	100.05	0.00	12/01/2023	08:38
3	O5576-01	TR-04-112923	1	100.08	0.00	12/01/2023	08:45
4	O5577-01	EO-03-112923	1	100.04	0.00	12/01/2023	08:52
5	O5586-01	VAULT-1	1	100.05	0.00	12/01/2023	09:00
6	O5590-01	SH-SOIL-A	1	100.07	0.00	12/01/2023	09:07
7	O5590-03	SH-SOIL-B	1	100.06	0.00	12/01/2023	09:15
8	O5595-01	OR-03-113023	1	100.05	0.00	12/01/2023	09:22
9	O5595-01DUP	OR-03-113023DUP	1	100.05	0.00	12/01/2023	09:30

WORKLIST(Hardcopy Internal Chain)

6128522

WorkList Name : pf-11-30 WorkList ID : 175925 Department : Wet-Chemistry Date : 11-30-2023 08:45:54

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O5586-01	VAULT-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	L33	11/30/2023	9095B
O5590-01	SH-SOIL-A	Solid	Paint Filter	Cool 4 deg C	PSEG03	L33	11/30/2023	9095B
O5590-03	SH-SOIL-B	Solid	Paint Filter	Cool 4 deg C	PSEG03	L33	11/30/2023	9095B
O5538-01	HR-02-112223	Solid	Paint Filter	Cool 4 deg C	PSEG05	L31	11/22/2023	9095B
O5538-03	HR-03-112223	Solid	Paint Filter	Cool 4 deg C	PSEG05	L31	11/22/2023	9095B
O5576-01	TR-04-112923	Solid	Paint Filter	Cool 4 deg C	PSEG05	L33	11/29/2023	9095B
O5577-01	EO-03-112923	Solid	Paint Filter	Cool 4 deg C	PSEG05	L33	11/29/2023	9095B
O5595-01	OR-03-113023	Solid	Paint Filter	Cool 4 deg C	PSEG05	L33	11/30/2023	9095B

Date/Time 12/01/2023 08:30
 Raw Sample Received by: RM
 Raw Sample Relinquished by: JAC

Date/Time 12/01/2023 09:45
 Raw Sample Received by: JAC
 Raw Sample Relinquished by: RM