



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB128736

Reviewed By: Rubina
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O5790-01	72-11995	1	100.04	0.00	12/14/2023	14:45
2	O5790-01DUP	72-11995DUP	1	100.04	0.00	12/14/2023	14:52
3	O5791-03	597-P-2	1	100.06	0.00	12/14/2023	15:00
4	O5791-04	597-P-2	1	100.04	0.00	12/14/2023	15:07
5	O5791-08	MW-1B-SOIL	1	100.04	0.00	12/14/2023	15:15
6	O5791-09	MW-1B-SOIL	1	100.07	0.00	12/14/2023	15:22
7	O5793-01	OR-02-12122023	1	100.06	0.00	12/14/2023	15:30
8	O5805-01	HR-01-12122023	1	100.02	0.00	12/14/2023	15:37
9	O5805-03	HR-04-12122023	1	100.05	0.00	12/14/2023	15:45

WORKLIST(Hardcopy Internal Chain)

66128736

WorkList Name : pf-12-13

WorkList ID : 176302

Department : Wet-Chemistry

Date : 12-13-2023 08:25:25

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O5790-01	72-11995	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	12/12/2023	9095B
O5791-03	597-P-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	12/12/2023	9095B
O5791-04	597-P-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	12/12/2023	9095B
O5791-08	MW-1B-SOIL	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	12/12/2023	9095B
O5791-09	MW-1B-SOIL	Solid	Paint Filter	Cool 4 deg C	PSEG03	L31	12/12/2023	9095B
O5793-01	OR-02-12122023	Solid	Paint Filter	Cool 4 deg C	PSEG05	L31	12/12/2023	9095B
O5805-01	HR-01-12122023	Solid	Paint Filter	Cool 4 deg C	PSEG05	L21	12/13/2023	9095B
O5805-03	HR-04-12122023	Solid	Paint Filter	Cool 4 deg C	PSEG05	L21	12/13/2023	9095B

Date/Time 12/14/2023 14:35
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: JH/CWC

Date/Time 12/14/2023 15:55
 Raw Sample Received by: JH/CWC
 Raw Sample Relinquished by: RM CWC