



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Rubina

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB128841

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O5884-01	SOIL-COMP-1	1	100.05	0.00	12/19/2023	12:00
2	O5884-01DUP	SOIL-COMP-1DUP	1	100.05	0.00	12/19/2023	12:08
3	O5884-03	SOIL-COMP-2	1	100.06	0.00	12/19/2023	12:15
4	O5884-05	SOIL-COMP-3	1	100.05	0.00	12/19/2023	12:22
5	O5914-01	72-12000	1	100.07	0.00	12/19/2023	12:30
6	O5914-03	72-12000	1	100.04	0.00	12/19/2023	12:38

WORKLIST(Hardcopy Internal Chain)

U6128841

WorkList Name : pf-1218

WorkList ID : 176500

Department : Wet-Chemistry

Date : 12-18-2023 13:00:55

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O5884-01	SOIL-COMP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	12/15/2023	9095B
O5884-03	SOIL-COMP-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	12/15/2023	9095B
O5884-05	SOIL-COMP-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	N11	12/15/2023	9095B
O5914-01	72-12000	Solid	Paint Filter	Cool 4 deg C	PSEG03	O11	12/19/2023	9095B
O5914-03	72-12000	Solid	Paint Filter	Cool 4 deg C	PSEG03	O11	12/19/2023	9095B

Date/Time 12/19/2023 11:50
 Raw Sample Received by: RM CWC
 Raw Sample Relinquished by: JDL GPC

Date/Time 12/19/2023 12:50
 Raw Sample Received by: JDL GPC
 Raw Sample Relinquished by: RM CWC