



PERCENT SOLID

Supervisor: Iwona
Analyst: JIGNESH
Date: 12/27/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 12/21/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: m oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 12/22/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: m sc-4
Thermometer ID: % solids-oven

QC:LB128873

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O5897-01	GHL-SS-35a	1	1.18	8.77	9.95	3.23	23.4	
O5897-02	GHL-SS-36a	2	1.16	8.66	9.82	3.98	32.6	
O5897-03	GHL-SS-37a	3	1.15	8.82	9.97	4.00	32.3	
O5897-04	GHL-SS-38a	4	1.14	8.68	9.82	7.00	67.5	
O5897-05	GHL-SS-30	5	1.18	8.79	9.97	7.94	76.9	
O5897-06	GHL-SS-31	6	1.16	8.81	9.97	8.12	79.0	
O5897-07	GHL-SS-32	7	1.19	8.78	9.97	8.76	86.2	
O5897-08	GHL-SS-33	8	1.18	8.78	9.96	8.13	79.2	
O5897-09	GHL-SS-34	9	1.18	8.78	9.96	8.58	84.3	
O5897-10	GHL-SS-39	10	1.18	8.81	9.99	8.97	88.4	
O5897-11	GHL-SS-40	11	1.19	8.45	9.64	7.29	72.2	
O5897-12	GHL-SS-41	12	1.14	8.61	9.75	7.66	75.7	
O5897-13	GHL-SS-43	13	1.16	8.79	9.95	5.43	48.6	
O5897-14	GHL-SS-40-D	14	1.14	8.83	9.97	7.65	73.7	
O5897-15	GHL-SS-42	15	1.14	8.82	9.96	3.98	32.2	
O5897-16	GHL-SS-20	16	1.13	8.33	9.46	7.72	79.1	
O5897-17	GHL-SS-21	17	1.19	8.58	9.77	4.47	38.2	
O5897-18	GHL-SS-22	18	1.19	8.73	9.92	8.00	78.0	
O5897-19	GHL-SS-23	19	1.13	8.50	9.63	6.69	65.4	
O5897-20	GHL-SS-24	20	1.12	8.54	9.66	7.72	77.3	
O5897-21	GHL-SS-26	21	1.18	8.63	9.81	8.09	80.1	
O5897-22	GHL-SS-27	22	1.14	8.84	9.98	8.43	82.5	
O5897-23	GHL-SS-28	23	1.13	8.82	9.95	8.00	77.9	
O5897-24	GHL-SS-29	24	1.19	8.53	9.72	7.77	77.1	
O5898-01	GHL-SS-15-0-2	25	1.16	8.80	9.96	8.04	78.2	
O5898-02	GHL-SS-16-2-4	26	1.15	8.38	9.53	8.00	81.7	
O5898-03	GHL-SS-17	27	1.12	8.80	9.92	8.1	79.3	
O5898-04	GHL-SS-69a	28	1.19	8.52	9.71	7.89	78.6	



PERCENT SOLID

Supervisor: Iwona
Analyst: JIGNESH
Date: 12/27/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 12/21/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: m oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 12/22/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: m sc-4
Thermometer ID: % solids-oven

QC:LB128873

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O5898-05	GHL-SS-70a	29	1.18	8.40	9.58	8.22	83.8	
O5898-06	GHL-SS-70aD	30	1.19	8.51	9.7	8.2	82.4	
O5898-07	GHL-SS-71a	31	1.18	8.38	9.56	7.26	72.6	
O5898-08	GHL-SS-72a	32	1.15	8.82	9.97	8.16	79.5	
O5898-09	GHL-SS-73	33	1.13	8.68	9.81	5.46	49.9	
O5898-10	GHL-SS-74a	34	1.14	8.82	9.96	6.4	59.6	
O5898-11	GHL-SS-68a	35	1.15	8.82	9.97	8.03	78.0	
O5899-01	GHL-SS-08	36	1.18	8.74	9.92	7.47	72.0	
O5899-02	GHL-SS-09	37	1.15	8.81	9.96	8.71	85.8	
O5899-03	GHL-SS-10-0-2	38	1.16	8.50	9.66	7.27	71.9	
O5899-04	GHL-SS-10-2-4	39	1.18	8.57	9.75	7.7	76.1	
O5899-05	GHL-SS-11	40	1.14	8.54	9.68	8.18	82.4	
O5899-06	GHL-SS-12	41	1.18	8.78	9.96	8.3	81.1	
O5899-07	GHL-SS-14-0-2	42	1.13	8.44	9.57	8.02	81.6	
O5899-08	GHL-SS-14-2-4	43	1.16	8.49	9.65	8.17	82.6	
O5899-09	GHL-SS-15-2-4	44	1.19	8.56	9.75	8.02	79.8	
O5899-10	GHL-SS-16-0-2	45	1.19	8.55	9.74	8.02	79.9	
O5899-11	GHL-SS-01	46	1.15	8.51	9.66	7.9	79.3	
O5899-12	GHL-SS-02	47	1.18	8.76	9.94	7.95	77.3	
O5899-13	GHL-SS-13	48	1.18	8.79	9.97	8.44	82.6	
O5899-14	GHL-SS-03	49	1.19	8.63	9.82	8.04	79.4	
O5899-15	GHL-SS-04	50	1.19	8.78	9.97	8.64	84.9	
O5899-16	GHL-SS-05	51	1.17	8.80	9.97	8.31	81.1	
O5899-17	GHL-SS-06-0-2	52	1.18	8.81	9.99	8.45	82.5	
O5899-18	GHL-SS-06-2-4	53	1.18	8.79	9.97	7.88	76.2	
O5899-19	GHL-SS-07-0-2	54	1.17	8.80	9.97	8.29	80.9	
O5899-20	GHL-SS-07-2-4	55	1.15	8.81	9.96	8.61	84.7	
O5899-21	GHL-SS-18-0-2	56	1.18	8.34	9.52	7.83	79.7	



PERCENT SOLID

Supervisor: Iwona
Analyst: JIGNESH
Date: 12/27/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 12/21/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: m oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 12/22/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: m sc-4
Thermometer ID: % solids-oven

QC:LB128873

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O5899-22	GHL-SS-18-2-4	57	1.18	8.56	9.74	7.99	79.6	
O5899-23	GHL-SS-19-0-2	58	1.16	8.82	9.98	8.45	82.7	
O5899-24	GHL-SS-19-2-4	59	1.19	8.77	9.96	8.18	79.7	
O5899-25	GHL-SS-16-0-2D	60	1.18	8.71	9.89	8.09	79.3	
O5900-01	GHL-SS-54	61	1.14	8.43	9.57	7.79	78.9	
O5900-02	GHL-SS-51	62	1.13	8.83	9.96	3.18	23.2	
O5900-03	GHL-SS-56	63	1.18	8.43	9.61	7.77	78.2	
O5900-04	GHL-SS-57	64	1.12	8.84	9.96	8.26	80.8	
O5900-05	GHL-SS-58	65	1.18	8.79	9.97	8.12	79.0	
O5900-06	GHL-SS-59	66	1.18	8.49	9.67	7.08	69.5	
O5900-07	GHL-SS-60	67	1.16	8.83	9.99	8.09	78.5	
O5900-08	GHL-SS-61	68	1.16	8.68	9.84	7.32	71.0	
O5900-09	GHL-SS-62	69	1.15	8.84	9.99	8.26	80.4	
O5900-10	GHL-SS-63	70	1.16	8.50	9.66	7.91	79.4	
O5900-22	GHL-SS-64a	71	1.13	8.83	9.96	3.18	23.2	
O5900-23	GHL-SS-65a	72	1.16	8.48	9.64	7.84	78.8	
O5900-24	GHL-SS-66a	73	1.18	8.33	9.51	7.84	80.0	
O5901-01	GHL-SS-38a	74	1.14	8.68	9.82	7.00	67.5	
O5901-02	GHL-SS-64a	75	1.13	8.83	9.96	3.18	23.2	
O5901-03	GHL-SS-65a	76	1.16	8.48	9.64	7.84	78.8	
O5901-04	GHL-SS-66a	77	1.18	8.33	9.51	7.84	80.0	
O5901-05	GHL-SS-69a	78	1.19	8.52	9.71	7.89	78.6	
O5901-06	GHL-SS-70a	79	1.18	8.40	9.58	8.22	83.8	
O5901-07	GHL-SS-70aD	80	1.19	8.51	9.7	8.2	82.4	
O5901-08	GHL-SS-71a	81	1.18	8.38	9.56	7.26	72.6	
O5901-09	GHL-SS-72a	82	1.15	8.82	9.97	8.16	79.5	
O5901-10	GHL-SS-73	83	1.13	8.68	9.81	5.46	49.9	
O5901-11	GHL-SS-74a	84	1.14	8.82	9.96	6.4	59.6	



PERCENT SOLID

Supervisor: Iwona
Analyst: JIGNESH
Date: 12/27/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 12/21/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: m oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 12/22/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: m sc-4
Thermometer ID: % solids-oven

QC:LB128873

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O5901-12	GHL-SS-67a	85	1.15	8.75	9.9	8.41	83.0	
O5901-13	GHL-SS-68a	86	1.15	8.82	9.97	8.03	78.0	
O5902-01	GHL-SD-44	87	1.12	8.84	9.96	3.33	25.0	
O5902-02	GHL-SD-45	88	1.18	8.79	9.97	5.98	54.6	
O5902-03	GHL-SD-46	89	1.16	8.61	9.77	7.62	75.0	
O5902-04	GHL-SD-47	90	1.11	8.78	9.89	2.27	13.2	
O5902-05	GHL-SD-48	91	1.17	8.75	9.92	2.51	15.3	
O5902-06	GHL-SD-49	92	1.13	8.56	9.69	7.45	73.8	
O5902-07	GHL-SD-50	93	1.16	8.80	9.96	7.04	66.8	
O5902-08	GHL-SD-51	94	1.11	8.88	9.99	3.78	30.1	
O5902-09	GHL-SD-52	95	1.17	8.56	9.73	4.36	37.3	
O5902-10	GHL-SD-53	96	1.15	8.82	9.97	7.47	71.7	
O5902-11	GHL-SD-54	97	1.14	8.43	9.57	7.79	78.9	
O5902-12	GHL-SD-55	98	1.13	8.66	9.79	8.15	81.1	
O5902-13	GHL-SD-56	99	1.18	8.43	9.61	7.77	78.2	
O5902-14	GHL-SD-57	100	1.12	8.84	9.96	8.26	80.8	
O5902-15	GHL-SD-58	101	1.18	8.79	9.97	8.12	79.0	
O5902-16	GHL-SD-59	102	1.18	8.49	9.67	7.08	69.5	
O5902-17	GHL-SD-60	103	1.16	8.83	9.99	8.09	78.5	
O5902-18	GHL-SD-61	104	1.16	8.68	9.84	7.32	71.0	
O5902-19	GHL-SD-62	105	1.15	8.84	9.99	8.26	80.4	
O5902-20	GHL-SD-63	106	1.16	8.50	9.66	7.91	79.4	
O5902-21	GHL-SD-52-D	107	1.14	8.69	9.83	4.48	38.4	
O5902-22	GHL-SD-35a	108	1.18	8.77	9.95	3.23	23.4	
O5902-23	GHL-SD-36a	109	1.16	8.66	9.82	3.98	32.6	
O5902-24	GHL-SD-37a	110	1.15	8.82	9.97	4.00	32.3	
O5903-01	GHL-SD-42	111	1.14	8.82	9.96	3.98	32.2	
O5903-02	GHL-SS-18-0-2	112	1.18	8.34	9.52	7.83	79.7	



PERCENT SOLID

Supervisor: Iwona

Analyst: JIGNESH

Date: 12/27/2023

OVENTEMP IN Celsius(°C): 107

Time IN: 17:00

In Date: 12/21/2023

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

OvenID: m oven-1

OVENTEMP OUT Celsius(°C): 103

Time OUT: 08:15

Out Date: 12/22/2023

Weight Check 1.0g: 1.00

Weight Check 10g: 10.00

BalanceID: m sc-4

Thermometer ID: % solids-oven

QC:LB128873

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O5903-03	GHL-SS-18-2-4	113	1.18	8.56	9.74	7.99	79.6	
O5903-04	GHL-SS-19-0-2	114	1.16	8.82	9.98	8.45	82.7	
O5903-05	GHL-SS-19-2-4	115	1.19	8.77	9.96	8.18	79.7	
O5903-06	GHL-SS-20	116	1.13	8.33	9.46	7.72	79.1	
O5903-07	GHL-SS-21	117	1.19	8.58	9.77	4.47	38.2	
O5903-08	GHL-SS-22	118	1.19	8.73	9.92	8.00	78.0	
O5903-09	GHL-SS-23	119	1.13	8.50	9.63	6.69	65.4	
O5903-10	GHL-SS-24	120	1.12	8.54	9.66	7.72	77.3	
O5903-11	GHL-SS-26	121	1.18	8.63	9.81	8.09	80.1	
O5903-12	GHL-SS-27	122	1.14	8.84	9.98	8.43	82.5	
O5903-13	GHL-SS-28	123	1.13	8.82	9.95	8.00	77.9	
O5903-14	GHL-SS-29	124	1.19	8.53	9.72	7.77	77.1	
O5903-15	GHL-SS-30	125	1.18	8.79	9.97	7.94	76.9	
O5903-16	GHL-SS-31	126	1.16	8.81	9.97	8.12	79.0	
O5903-17	GHL-SS-32	127	1.19	8.78	9.97	8.76	86.2	
O5903-18	GHL-SS-33	128	1.18	8.78	9.96	8.13	79.2	
O5903-19	GHL-SS-34	129	1.18	8.78	9.96	8.58	84.3	
O5903-20	GHL-SS-39	130	1.18	8.81	9.99	8.97	88.4	
O5903-21	GHL-SS-40	131	1.19	8.45	9.64	7.29	72.2	
O5903-22	GHL-SS-41	132	1.14	8.61	9.75	7.66	75.7	
O5903-23	GHL-SS-43	133	1.16	8.79	9.95	5.43	48.6	
O5904-01	GHL-SS-01	134	1.15	8.51	9.66	7.9	79.3	
O5904-02	GHL-SS-02	135	1.18	8.76	9.94	7.95	77.3	
O5904-03	GHL-SS-13	136	1.18	8.79	9.97	8.44	82.6	
O5904-04	GHL-SS-03	137	1.19	8.63	9.82	8.04	79.4	
O5904-05	GHL-SS-04	138	1.19	8.78	9.97	8.64	84.9	
O5904-06	GHL-SS-05	139	1.17	8.80	9.97	8.31	81.1	
O5904-07	GHL-SS-06-0-2	140	1.18	8.81	9.99	8.45	82.5	



PERCENT SOLID

Supervisor: Iwona
Analyst: JIGNESH
Date: 12/27/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 17:00
In Date: 12/21/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: m oven-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 12/22/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: m sc-4
Thermometer ID: % solids-oven

QC:LB128873

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O5904-08	GHL-SS-06-2-4	141	1.18	8.79	9.97	7.88	76.2	
O5904-09	GHL-SS-08	142	1.18	8.74	9.92	7.47	72.0	
O5904-10	GHL-SS-09	143	1.15	8.81	9.96	8.71	85.8	
O5904-11	GHL-SS-10-0-2	144	1.16	8.50	9.66	7.27	71.9	
O5904-12	GHL-SS-10-2-4	145	1.18	8.57	9.75	7.7	76.1	
O5904-13	GHL-SS-11	146	1.14	8.54	9.68	8.18	82.4	
O5904-14	GHL-SS-12	147	1.18	8.78	9.96	8.3	81.1	
O5904-15	GHL-SS-14-0-2	148	1.13	8.44	9.57	8.02	81.6	
O5904-16	GHL-SS-15-0-2	149	1.16	8.80	9.96	8.04	78.2	
O5904-17	GHL-SS-15-2-4	150	1.19	8.56	9.75	8.02	79.8	
O5904-18	GHL-SS-16-0-2	151	1.19	8.55	9.74	8.02	79.9	
O5904-19	GHL-SS-16-2-4	152	1.15	8.38	9.53	8.00	81.7	
O5904-20	GHL-SS-17	153	1.12	8.80	9.92	8.1	79.3	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$