



PERCENT SOLID

Supervisor: Iwona
Analyst: JIGNESH
Date: 12/26/2023

OVENTEMP IN Celsius(°C): 107
Time IN: 13:50
In Date: 12/22/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:00
Out Date: 12/23/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB128888

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O5937-02	BGRX3	1	1.17	8.74	9.91	8.73	86.5	
O5937-03	BGRX4	2	1.16	8.56	9.72	8.71	88.2	
O5937-04	BGRX5	3	1.18	8.70	9.88	9.00	89.9	
O5937-05	BGRX6	4	1.19	8.58	9.77	8.85	89.3	
O5937-06	BGRX7	5	1.18	8.46	9.64	8.77	89.7	
O5937-07	BGRX8	6	1.19	8.51	9.7	8.87	90.2	
O5937-08	BGSD7	7	1.19	8.49	9.68	8.99	91.9	
O5937-09	BGSD8	8	1.16	8.60	9.76	8.23	82.2	
O5937-10	BGSD9	9	1.19	8.34	9.53	8.23	84.4	
O5937-11	BGSE0	10	1.18	8.53	9.71	8.82	89.6	
O5937-12	BGSE1	11	1.14	8.80	9.94	8.94	88.6	
O5937-13	BGSE2	12	1.19	8.56	9.75	8.24	82.4	
O5937-14	BGSE2MS	13	1.19	8.56	9.75	8.24	82.4	
O5937-15	BGSE2MSD	14	1.19	8.56	9.75	8.24	82.4	
O5937-16	BGSE3	15	1.18	8.74	9.92	7.91	77.0	
O5937-17	BGSE4	16	1.13	8.65	9.78	8.76	88.2	
O5937-18	BGRE1	17	1.19	8.33	9.52	8.13	83.3	
O5937-19	BGS45	18	1.19	8.48	9.67	8.2	82.7	
O5937-20	BGS46	19	1.15	8.80	9.95	8.21	80.2	
O5937-21	BGSD3	20	1.19	8.55	9.74	8.46	85.0	
O5937-22	BGSD4	21	1.18	8.81	9.99	8.8	86.5	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$