



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB128961

Reviewed By: Nikita
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O6027-01	CONTAINMENT	1	100.03	0.00	12/28/2023	10:30
2	O6027-01DUP	CONTAINMENTDUP	1	100.04	0.00	12/28/2023	10:37
3	O6027-03	PIERS	1	100.06	0.00	12/28/2023	10:45
4	O6027-05	CURB	1	100.08	0.00	12/28/2023	10:52
5	O6027-07	STONES	1	100.02	0.00	12/28/2023	11:00
6	O6031-01	MR-321-0-2	1	100.01	0.00	12/28/2023	11:08
7	O6031-03	MR-321-10-12	1	100.04	0.00	12/28/2023	11:16
8	O6033-01	OR-05-122723	1	100.05	0.00	12/28/2023	11:24
9	O6034-01	EO-03-122723	1	100.06	0.00	12/28/2023	11:31
10	O6035-01	TR-5-122723	1	100.07	0.00	12/28/2023	11:38

LB128961

WORKLIST(Hardcopy Internal Chain)

WorkList Name : PF-122823

WorkList ID : 176816

Department : Wet-Chemistry

Date : 12-28-2023 09:26:32

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O6027-01	CONTAINMENT	Solid	Paint Filter	Cool 4 deg C	PSEG03	O21	12/26/2023	9095B
O6027-03	PIERS	Solid	Paint Filter	Cool 4 deg C	PSEG03	O21	12/26/2023	9095B
O6027-05	CURB	Solid	Paint Filter	Cool 4 deg C	PSEG03	O21	12/26/2023	9095B
O6027-07	STONES	Solid	Paint Filter	Cool 4 deg C	PSEG03	O21	12/26/2023	9095B
O6031-01	MR-321-0-2	Solid	Paint Filter	Cool 4 deg C	HDR108	O11	12/26/2023	9095B
O6031-03	MR-321-10-12	Solid	Paint Filter	Cool 4 deg C	HDR108	O11	12/26/2023	9095B
O6033-01	OR-05-122723	Solid	Paint Filter	Cool 4 deg C	PSEG05	O31	12/27/2023	9095B
O6034-01	EO-03-122723	Solid	Paint Filter	Cool 4 deg C	PSEG05	O31	12/27/2023	9095B
O6035-01	TR-5-122723	Solid	Paint Filter	Cool 4 deg C	PSEG05	O41	12/27/2023	9095B

Date/Time

12/28/23 10:20

Raw Sample Received by:

N.P (W.C)

Raw Sample Relinquished by:

J.D W.C

Date/Time

12/28/23

Raw Sample Received by:

J.D W.C

Raw Sample Relinquished by:

N.P (W.C)