



PERCENT SOLID

Supervisor: Iwona
Analyst: JIGNESH
Date: 1/2/2024

OVENTEMP IN Celsius(°C): 107
Time IN: 16:30
In Date: 12/29/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 12/30/2023
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB128978

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
O6039-01	EC48-NORTH	1	1.18	8.66	9.84	9.67	98.0	
O6039-02	EC48-SOUTH	2	1.15	8.41	9.56	9.42	98.3	
O6039-03	EC48-EAST	3	1.19	8.42	9.61	9.46	98.2	
O6039-04	EC48-WEST	4	1.15	8.40	9.55	9.41	98.3	
O6039-05	EC48-BOTTOM	5	1.19	8.43	9.62	9.4	97.4	
O6040-01	EMS-38-WC-1	6	1.17	8.60	9.77	8.86	89.4	
O6041-01	BU-02-12282023	7	1.18	8.73	9.91	8.45	83.3	
O6045-01	MR-300-0-2	8	1.18	8.71	9.89	7.98	78.1	
O6045-03	MR-300-2.0-2.5	9	1.16	8.54	9.7	8.94	91.1	
O6046-05	SVOC-GPC-BLANK	10	1.00	1.00	2.00	2.00	100.0	
O6046-06	PEST-GPC-BLANK	11	1.00	1.00	2.00	2.00	100.0	
O6046-07	PEST-GPC-BLANK-SPIKE	12	1.00	1.00	2.00	2.00	100.0	
O6046-08	PCB-GPC-BLANK	13	1.00	1.00	2.00	2.00	100.0	
O6046-09	PCB-GPC-BLANK-SPIKE	14	1.00	1.00	2.00	2.00	100.0	
O6046-10	SVOC-GPC2-BLANK	15	1.00	1.00	2.00	2.00	100.0	
O6046-11	PEST-GPC2-BLANK	16	1.00	1.00	2.00	2.00	100.0	
O6046-12	PEST-GPC2-BLANK-SPIKE	17	1.00	1.00	2.00	2.00	100.0	
O6046-13	PCB-GPC2-BLANK	18	1.00	1.00	2.00	2.00	100.0	
O6046-14	PCB-GCP2-BLANK-SPIKE	19	1.00	1.00	2.00	2.00	100.0	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$