



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB128998

Reviewed By: Nikita
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	O6045-01	MR-300-0-2	1	100.06	0.00	01/02/2024	11:45
2	O6045-01DUP	MR-300-0-2DUP	1	100.04	0.00	01/02/2024	11:53
3	O6045-03	MR-300-2.0-2.5	1	100.03	0.00	01/02/2024	12:00

LB 128998

WORKLIST(Hardcopy Internal Chain)

WorkList Name : pf 01/02/24 WorkList ID : 176883 Department : Wet-Chemistry Date : 01-02-2024 11:29:12

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
O6045-01	MR-300-0-2	Solid	Paint Filter	Cool 4 deg C	HDR108	O11	12/28/2023	9095B
O6045-03	MR-300-2.0-2.5	Solid	Paint Filter	Cool 4 deg C	HDR108	O11	12/28/2023	9095B

Date/Time 01/02/2024 11:35
Raw Sample Received by: N.P. W.C.
Raw Sample Relinquished by: N.P. W.C.

Date/Time 01/02/2024 12:15
Raw Sample Received by: N.P. W.C.
Raw Sample Relinquished by: N.P. W.C.