



Analytical Summary Report

Analysis Method: 9095B
Parameter: Paint Filter
Run Number: LB129095

Reviewed By: Nikita
Supervisor Review By: Iwona
BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P1085-01	TP-1	1	100.03	0.00	01/10/2024	08:25
2	P1085-01DUP	TP-1DUP	1	100.03	0.00	01/10/2024	08:32
3	P1085-03	TP-2	1	100.04	0.00	01/10/2024	08:40
4	P1085-05	TP-3	1	100.06	0.00	01/10/2024	08:48
5	P1085-07	TP-4	1	100.03	0.00	01/10/2024	08:56
6	P1086-02	332	1	100.04	0.00	01/10/2024	09:05

LB129095

WORKLIST(Hardcopy Internal Chain)

WorkList Name : paintfilter 01/10/2024

WorkList ID : 177074

Department : Wet-Chemistry

Date : 01-10-2024 08:01:39

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P1085-01	TP-1	Solid	Paint Filter	Cool 4 deg C	PSEG03	O41	01/09/2024	9095B
P1085-03	TP-2	Solid	Paint Filter	Cool 4 deg C	PSEG03	O41	01/09/2024	9095B
P1085-05	TP-3	Solid	Paint Filter	Cool 4 deg C	PSEG03	O41	01/09/2024	9095B
P1085-07	TP-4	Solid	Paint Filter	Cool 4 deg C	PSEG03	O41	01/09/2024	9095B
P1086-02	332	Solid	Paint Filter	Cool 4 deg C	PSEG03	O31	01/09/2024	9095B

Date/Time 1/10/2024 8:15
Raw Sample Received by: N.P W.C
Raw Sample Relinquished by: 70 (2C7)

Date/Time 1/10/2024 9:20
Raw Sample Received by: 70 (2C7)
Raw Sample Relinquished by: N.P W.C