



Analytical Summary Report

Analysis Method: 9045D

Analyst By : jignesh

Parameter: pH

Supervisor Review By : Iwona

Run Number: LB129172

Slope : 99.1

BalanceID: WC SC-4

pH Meter ID : WC PH METER-1

Calibration Standards	Chemtech Log#
PH 4 BUFFER SOLUTION	W3070
BUFFER PH 7.00 GREEN 1PINT PK6	W2981
PH 10.01 BUFFER,COLOR CD 475ML	W3043
buffer solution pH 7 yellow	W3071
Buffer Solution, PH2 (500ml)	W3005
Buffer Solution, PH12 (500ml)	W3072

True Value of ICV = 7.00 Control Limits[+/- 0.1].

True Value of CCV1 = 2.00 Control Limits[+/- 0.1].

True Value of CCV2 = 12.00 Control Limits[+/- 0.1].

Seq	LabID	DF	Matrix	Weight (gm)	Volume (ml)	Temperature (°C)	Result (pH)	Anal Date	Anal Time
1	CAL1	1	Water	NA	NA	20.3	4.01	01/18/2024	10:55
2	CAL2	1	Water	NA	NA	20.3	7.00	01/18/2024	10:56
3	CAL3	1	Water	NA	NA	20.3	10.02	01/18/2024	10:57
4	ICV	1	Water	NA	NA	20.3	6.99	01/18/2024	11:00
5	CCV1	1	Water	NA	NA	20.3	2.01	01/18/2024	11:05
6	P1169-01	1	Solid	20.02	20	20.2	7.96	01/18/2024	11:20
7	P1169-04	1	Solid	20.02	20	20.1	8.04	01/18/2024	11:33
8	P1169-07	1	Solid	20.01	20	20.4	8.23	01/18/2024	11:38
9	P1169-07DUP	1	Solid	20.02	20	20.5	8.24	01/18/2024	11:39
10	CCV2	1	Water	NA	NA	20.2	12.02	01/18/2024	11:40

WORKLIST(Hardcopy Internal Chain)

12/9/22

WorkList Name : ph p1169

WorkList ID : 177236

Department : Wet-Chemistry

Date : 01-18-2024 10:41:26

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P1169-01	WC-A-COMP	Solid	pH	Cool 4 deg C	EART12	E22	01/17/2024	9045D
P1169-04	WC-B-COMP	Solid	pH	Cool 4 deg C	EART12	E22	01/17/2024	9045D
P1169-07	WC-C-COMP	Solid	pH	Cool 4 deg C	EART12	E22	01/17/2024	9045D

Date/Time 01-18-24 10:50
 Raw Sample Received by: JB (GIC)
 Raw Sample Relinquished by: QJ Sm

Date/Time 01-18-24 13:30
 Raw Sample Received by: QJ Sm
 Raw Sample Relinquished by: JB (GIC)