



PERCENT SOLID

Supervisor: Iwona
Analyst: jignesh
Date: 1/19/2024

OVENTEMP IN Celsius(°C): 106
Time IN: 17:00
In Date: 01/18/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103
Time OUT: 08:15
Out Date: 01/19/2024
Weight Check 1.0g: 1.00
Weight Check 10g: 10.00
BalanceID: M SC-4
Thermometer ID: %SOLIDS-OVEN

QC:LB129175

Lab ID	Client SampleID	Dish #	Dish Wt(g) (A)	Sample Wt(g)	Dish + Sample Wt(g) (B)	Dish+Dry Sample Wt(g) (C)	% Solid	Comments
P1169-01	WC-A-COMP	1	1.15	8.37	9.52	8.53	88.2	
P1169-03	WC-A-GRAB	2	1.14	8.58	9.72	9.24	94.4	
P1169-04	WC-B-COMP	3	1.15	8.40	9.55	8.86	91.8	
P1169-06	WC-B-GRAB	4	1.16	8.67	9.83	9.32	94.1	
P1169-07	WC-C-COMP	5	1.16	8.68	9.84	9.35	94.4	
P1169-09	WC-C-GRAB	6	1.13	8.74	9.87	9.4	94.6	
P1170-01	6	7	1.18	8.79	9.97	8.35	81.6	
P1179-01	S-2	10	1.15	8.40	9.55	9.36	97.7	
P1179-02	S-3	11	1.11	8.46	9.57	9.55	99.8	
P1179-03	S-4	12	1.19	8.70	9.89	9.88	99.9	
P1179-04	S-5	13	1.11	8.77	9.88	9.58	96.6	
P1179-05	S-6	14	1.15	8.38	9.53	9.2	96.1	
P1179-06	S-7	15	1.19	8.64	9.83	9.65	97.9	
P1179-07	S-8	16	1.18	8.72	9.9	9.78	98.6	
P1180-01	EO-01-011824	17	1.18	8.79	9.97	9.52	94.9	
P1180-02	EO-01-011824-E2	18	1.15	8.81	9.96	8.62	84.8	
P1181-01	TR-05-011824	8	1.11	8.71	9.82	9.24	93.3	
P1181-02	TR-05-011824-E2	9	1.19	8.79	9.98	9.45	94.0	
P1182-01	OR-03-011824	19	1.14	8.61	9.75	8.77	88.6	
P1182-02	OR-03-011824-E2	20	1.16	8.82	9.98	9.2	91.2	
P1184-01	SB-4-9.5-10.0	21	1.18	8.48	9.66	8.65	88.1	
P1184-02	SB-4-18.5-19.0	22	1.19	8.72	9.91	8.47	83.5	
P1184-04	DUP-1	23	1.16	8.82	9.98	8.65	84.9	
P1184-08	SB-5-10.5-11.0	24	1.19	8.44	9.63	8.6	87.8	
P1184-09	SB-5-19.5-20.0	25	1.15	8.80	9.95	8.07	78.6	
P1184-10	P1184-09MS	26	1.15	8.80	9.95	8.07	78.6	
P1184-11	P1184-09MSD	27	1.15	8.80	9.95	8.07	78.6	

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$