



PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 1/22/2024

OVENTEMP IN Celsius(°C): 107  
Time IN: 16:40  
In Date: 01/19/2024  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:15  
Out Date: 01/20/2024  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB129183

| Lab ID   | Client SampleID                  | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments   |
|----------|----------------------------------|--------|----------------|--------------|-------------------------|---------------------------|---------|------------|
| P1183-01 | MR-305-0-2                       | 1      | 1.19           | 8.63         | 9.82                    | 7.86                      | 77.3    |            |
| P1183-03 | MR-305-25-27                     | 2      | 1.15           | 8.54         | 9.69                    | 7.91                      | 79.2    |            |
| P1185-01 | SB-7-19.5-20.0                   | 3      | 1.15           | 8.83         | 9.98                    | 8.35                      | 81.5    |            |
| P1185-02 | SB-7-9.5-10.0                    | 4      | 1.16           | 8.50         | 9.66                    | 9.14                      | 93.9    |            |
| P1185-03 | SB-6-10.5-11.0                   | 5      | 1.15           | 8.82         | 9.97                    | 9.36                      | 93.1    |            |
| P1185-04 | SB-6-19.5-20.0                   | 6      | 1.13           | 8.54         | 9.67                    | 7.74                      | 77.4    |            |
| P1187-01 | LOD-MDL-SOIL-01-QT1-2024         | 7      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |            |
| P1187-02 | LOQ-SOIL-02-QT1-2024             | 8      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |            |
| P1187-03 | MDL-SOIL-03-QT1-2024             | 9      | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |            |
| P1187-04 | LOD-MDL-SOIL-04-QT1-2024         | 10     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |            |
| P1187-05 | LOQ-SOIL-05-QT1-2024             | 11     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |            |
| P1187-06 | MDL-SOIL-06-QT1-2024             | 12     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |            |
| P1187-16 | LLOQ-SOIL-QT1-2024               | 13     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |            |
| P1188-01 | SOUTH-JERSEY-PORT-SAMPLE-SET-2-A | 14     | 1.15           | 8.80         | 9.95                    | 8.77                      | 86.6    |            |
| P1188-02 | SOUTH-JERSEY-PORT-SAMPLE-SET-2-B | 15     | 1.19           | 8.51         | 9.7                     | 8.36                      | 84.3    |            |
| P1197-05 | SVOC-GPC-BLANK                   | 16     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |            |
| P1197-06 | PEST-GPC-BLANK                   | 17     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |            |
| P1197-07 | PEST-GPC-BLANK-SPIKE             | 18     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |            |
| P1197-08 | PCB-GPC-BLANK                    | 19     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |            |
| P1197-09 | PCB-GPC-BLANK-SPIKE              | 20     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |            |
| P1197-10 | SVOC-GPC2-BLANK                  | 21     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |            |
| P1197-11 | PEST-GPC2-BLANK                  | 22     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |            |
| P1197-12 | PEST-GPC2-BLANK-SPIKE            | 23     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |            |
| P1197-13 | PCB-GPC2-BLANK                   | 24     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |            |
| P1197-14 | PCB-GPC2-BLANK-SPIKE             | 25     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   |            |
| P1200-01 | CHRT-24376                       | 26     | 1.13           | 8.64         | 9.77                    | 2.17                      | 12.0    | GEL MATRIX |
| P1200-02 | CHRT-24376-E2                    | 27     | 1.16           | 8.80         | 9.96                    | 2.85                      | 19.2    | GEL MATRIX |



PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 1/22/2024

OVENTEMP IN Celsius(°C): 107  
Time IN: 16:40  
In Date: 01/19/2024  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:15  
Out Date: 01/20/2024  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB129183

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments   |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|------------|
| P1201-01 | 3393            | 28     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | OIL SAMPLE |
| P1201-02 | 3394            | 29     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | OIL SAMPLE |
| P1201-03 | 3395            | 30     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | OIL SAMPLE |
| P1202-01 | KMA695Y-1-1     | 31     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-02 | KMA695Y-1-2     | 32     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-03 | KMA695Y-2-1     | 33     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-04 | KMA695Y-2-2     | 34     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-05 | KZZ375Z-1-1     | 35     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-06 | KZZ375Z-1-2     | 36     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-07 | JEH420H-1-1     | 37     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-08 | JEH420H-1-2     | 38     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-09 | 3385-1          | 39     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-10 | 3385-2          | 40     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-11 | 3385-3          | 41     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-12 | 3385-4          | 42     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-13 | 3385-5          | 43     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-14 | 3385-6          | 44     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-15 | 3386-1          | 45     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-16 | 3386-2          | 46     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-17 | 3386-3          | 47     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-18 | 3386-4          | 48     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-19 | 3386-5          | 49     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1202-20 | 3386-6          | 50     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1203-01 | 72-11977        | 51     | 1.16           | 8.81         | 9.97                    | 9.15                      | 90.7    |            |
| P1203-02 | 72-11977-E2     | 52     | 1.16           | 8.83         | 9.99                    | 9.13                      | 90.3    |            |
| P1204-01 | KMA895G-1-1     | 53     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1204-02 | KMA895G-1-2     | 54     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |
| P1206-01 | Y23080069-1-1   | 55     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL  |



PERCENT SOLID

Supervisor: Iwona  
Analyst: jignesh  
Date: 1/22/2024

OVENTEMP IN Celsius(°C): 107  
Time IN: 16:40  
In Date: 01/19/2024  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
OvenID: M OVEN-1

OVENTEMP OUT Celsius(°C): 103  
Time OUT: 08:15  
Out Date: 01/20/2024  
Weight Check 1.0g: 1.00  
Weight Check 10g: 10.00  
BalanceID: M SC-4  
Thermometer ID: %SOLIDS-OVEN

QC:LB129183

| Lab ID   | Client SampleID | Dish # | Dish Wt(g) (A) | Sample Wt(g) | Dish + Sample Wt(g) (B) | Dish+Dry Sample Wt(g) (C) | % Solid | Comments  |
|----------|-----------------|--------|----------------|--------------|-------------------------|---------------------------|---------|-----------|
| P1206-02 | Y23080069-1-2   | 56     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| P1206-03 | Y23080069-2-1   | 57     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| P1206-04 | Y23080069-2-2   | 58     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| P1206-05 | Y23080077-1-1   | 59     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| P1206-06 | Y23080077-1-2   | 60     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| P1206-07 | ECA392U-1-1     | 61     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| P1206-08 | ECA392U-1-2     | 62     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| P1206-09 | ECA262B-1-1     | 63     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |
| P1206-10 | ECA262B-1-2     | 64     | 1.00           | 1.00         | 2.00                    | 2.00                      | 100.0   | PILC REEL |

$$\% \text{ Solid} = \frac{(C-A) * 100}{(B-A)}$$

# WORKLIST(Hardcopy Internal Chain)

129183

WorkList Name : %1-11924

WorkList ID : 177262

Department : Wet-Chemistry

Date : 01-19-2024 08:14:11

| Sample   | Customer Sample       | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-----------------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| P1197-11 | PEST-GPC2-BLANK       | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | D11                         | 01/15/2024   | Chemtech -SO |
| P1197-12 | PEST-GPC2-BLANK-SPIKE | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | D11                         | 01/15/2024   | Chemtech -SO |
| P1197-13 | PCB-GPC2-BLANK        | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | D11                         | 01/15/2024   | Chemtech -SO |
| P1197-14 | PCB-GPC2-BLANK-SPIKE  | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | D11                         | 01/15/2024   | Chemtech -SO |
| P1200-01 | CHRT-24376            | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E21                         | 01/19/2024   | Chemtech -SO |
| P1200-02 | CHRT-24376-E2         | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E21                         | 01/19/2024   | Chemtech -SO |
| P1201-01 | 3393                  | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E31                         | 01/19/2024   | Chemtech -SO |
| P1201-02 | 3394                  | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E31                         | 01/19/2024   | Chemtech -SO |
| P1201-03 | 3395                  | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E31                         | 01/19/2024   | Chemtech -SO |
| P1202-01 | KMA695Y-1-1           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-02 | KMA695Y-1-2           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-03 | KMA695Y-2-1           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-04 | KMA695Y-2-2           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-05 | KZZ375Z-1-1           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-06 | KZZ375Z-1-2           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-07 | JEH420H-1-1           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-08 | JEH420H-1-2           | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-09 | 3385-1                | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-10 | 3385-2                | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-11 | 3385-3                | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-12 | 3385-4                | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |

Date/Time 01-19-24 15:30

Raw Sample Received by: 301601

Raw Sample Relinquished by: CP SM

Date/Time 01-19-24

Raw Sample Received by: CP SM

Raw Sample Relinquished by: 301601

# WORKLIST(Hardcopy Internal Chain)

Wb 129183

WorkList Name : %1-11924

WorkList ID : 177262

Department : Wet-Chemistry

Date : 01-19-2024 08:14:11

| Sample   | Customer Sample | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-----------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| P1202-13 | 3385-5          | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-14 | 3385-6          | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-15 | 3386-1          | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-16 | 3386-2          | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-17 | 3386-3          | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-18 | 3386-4          | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-19 | 3386-5          | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1202-20 | 3386-6          | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1203-01 | 72-11977        | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1203-02 | 72-11977-E2     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E32                         | 01/19/2024   | Chemtech -SO |
| P1204-01 | KMA895G-1-1     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E32                         | 01/19/2024   | Chemtech -SO |
| P1204-02 | KMA895G-1-2     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E32                         | 01/19/2024   | Chemtech -SO |
| P1206-01 | Y23080069-1-1   | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1206-02 | Y23080069-1-2   | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1206-03 | Y23080069-2-1   | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1206-04 | Y23080069-2-2   | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1206-05 | Y23080077-1-1   | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1206-06 | Y23080077-1-2   | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1206-07 | ECA392U-1-1     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1206-08 | ECA392U-1-2     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |
| P1206-09 | ECA262B-1-1     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |

Date/Time 01-19-24 15:30

Raw Sample Received by: 70 (WC)

Raw Sample Relinquished by: CP SM

Date/Time 01-19-24

Raw Sample Received by: CP SM

Raw Sample Relinquished by: 50 (WC)

# WORKLIST(Hardcopy Internal Chain)

WJ 129183

WorkList Name : %1-11924

WorkList ID : 177262

Department : Wet-Chemistry

Date : 01-19-2024 08:14:11

| Sample   | Customer Sample | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|-----------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| P1206-10 | ECA262B-1-2     | Solid  | Percent Solids | Cool 4 deg C | PSEG03   | E41                         | 01/19/2024   | Chemtech -SO |

Date/Time 01-19-24 15:30

Raw Sample Received by: JH/WC

Raw Sample Relinquished by: CR SM

Date/Time 01-19-24

Raw Sample Received by: CR SM

Raw Sample Relinquished by: JH/WC

# WORKLIST(Hardcopy Internal Chain)

JB 129183

WorkList Name : %1-11924

WorkList ID : 177262

Department : Wet-Chemistry

Date : 01-19-2024 08:14:11

| Sample   | Customer Sample          | Matrix | Test           | Preservative | Customer | Raw Sample Storage Location | Collect Date | Method       |
|----------|--------------------------|--------|----------------|--------------|----------|-----------------------------|--------------|--------------|
| P1183-01 | MR-305-0-2               | Solid  | Percent Solids | Cool 4 deg C | HDR108   | D11                         | 01/17/2024   | Chemtech -SO |
| P1183-03 | MR-305-25-27             | Solid  | Percent Solids | Cool 4 deg C | HDR108   | D11                         | 01/17/2024   | Chemtech -SO |
| P1185-01 | SB-7-19.5-20.0           | Solid  | Percent Solids | Cool 4 deg C | KLE102   | O11                         | 01/17/2024   | Chemtech -SO |
| P1185-02 | SB-7-9.5-10.0            | Solid  | Percent Solids | Cool 4 deg C | KLE102   | O11                         | 01/17/2024   | Chemtech -SO |
| P1185-03 | SB-6-10.5-11.0           | Solid  | Percent Solids | Cool 4 deg C | KLE102   | O11                         | 01/17/2024   | Chemtech -SO |
| P1185-04 | SB-6-19.5-20.0           | Solid  | Percent Solids | Cool 4 deg C | KLE102   | O11                         | 01/17/2024   | Chemtech -SO |
| P1187-01 | LOD-MDL-SOIL-01-QT1-2024 | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | 01/19/2024   | Chemtech -SO |
| P1187-02 | LOQ-SOIL-02-QT1-2024     | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | 01/19/2024   | Chemtech -SO |
| P1187-03 | MDL-SOIL-03-QT1-2024     | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | 01/19/2024   | Chemtech -SO |
| P1187-04 | LOD-MDL-SOIL-04-QT1-2024 | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | 01/19/2024   | Chemtech -SO |
| P1187-05 | LOQ-SOIL-05-QT1-2024     | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | 01/19/2024   | Chemtech -SO |
| P1187-06 | MDL-SOIL-06-QT1-2024     | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | 01/19/2024   | Chemtech -SO |
| P1187-16 | LLOQ-SOIL-QT1-2024       | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | QA Of                       | 01/19/2024   | Chemtech -SO |
| P1188-01 | SOUTH-JERSEY-PORT-SAMP   | Solid  | Percent Solids | Cool 4 deg C | TRAC01   | E31                         | 01/19/2024   | Chemtech -SO |
| P1188-02 | SOUTH-JERSEY-PORT-SAMP   | Solid  | Percent Solids | Cool 4 deg C | TRAC01   | E31                         | 01/19/2024   | Chemtech -SO |
| P1197-05 | SVOC-GPC-BLANK           | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | D11                         | 01/15/2024   | Chemtech -SO |
| P1197-06 | PEST-GPC-BLANK           | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | D11                         | 01/15/2024   | Chemtech -SO |
| P1197-07 | PEST-GPC-BLANK-SPIKE     | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | D11                         | 01/15/2024   | Chemtech -SO |
| P1197-08 | PCB-GPC-BLANK            | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | D11                         | 01/15/2024   | Chemtech -SO |
| P1197-09 | PCB-GPC-BLANK-SPIKE      | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | D11                         | 01/15/2024   | Chemtech -SO |
| P1197-10 | SVOC-GPC2-BLANK          | Solid  | Percent Solids | Cool 4 deg C | CHEM02   | D11                         | 01/15/2024   | Chemtech -SO |

Date/Time 01-19-24 15:30

Raw Sample Received by: 70160C

Raw Sample Relinquished by: OP 5m

Date/Time 01-19-24

Raw Sample Received by: OP 5m

Raw Sample Relinquished by: 70160C