



Analytical Summary Report

Analysis Method: 9095B

Reviewed By: Nikita

Parameter: Paint Filter

Supervisor Review By: Iwona

Run Number: LB129188

BalanceID: WC SC-4

Seq	LabID	ClientID	Dilution	Weight(g)	Inst.Conc (ml/100g)	Anal Date	Anal Time
1	P1180-01	EO-01-011824	1	100.04	0.00	01/19/2024	14:08
2	P1180-01DUP	EO-01-011824DUP	1	100.01	0.00	01/19/2024	14:16
3	P1181-01	TR-05-011824	1	100.06	0.00	01/19/2024	14:24
4	P1182-01	OR-03-011824	1	100.06	0.00	01/19/2024	14:32
5	P1183-01	MR-305-0-2	1	100.04	0.00	01/19/2024	14:40
6	P1183-03	MR-305-25-27	1	100.01	0.00	01/19/2024	14:48

LB-129188

WORKLIST(Hardcopy Internal Chain)

WorkList Name : 01/19/2024 paintfilter WorkList ID : 177265 Department : Wet-Chemistry Date : 01-19-2024 09:16:19

Sample	Customer Sample	Matrix	Test	Preservative	Customer	Raw Sample Storage Location	Collect Date	Method
P1180-01	EO-01-011824	Solid	Paint Filter	Cool 4 deg C	PSEG05	E31	01/18/2024	9095B
P1181-01	TR-05-011824	Solid	Paint Filter	Cool 4 deg C	PSEG05	E31	01/18/2024	9095B
P1182-01	OR-03-011824	Solid	Paint Filter	Cool 4 deg C	PSEG05	E31	01/18/2024	9095B
P1183-01	MR-305-0-2	Solid	Paint Filter	Cool 4 deg C	HDR108	D11	01/17/2024	9095B
P1183-03	MR-305-25-27	Solid	Paint Filter	Cool 4 deg C	HDR108	D11	01/17/2024	9095B

Date/Time 01/19/2024 14:00
Raw Sample Received by: N.P.W.C
Raw Sample Relinquished by: 20 CEC

Date/Time 01/19/2024 15:10
Raw Sample Received by: 20 CEC
Raw Sample Relinquished by: N.P.W.C